

Make	Front	HC	PVT	Screw	Ground	Type	SFOKT	Overall	Min. Thick./	Overall	Rear	HC	PVT	Screw	Ground	Type	SFOKT	Overall	Min. Thick./	Overall
Model, Year (s)	Disc / Drum							Dia. (mm.)	Max Dia. (mm.)	Height (mm.)	Disc / Drum							Dia. (mm.)	Max Dia. (mm.)	Height (mm.)

ACURA:

CL COUPE

1997	2.2 Liter; 4 Cylinder Engine	25320				VD	✓	259.0	21.0	34.0	25179			SK		SD	✓	260.0	8.0	48.6
	3.0 Liter; 6 Cylinder Engine	25430				VD	✓	282.0	23.0	34.5	25179			SK		SD	✓	260.0	8.0	48.6
1998 - 1999	2.3 Liter; 4 Cylinder Engine	25539			SK	VD	✓	259.8	21.5	47.0	25554			SK		SD	✓	259.7	8.0	48.3
	3.0 Liter; 6 Cylinder Engine	25673				VD		-	21.0	-	25554			SK		SD	✓	259.7	8.0	48.3
2001 - 2003	3.2 Liter; 6 Cylinder Engine	25548				VD		300.0	26.0	47.2	25655					SD		282.2	7.5	61.5

INTEGRA

1986 - 1989		25280			SK	VD	✓	242.0	17.0	44.0	25185					SD		239.0	8.0	33.4
1990 - 1996		25331			SK	VD	✓	262.0	19.0	44.6	25170			SK		SD	✓	239.0	8.0	47.6
1997 - 2001	Excludes Type R	25331			SK	VD	✓	262.0	19.0	44.6	25170			SK		SD	✓	239.0	8.0	47.6
	Type R	25464			SK	VD	✓	282.0	21.0	47.1	25550					SD	✓	259.7	8.0	48.3

LEGEND COUPE

1987 - 1990		25312			SK	VD	✓	282.0	19.0	51.2	25619					SD			8.0	
1991 - 1992		25464			SK	VD	✓	282.0	21.0	47.1	25191			SK		SD	✓	282.0	7.5	61.1
1993 - 1995		25620				VD		282.0	26.0	47.2	25191			SK		SD	✓	282.0	7.5	61.1

LEGEND SEDAN

1986 - 1987		25274			SK	VD		262.0	19.0	51.2	25592					SD		259.5	8.0	42.9
1988		25312			SK	VD	✓	282.0	19.0	51.2	25592					SD		259.5	8.0	42.9
1989 - 1990		25312			SK	VD	✓	282.0	19.0	51.2	25619					SD			8.0	
1991 - 1993		25464			SK	VD	✓	282.0	21.0	47.1	25191			SK		SD	✓	282.0	7.5	61.1
1994 - 1995	Excludes GS	25464			SK	VD	✓	282.0	21.0	47.1	25191			SK		SD	✓	282.0	7.5	61.1
	GS	25620				VD		282.0	26.0	47.2	25191			SK		SD	✓	282.0	7.5	61.1

NSX

1991 - 1996		25561				VD	✓	282.0	26.0	37.0	25562					VD	✓	281.0	20.0	34.0
1997 - 2004		NYA				-		-	-	-	NYA					-		-	-	-

RL

1996 - 1998		25464			SK	VD	✓	282.0	21.0	47.1	25191			SK		SD	✓	282.0	7.5	61.1
1999 - 2001		25675				VD					NYA					-		-	-	-
2002 - 2004		25675				VD					25656					SD		281.7	10.0	61.0

RSX

2002 - 2004	Excludes Type S	NYA				-		-	-	-	25550					SD	✓	259.7	8.0	48.3
	Type S	NYA				-		-	-	-	25550					SD	✓	259.7	8.0	48.3

TL

1995 - 1998	2.5 Liter; 5 Cylinder Engine	25398				VD		282.0	21.0	34.0	25636					SD		259.6	7.5	63.5
1996 - 1998	3.2 Liter; 6 Cylinder Engine	25464			SK	VD	✓	282.0	21.0	47.1	25671					SD			7.5	
1999 - 2001		25548				VD		300.0	26.0	47.2	25501					SD		282.2	7.5	58.9
2002 - 2003	TL	25548				VD		300.0	26.0	47.2	25501					SD		282.2	7.5	58.9
	TL Type "S"	25548				VD		300.0	26.0	47.2	25501					SD		282.2	7.5	58.9
2004	Standard Front Calipers	25548				VD		300.0	26.0	47.2	NYA					-		-	-	-
	Brembo Front Calipers	NYA				-		-	-	-	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-----------------	---------------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-----------------	---------------	-----------------------	--------------------------------	-------------------------

TSX																	
2004		25548				VD	300.0	26.0	47.2	NYA							

VIGOR																	
1992 - 1994		25398				VD	282.0	21.0	34.0	25670				SD		8.0	

ACURA TRUCK (SUV):

MDX																	
2001 - 2004		25548				VD	300.0	26.0	47.2	NYA				-	-	-	-

SLX																	
1996 - 1999		25457			@	VD	280.0	24.6	36.0	25496			@	VD	313.0	16.6	80.2

ALFA ROMEO:

164																	
1990 - 1995		25259		PVT	SK	VD	284.0	20.2	43.5	25065			SK	SD	251.0	9.0	50.5

1600																		
1965 - 1968		NYA				-	-	-	-	25004			SK	@	SD	267.0	7.5	64.2

1750, 2000 SEDAN																		
1968 - 1974		25042			@	SD	272.0	10.7	68.4	25004			SK	@	SD	267.0	7.5	64.2

2000 SPIDER																		
1975 - 1995		25042			@	SD	272.0	10.7	68.4	25004			SK	@	SD	267.0	7.5	64.2

ALFETTA																	
1975 - 1980		25043			@	SD	261.0	9.0	51.5	25021			@	SD	250.0	8.0	21.0

GTV-6																	
1981 - 1986		25236			@	VD	268.4	20.0	51.5	25079			@	SD	250.0	8.0	21.0

MILANO 2.5, 3.0																	
1986 - 1989		25236			@	VD	268.4	20.0	51.5	25079			@	SD	250.0	8.0	21.0

AMERICAN MOTORS:

AMBASSADOR																	
1971 - 1973		NYA				-	-	-	-	23021				RD	254.0	255.5	99.6

AMX																	
1979		NYA				-	-	-	-	23021				RD	254.0	255.5	99.6

CONCORDE																	
1979		NYA				-	-	-	-	23021				RD	254.0	255.5	99.6

EAGLE, SX4, KAMMBACK

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1980 - 1987		27001			@	VD	280.0	20.7	76.8	NYA				-	-	-	-

GREMLIN

1976 - 1978	8 Cylinder Engine	NYA				-	-	-	-	23021				RD	254.0	255.5	99.6
-------------	-------------------	-----	--	--	--	---	---	---	---	-------	--	--	--	----	-------	-------	------

HORNET

1976 - 1977	8 Cylinder Engine	NYA				-	-	-	-	23021				RD	254.0	255.5	99.6
-------------	-------------------	-----	--	--	--	---	---	---	---	-------	--	--	--	----	-------	-------	------

MATADOR

1973 - 1976		NYA				-	-	-	-	23021				RD	254.0	255.5	99.6
-------------	--	-----	--	--	--	---	---	---	---	-------	--	--	--	----	-------	-------	------

PACER

1979		NYA				-	-	-	-	23021				RD	254.0	255.5	99.6
------	--	-----	--	--	--	---	---	---	---	-------	--	--	--	----	-------	-------	------

SPIRIT

1979		NYA				-	-	-	-	23021				RD	254.0	255.5	99.6
------	--	-----	--	--	--	---	---	---	---	-------	--	--	--	----	-------	-------	------

AUDI:

ALLROAD

2001 - 2003		NYA				-	-	-	-	NYA				-	-	-	-
2004	2.7L V6	NYA				-	-	-	-	NYA				-	-	-	-
	4.2L V8	NYA				-	-	-	-	NYA				-	-	-	-

A4 (Excluding QUATTRO)

1996 - 2001	Excludes Quattro	25391	HC			VD	✓	288.0	23.0	46.2	25193			@	HR	✓	245.0	8.0	83.6
2002 - 10/2002	1.8 Turbo - Sedan; To Chassis: 8E-3-235 000	25391	HC			VD	✓	288.0	23.0	46.2	NYA			-	-	-	-	-	
	1.8 Turbo - Cabriolet; To Chassis: 8E-3-017 415	25391	HC			VD	✓	288.0	23.0	46.2	NYA			-	-	-	-	-	
	3.0 Sedan; To Chassis: 8E-3-235 000	NYA				-	-	-	-	NYA				-	-	-	-	-	
	3.0 Cabriolet; To Chassis: 8E-3-017 415	NYA				-	-	-	-	NYA				-	-	-	-	-	
10/2002 - 2005	1.8 Turbo - Sedan; To Chassis: 8E-3-235 001	25391	HC			VD	✓	288.0	23.0	46.2	NYA			-	-	-	-	-	
	1.8 Turbo - Cabriolet; From Chassis: 8E-3-017 416	25391	HC			VD	✓	288.0	23.0	46.2	NYA			-	-	-	-	-	
	3.0 Sedan; To Chassis: 8E-3-235 001	NYA				-	-	-	-	NYA				-	-	-	-	-	
	3.0 Cabriolet; From Chassis: 8E-3-017 416	NYA				-	-	-	-	NYA				-	-	-	-	-	

A4 QUATTRO

1996 - 2001		25391	HC			VD	✓	288.0	23.0	46.2	25615			@	SD		245.0	8.0	47.9
2002 - 10/2002	1.8 Turbo; To Chassis: 8E-3-235 000	25391	HC			VD	✓	288.0	23.0	46.2	NYA			-	-	-	-	-	
	3.0 Sedan; To Chassis: 8E-3-235 000	NYA				-	-	-	-	NYA				-	-	-	-	-	
	3.0 Cabriolet; To Chassis: 8E-3-017 415	NYA				-	-	-	-	NYA				-	-	-	-	-	
10/2002 - 2005	1.8 Turbo; From Chassis: 8E-3-235 000	25391	HC			VD	✓	288.0	23.0	46.2	NYA			-	-	-	-	-	
	3.0 Sedan; To Chassis: 8E-3-235 000	NYA				-	-	-	-	NYA				-	-	-	-	-	
	3.0 Cabriolet; From Chassis: 8E-3-017 415	NYA				-	-	-	-	NYA				-	-	-	-	-	

A6 (Excluding Quattro)

1995		25391	HC			VD	✓	288.0	23.0	46.2	25175			@	SD	✓	245.0	8.0	63.9
1996 - 1998	w/ AFC Engine	25391	HC			VD	✓	288.0	23.0	46.2	25175			@	SD	✓	245.0	8.0	63.9
1998 - 1/1999	15" Wheel; w/ AHA Engine	25391	HC			VD	✓	288.0	23.0	46.2	25175			@	SD	✓	245.0	8.0	63.9
	16" Wheel; w/ AHA Engine	NYA				-	-	-	-	25175				@	SD	✓	245.0	8.0	63.9

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
2/1999 - 6/1999	15" Wheel; To Chassis: 4B-X-130 000	25391	HC				VD	✓	288.0	23.0	46.2	25175					@ SD	✓	245.0	8.0	63.9
	16" Wheel	NYA					-		-	-	-	25175					@ SD	✓	245.0	8.0	63.9
6/1999 - 2001	Standard Suspension; From Chassis: 4B-X-130 001	25391	HC				VD	✓	288.0	23.0	46.2	25175					@ SD	✓	245.0	8.0	63.9
	Sport Suspension	NYA					-		-	-	-	25175					@ SD	✓	245.0	8.0	63.9
2002 - 5/2002	To Chassis: 4B-2-130 135	NYA					-		-	-	-	25175					@ SD	✓	245.0	8.0	63.9
5/2002 - 2004	From Chassis: 4B-2-130 136	NYA					-		-	-	-	25175					@ SD	✓	245.0	8.0	63.9

A6 QUATTRO - Excluding V8 & 2.7T Turbo

1995		25391	HC				VD	✓	288.0	23.0	46.2	25175					@ SD	✓	245.0	8.0	63.9
1996 - 1998	w/ AFC Engine	25391	HC				VD	✓	288.0	23.0	46.2	25175					@ SD	✓	245.0	8.0	63.9
1998 - 1/1999	15" Wheel; w/ AHA Engine; To Chassis: 4B-X-070 000	25391	HC				VD	✓	288.0	23.0	46.2	NYA					-		-	-	-
	16" Wheel; w/ AHA Engine - SEDAN	NYA					-		-	-	-	NYA					-		-	-	-
	16" Wheel; w/ AHA Engine - AVANT	NYA					-		-	-	-	NYA					-		-	-	-
1/1999 - 6/1999	15" Wheel; From Chassis: 4B-X-070 001	25391	HC				VD	✓	288.0	23.0	46.2	NYA					-		-	-	-
	15" Wheel; To Chassis: 4B-X-130 000	25391	HC				VD	✓	288.0	23.0	46.2	NYA					-		-	-	-
	16" Wheel; SEDAN	NYA					-		-	-	-	NYA					-		-	-	-
	16" Wheel; AVANT	NYA					-		-	-	-	NYA					-		-	-	-
6/1999 - 2001	Standard Suspension; From Chassis: 4B-X-130 001	25391	HC				VD	✓	288.0	23.0	46.2	NYA					-		-	-	-
	Sport Suspension - SEDAN	NYA					-		-	-	-	NYA					-		-	-	-
	Sport Suspension - AVANT	NYA					-		-	-	-	NYA					-		-	-	-
2002 - 5/2002	SEDAN - To Chassis: 4B-2-130 135	NYA					-		-	-	-	NYA					-		-	-	-
	AVANT - To Chassis: 4B-2-130 135	NYA					-		-	-	-	NYA					-		-	-	-
5/2002 - 2004	SEDAN - From Chassis: 4B-2-130 136	NYA					-		-	-	-	NYA					-		-	-	-
	AVANT - From Chassis: 4B-2-130 136	NYA					-		-	-	-	NYA					-		-	-	-

A6 QUATTRO V8

2000 - 2004		NYA					-		-	-	-	NYA					-		-	-	-
-------------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

A6 QUATTRO 2.7T Turbo

2000 - 2001		NYA					-		-	-	-	NYA					-		-	-	-
2002 - 2004	4 Pad Front Caliper	NYA					-		-	-	-	NYA					-		-	-	-
	2 Pad Front Caliper	NYA					-		-	-	-	NYA					-		-	-	-

A8 (Excluding Quattro)

1997 - 1999		NYA					-		-	-	-	25177					@ SD		245.0	8.0	46.2
-------------	--	-----	--	--	--	--	---	--	---	---	---	-------	--	--	--	--	------	--	-------	-----	------

A8 QUATTRO

1997 - 8/1999	To Chassis: 4D-Y-005 000	NYA					-		-	-	-	25177					@ SD		245.0	8.0	46.2
8/1999 - 2003	From Chassis: 4D-Y-005 001	NYA					-		-	-	-	25612					VD		269.0	18.0	46.0
2004 - 2005		NYA					-		-	-	-	NYA					-		-	-	-

CABRIOLET - see A4 from 2002

1994 - 1998		25385	HC				VD		276.0	23.0	56.2	25112					@ SD		245.0	8.0	59.2
-------------	--	-------	----	--	--	--	----	--	-------	------	------	-------	--	--	--	--	------	--	-------	-----	------

COUPE, COUPE GT (Excluding Quattro)

1981 - 7/1982		25088			SK	@ SD	✓		239.0	10.0	35.0	21022					RD		200.0	201.0	81.0
8/1982 - 7/1984		25243			SK	@ VD	✓		239.0	18.0	38.7	21022					RD		200.0	201.0	81.0
8/1984 - 12/1986	w/ Rear Drum	25322	HC			@ VD			256.0	18.0	41.7	21064					RD		200.0	201.0	80.5
1/1987 - 1987	w/ Rear Disc	25322	HC			@ VD			256.0	18.0	41.7	25112					@ SD		245.0	8.0	59.2

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)		
COUPE QUATTRO																					
5/1989 - 7/1989		25385	HC			VD		276.0	23.0	56.2	25133				@	SD	245.0	8.0	39.7		
8/1989 - 1991	2.0 Liter Engine	25385	HC			VD		276.0	23.0	56.2	25133				@	SD	245.0	8.0	39.7		
	2.3 Liter Engine	25380	HC		@	VD		256.0	20.0	56.2	25112				@	SD	245.0	8.0	59.2		
FOX																					
1973 - 1979		25088			SK	@	SD	✓	239.0	10.0	35.0	21072				RD	200.0	201.0	81.0		
QUATTRO																					
1982 - 1985		25260			@	VD		280.0	20.0	46.2	25113				@	SD	245.0	8.0	59.2		
RS6																					
2004 - 2005	LEFT SIDE	NYA				-		-	-	-	NYA				-		-	-	-		
	RIGHT SIDE	NYA				-		-	-	-	NYA				-		-	-	-		
S4																					
1992 - 1994		25498	HC		@	VD		314.0	28.0	59.0	25560				VD		267.0	18.0	60.0		
2/1999 - 2002		NYA				-		-	-	-	NYA				-		-	-	-		
2004 - 2005		NYA				-		-	-	-	NYA				-		-	-	-		
S6																					
1995 - 1998		25498	HC		@	VD		314.0	28.0	59.0	25560				VD		267.0	18.0	60.0		
2002 - 4/2002	To Chassis: 4B-2-130 135	NYA				-		-	-	-	NYA				-		-	-	-		
4/2002 - 2004	From Chassis: 4B-2-130 136	NYA				-		-	-	-	NYA				-		-	-	-		
S8																					
2001 - 2003		25611	HC			VD		345.0	28.0	52.0	25484				VD		280.0	20.0	46.2		
SUPER 90																					
1969 - 1972		25022				SD		279.0	8.5	41.7	NYA				-		-	-	-		
TT COUPE - Excluding Quattro																					
3/1999 - 6/1999	To Chassis: 8N-Y-011 100	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	25203			SK	@	SD	✓	232.0	7.0	39.3
6/1999 - 10/2001	From Chassis: 8N-Y-011 101	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	25203			SK	@	SD	✓	232.0	7.0	39.3
	To Chassis: 8N-2-014 300	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	25203			SK	@	SD	✓	232.0	7.0	39.3
10/2001 - 2005	From Chassis: 8N-2-014 301	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	25203			SK	@	SD	✓	232.0	7.0	39.3
TT QUATTRO																					
2001 - 10/2001	180 HP; To Chassis: 8N-2-014 300	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	NYA				-		-	-		
	225 HP; To Chassis: 8N-2-014 300	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	NYA				-		-	-		
10/2001 - 2003	180 HP; From Chassis: 8N-2-014 301	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	NYA				-		-	-		
	225 HP; From Chassis: 8N-2-014 301	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	NYA				-		-	-		
2004 - 2005	1.8L - 180 HP; From Chassis: 8N-2-014 301	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	NYA				-		-	-		
	1.8L - 225 HP; From Chassis: 8N-2-014 301	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	NYA				-		-	-		
	3.2L - V6	NYA				-		-	-	-	NYA				-		-	-	-		
V8 QUATTRO																					
1990 - 1994	w/ ATE System	NYA				-		-	-	-	25560				VD		267.0	18.0	60.0		
	w/ Girling System	25498	HC		@	VD		314.0	28.0	59.0	25560				VD		267.0	18.0	60.0		

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
80 & 90 Series - Excluding Quattro																				
1988 - 1992		25283			@	VD		256.0	20.0	46.2	25112			@	SD		245.0	8.0	59.2	
80 & 90 QUATTRO (SOHC 'NG' Engine) - Excluding 20 Valve																				
10/1987 - 1992		25283			@	VD		256.0	20.0	46.2	25133			@	SD		245.0	8.0	39.7	
80, 90 QUATTRO w/ DOHC (7A Engine) Excluding V6																				
1989 - 1992	w/ 256mm Front Disc (56.2mm Tall)	25380	HC		@	VD		256.0	20.0	56.2	25133			@	SD		245.0	8.0	39.7	
	w/ 276mm Front Disc (56.2mm Tall)	25385	HC		@	VD		276.0	23.0	56.2	25133			@	SD		245.0	8.0	39.7	
	w/ 276mm Front Disc (51.2mm Tall)	25399	HC		@	VD		276.0	23.0	51.2	25133			@	SD		245.0	8.0	39.7	
1993		25385	HC		@	VD		276.0	23.0	56.2	25134			@	SD		245.0	8.0	39.7	
90S, CS V6 (Excluding Quattro)																				
1993 - 1996	4 Lug	25385	HC		@	VD		276.0	23.0	56.2	25112			@	SD		245.0	8.0	59.2	
90S, CS V6 QUATTRO																				
1993 - 1995		25385	HC		@	VD		276.0	23.0	56.2	25133			@	SD		245.0	8.0	39.7	
100 SERIES																				
1970 - 2/1972		25022				SD		279.0	8.5	41.7	NYA			-			-	-	-	
1988		25283			@	VD		256.0	20.0	46.2	25153			@	SD		245.0	8.0	65.2	
1989	Excludes Quattro	25283			@	VD		256.0	20.0	46.2	25153			@	SD		245.0	8.0	65.2	
	Quattro w/ ATE System	25283			@	VD		256.0	20.0	46.2	25178			@	SD		245.0	8.0	46.2	
	Quattro w/ Girling System	25283			@	VD		256.0	20.0	46.2	25178			@	SD		245.0	8.0	46.2	
1990 - 1991	w/ ATE System & Hydraulic Booster; Exc. Quattro	25283			@	VD		256.0	20.0	46.2	25153			@	SD		245.0	8.0	65.2	
	w/ Girling System & Vacuum Booster; Exc. Quattro	25283			@	VD		256.0	20.0	46.2	25153			@	SD		245.0	8.0	65.2	
	Quattro w/ ATE System	25283			@	VD		256.0	20.0	46.2	25178			@	SD		245.0	8.0	46.2	
	Quattro w/ Girling System	25283			@	VD		256.0	20.0	46.2	25178			@	SD		245.0	8.0	46.2	
10/1991 - 1994	Quattro w/ 5 Cylinder Engine	25498	HC		@	VD		314.0	28.0	59.0	25560			@	VD		267.0	18.0	60.0	
1992 - 3/1993	Excludes Quattro	25391	HC		@	VD	✓	288.0	23.0	46.2	25175			@	SD	✓	245.0	8.0	63.9	
	Quattro w/ V6 Engine	25391	HC		@	VD	✓	288.0	23.0	46.2	25175			@	SD	✓	245.0	8.0	63.9	
3/1993 - 1994	Excludes Quattro	25391	HC		@	VD	✓	288.0	23.0	46.2	25175			@	SD	✓	245.0	8.0	63.9	
	Quattro w/ V6 Engine	25391	HC		@	VD	✓	288.0	23.0	46.2	25175			@	SD	✓	245.0	8.0	63.9	
200 TURBO (Excluding Quattro)																				
1989 - 1991		25387	HC		@	VD		276.0	23.0	46.2	25113			@	SD		245.0	8.0	59.2	
200 TURBO QUATTRO																				
5/1988 - 1991	Sedan	25387	HC		@	VD		276.0	23.0	46.2	25177			@	SD		245.0	8.0	46.2	
	1989 - 1990 Wagon w/ Solid Rear Disc	25387	HC		@	VD		276.0	23.0	46.2	25177			@	SD		245.0	8.0	46.2	
	1991 Wagon w/ Vented Rear Disc	25387	HC		@	VD		276.0	23.0	46.2	NYA			-			-	-	-	
4000 (Excluding CS, CS Quattro)																				
1979 - 7/1980	w/ Rear Drum	25088			SK	@	SD	✓	239.0	10.0	35.0	21072			RD		200.0	201.0	81.0	
8/1980 - 7/1984	w/ Rear Drum	25088			SK	@	SD	✓	239.0	10.0	35.0	21072			RD		200.0	201.0	81.0	
	w/ Rear Disc	25088			SK	@	SD	✓	239.0	10.0	35.0	25133			@	SD		245.0	8.0	39.7
8/1984 - 1987	w/ Rear Drum	25243			SK	@	VD	✓	239.0	18.0	38.7	21072			RD		200.0	201.0	81.0	
	w/ Rear Disc	25243			SK	@	VD	✓	239.0	18.0	38.7	25112			@	SD		245.0	8.0	59.2

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
4000 CS (Excluding Quattro)																					
1985 - 1987		25322	HC			@	VD		256.0	18.0	41.7	21064					RD		200.0	201.0	80.5
4000 CS QUATTRO																					
1983 - 1987		25322	HC			@	VD		256.0	18.0	41.7	25133				@	SD		245.0	8.0	39.7
5000 (Excluding Turbo, Quattro)																					
1978 - 7/1981		25283				@	VD		256.0	20.0	46.2	21065					RD		230.0	231.0	90.0
8/1981 - 7/1982		25283				@	VD		256.0	20.0	46.2	21065					RD		230.0	231.0	90.0
8/1982 - 7/1983	w/ Rear Drum	25283				@	VD		256.0	20.0	46.2	21065					RD		230.0	231.0	90.0
	w/ Rear Disc	25283				@	VD		256.0	20.0	46.2	25112				@	SD		245.0	8.0	59.2
8/1983 - 12/1985	w/ Rear Drum	25048				@	SD		256.0	11.0	46.2	21065					RD		230.0	231.0	90.0
	w/ Rear Disc	25283				@	VD		256.0	20.0	46.2	25112				@	SD		245.0	8.0	59.2
1/1986 - 1988		25283				@	VD		256.0	20.0	46.2	25112				@	SD		245.0	8.0	59.2
5000 QUATTRO (Excluding Turbo)																					
1986 - 1988		25387	HC			@	VD		276.0	23.0	46.2	25177				@	SD		245.0	8.0	46.2
5000 TURBO (Excluding Quattro)																					
1980 - 1/1986		25260				@	VD		280.0	20.0	46.2	25113				@	SD		245.0	8.0	59.2
2/1986 - 1988		25387	HC			@	VD		276.0	23.0	46.2	25113				@	SD		245.0	8.0	59.2
5000 TURBO QUATTRO																					
1985 - 12/1985	Sedan	25260				@	VD		280.0	20.0	46.2	25177				@	SD		245.0	8.0	46.2
	Wagon	25260				@	VD		280.0	20.0	46.2	NYA				-			-	-	-
1/1986 - 1988	w/ Solid Rear Disc	25387	HC			@	VD		276.0	23.0	46.2	25177				@	SD		245.0	8.0	46.2
	w/ Vented Rear Disc	25387	HC			@	VD		276.0	23.0	46.2	NYA				-			-	-	-
AUSTIN:																					
MARINA MORRIS 1.3 / 1.8																					
1971 - 1973		25034					SD		248.5	8.6	45.7	NYA				-			-	-	-
AUSTIN-HEALEY:																					
SPRITE MK III - IV																					
1962 - 1972	w/ Disc Wheel	25007					SD		209.0	7.3	59.5	NYA				-			-	-	-
	w/ Wire Wheel	25014					SD		209.0	7.3	39.5	NYA				-			-	-	-
3000 MK II - III																					
1960 - 1968		25010					SD		281.0	11.4	38.0	NYA				-			-	-	-
BMW:																					
L7																					
1986 - 12/1986		25351	HC	SK			VD		280.0	23.4	78.1	25167			SK		SD		284.0	8.4	68.1
1/1987 - 1987		25303	HC	SK			VD	✓	302.0	26.4	76.1	25147	HC		SK		SD		300.0	10.4	68.1

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type				SFOKIT	Disc / Drum	HC	PVT	Screw	Ground				Type
1987 - 1991		NYA					-	-	-	NYA						-	-	-		
1995 - 1999	Left Side	25419	HC		SK	@	VD	✓	315.0	26.4	52.5	25584				VD	✓	311.9	18.4	61.1
	Right Side	25420	HC		SK	@	VD	✓	315.0	26.4	52.5	25585				VD	✓	311.9	18.4	61.1
2001 - 2003	Left Side	NYA					-	-	-	NYA						-	-	-		
	Right Side	NYA					-	-	-	NYA						-	-	-		
2004	Left Side	NYA					-	-	-	NYA						-	-	-		
	Right Side	NYA					-	-	-	NYA						-	-	-		

M5

1989 - 1993		25416	HC		SK	@	VD	✓	315.0	26.4	76.0	25481	HC		SK	VD	✓	300.0	18.4	61.1
2000 - 2004	Left Side	NYA					-	-	-	NYA						-	-	-		
	Right Side	NYA					-	-	-	NYA						-	-	-		

M6

1987 - 1988		NYA					-	-	-	25099			SK	SD				284.0	8.4	61.1
1989 - 1993		25416	HC		SK	@	VD	✓	315.0	26.4	76.0	25481	HC		SK	VD	✓	300.0	18.4	61.1
1994 - 1999		NYA					-	-	-	NYA								-	-	-
2000 - 2001		NYA					-	-	-	NYA								-	-	-

M COUPE, M ROADSTER

1998 - 2002	Left Side	25419	HC		SK	@	VD	✓	315.0	26.4	52.5	25584				VD	✓	311.9	18.4	61.1
	Right Side	25420	HC		SK	@	VD	✓	315.0	26.4	52.5	25585				VD	✓	311.9	18.4	61.1

Z3

1996 - 1997	1.9L; 4 Cylinder Engine	25143			SK		SD	✓	286.0	10.4	51.7	25553	HC			@	SD	✓	271.9	8.4	82.9
	2.8L; 6 Cylinder Engine	25325	HC		SK		VD	✓	286.0	20.4	51.6	25553	HC			@	SD	✓	271.9	8.4	82.9
1998	1.9L; 4 Cylinder Engine	25143			SK		SD	✓	286.0	10.4	51.7	25553	HC			@	SD	✓	271.9	8.4	82.9
	2.5L; 4 Cylinder Engine	25325	HC		SK		VD	✓	286.0	20.4	51.6	25553	HC			@	SD	✓	271.9	8.4	82.9
	2.8L; 6 Cylinder Engine	25325	HC		SK		VD	✓	286.0	20.4	51.6	25553	HC			@	SD	✓	271.9	8.4	82.9
	3.2L; 6 Cylinder Engine - Left Side	25419	HC		SK	@	VD	✓	315.0	26.4	52.5	25584				VD	✓	311.9	18.4	61.1	
	3.2L; 6 Cylinder Engine - Right Side	25420	HC		SK	@	VD	✓	315.0	26.4	52.5	25585				VD	✓	311.9	18.4	61.1	
1999 - 2002	2.5L; 4 Cylinder Engine	25325	HC		SK		VD	✓	286.0	20.4	51.6	25553	HC			@	SD	✓	271.9	8.4	82.9
	3.0L; 6 Cylinder Engine	25514	HC		SK		VD	✓	300.0	20.4	22.0	25553	HC			@	SD	✓	271.9	8.4	82.9
	3.2L; 6 Cylinder Engine - Left Side	25419	HC		SK	@	VD	✓	315.0	26.4	52.5	25584				VD	✓	311.9	18.4	61.1	
	3.2L; 6 Cylinder Engine - Right Side	25420	HC		SK	@	VD	✓	315.0	26.4	52.5	25585				VD	✓	311.9	18.4	61.1	

Z4

2003 - 2004	2.5 Liter	25325	HC		SK		VD	✓	286.0	20.4	51.6	25589	HC			SD				
	3.0 Liter	25514	HC		SK		VD	✓	300.0	20.4	22.0	25588	HC			VD				

Z8, Alpina Roadster

2000 - 2003		NYA					-	-	-	-	-	NYA				-	-	-	-
-------------	--	-----	--	--	--	--	---	---	---	---	---	-----	--	--	--	---	---	---	---

316i

1993 - 1996		25143			SK		SD	✓	286.0	10.4	51.7	NYA				-	-	-	-
-------------	--	-------	--	--	----	--	----	---	-------	------	------	-----	--	--	--	---	---	---	---

318i, is

1983 - 1985		25059			SK		SD		260.0	11.1	35.1	21015				RD		228.6	229.5	58.5
1990 - 4/1991	E30 Chasis	25252			SK		VD	✓	260.0	20.4	35.1	25080			SK	SD	✓	258.0	8.4	60.1

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK?	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK?	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
5/1991 - 1999	E36 Chasis	25325	HC		SK		VD	✓	286.0	20.4	51.6	25144	HC		SK		SD	✓	280.0	8.4	60.1

318Ti

1995 - 1999		25143			SK		SD	✓	286.0	10.4	51.7	NYA					-		-	-	-
-------------	--	-------	--	--	----	--	----	---	-------	------	------	-----	--	--	--	--	---	--	---	---	---

320i

1976 - 8/1977	E21 Chasis	25234			SK		VD	✓	255.0	20.4	75.1	21008					RD		250.0	251.0	62.5
9/1977 - 1983	E21 Chasis	25068			SK		SD		255.0	11.1	75.1	21008					RD		250.0	251.0	62.5

320d

4/1998 - 2000	E46 Chasis	NYA					-		-	-	-	25516	HC		SK		VD	✓	276.0	17.4	60.1
---------------	------------	-----	--	--	--	--	---	--	---	---	---	-------	----	--	----	--	----	---	-------	------	------

323, 323 Touring Series (E36, E46)

1998 - 1999	E36 Convertible; Vented Rear Discs	25325	HC		SK		VD	✓	286.0	20.4	51.6	25516	HC		SK		VD	✓	276.0	17.4	60.1
	E36 Sedan, Coupe; Solid Rear Discs	25325	HC		SK		VD	✓	286.0	20.4	51.6	25144	HC		SK		SD	✓	280.0	8.4	60.1
2000	E36 Convertible; Vented Rear Discs	25325	HC		SK		VD	✓	286.0	20.4	51.6	25516	HC		SK		VD	✓	276.0	17.4	60.1
	E46 - Excluding Touring	25325	HC		SK		VD	✓	286.0	20.4	51.6	25516	HC		SK		VD	✓	276.0	17.4	60.1
	E46 - Touring	25514	HC		SK		VD	✓	300.0	20.4	22.0	25515	HC		SK		VD	✓	294.0	17.4	59.2

323Ci

2000 - 2001	Convertible, Wagon	25514	HC		SK		VD	✓	300.0	20.4	22.0	NYA					-		-	-	-
	Coupe, Sedan	25325	HC		SK		VD	✓	286.0	20.4	51.6	NYA					-		-	-	-

323i

1978 - 1982	E21 Chasis	25234			SK		VD	✓	255.0	20.4	75.1	25080			SK		SD	✓	258.0	8.4	60.1
1982 - 1986	E30 Chasis	25252			SK		VD	✓	260.0	20.4	35.1	25080			SK		SD	✓	258.0	8.4	60.1
1987 - 1994		NYA					-		-	-	-	NYA					-		-	-	-
1995 - 1998	E36 Chasis	25325	HC		SK		VD	✓	286.0	20.4	51.6	25516	HC		SK		VD	✓	276.0	17.4	60.1
4/1998 - 2001	E46 Chasis	25325	HC		SK		VD	✓	286.0	20.4	51.6	25516	HC		SK		VD	✓	276.0	17.4	60.1

323iS

1998 - 1999	E36 Chasis	25325	HC		SK		VD	✓	286.0	20.4	51.6	25144	HC		SK		SD	✓	280.0	8.4	60.1
2000 - 2001	Convertible, Wagon	25514	HC		SK		VD	✓	300.0	20.4	22.0	NYA					-		-	-	-
	Coupe, Sedan	25325	HC		SK		VD	✓	286.0	20.4	51.6	NYA					-		-	-	-

325e, es, I, ic, is (Excluding 4wd)

1984 - 1992	E30 Chasis	25252			SK		VD	✓	260.0	20.4	35.1	25080			SK		SD	✓	258.0	8.4	60.1
1992 - 1996	E36 Chasis	25325	HC		SK		VD	✓	286.0	20.4	51.6	25144	HC		SK		SD	✓	280.0	8.4	60.1
1997 - 1999	Coupe & Sedan; Solid Rear Discs	25325	HC		SK		VD	✓	286.0	20.4	51.6	25144	HC		SK		SD	✓	280.0	8.4	60.1
	Convertible; Vented Rear Discs	25325	HC		SK		VD	✓	286.0	20.4	51.6	25516	HC		SK		VD	✓	276.0	17.4	60.1

325 Series (E46)

2001 - 2004	Excludes Xi - AWD	25514	HC		SK		VD	✓	300.0	20.4	22.0	25515	HC		SK		VD	✓	294.0	17.4	59.2
	Xi - AWD	25514	HC		SK		VD	✓	300.0	20.4	22.0	NYA					-		-	-	-

325i, Ci, Xi

2001 - 2002	Excludes AWD	25514	HC		SK		VD	✓	300.0	20.4	22.0	NYA					-		-	-	-
	AWD	25514	HC		SK		VD	✓	300.0	20.4	22.0	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
325iX 4WD																			
1987 - 1991		25252			SK	VD	✓	260.0	20.4	35.1	NYA					-	-	-	-
328 Series (E46)																			
1999 - 2000		25514	HC		SK	VD	✓	300.0	20.4	22.0	25515	HC		SK	VD	✓	294.0	17.4	59.2
328Ci																			
2000 - 2001		25514	HC		SK	VD	✓	300.0	20.4	22.0	NYA					-	-	-	-
328i, iC																			
1996 - 1998	328i	25325	HC		SK	VD	✓	286.0	20.4	51.6	25144	HC		SK	SD	✓	280.0	8.4	60.1
	328iC	25325	HC		SK	VD	✓	286.0	20.4	51.6	25516	HC		SK	VD	✓	276.0	17.4	60.1
1999 - 2000		25514	HC		SK	VD	✓	300.0	20.4	22.0	NYA					-	-	-	-
328iS																			
1996 - 1999		25325	HC		SK	VD	✓	286.0	20.4	51.6	25144	HC		SK	SD	✓	280.0	8.4	60.1
330 SERIES (E46) - Excludes 330iX AWD																			
2000-2004		25616				VD			23.4		NYA					-	-	-	-
330iX AWD SERIES (E46)																			
2001-2004		25616				VD			23.4		NYA					-	-	-	-
524td																			
1985 - 1986		25241			SK	VD		284.0	20.4	76.1	25099			SK	SD		284.0	8.4	61.1
525i																			
1989 - 1996		25301	HC		SK	VD	✓	302.0	20.4	76.1	25129	HC		SK	SD	✓	300.0	8.4	61.1
1997 - 2000		NYA				-	-	-	-	-	NYA					-	-	-	-
2001 - 2003		25473	HC		SK	VD	✓	296.0	20.4	76.0	25446	HC		SK	VD	✓	298.0	18.4	61.0
2004	w/ Manual Transmission	NYA				-	-	-	-	-	NYA					-	-	-	-
	w/ Automatic Transmission	NYA				-	-	-	-	-	NYA					-	-	-	-
528e																			
1982 - 1988		25241			SK	VD		284.0	20.4	76.1	25099			SK	SD		284.0	8.4	61.1
528i																			
1979 - 1981		25235			SK	VD		280.0	20.4	78.1	25028			SK	SD		272.0	7.9	61.5
1982 - 1995		NYA				-	-	-	-	-	NYA					-	-	-	-
1996 - 2000	E39 Chasis	25473	HC		SK	VD	✓	296.0	20.4	76.0	25446	HC		SK	VD	✓	298.0	18.4	61.0
530i																			
1975 - 1/1976		25027				SD		272.0	11.4	59.8	25028			SK	SD		272.0	7.9	61.5
2/1976 - 8/1976		25074			SK	SD		280.0	11.1	78.1	25028			SK	SD		272.0	7.9	61.5
9/1976 - 1979		25235			SK	VD		280.0	20.4	78.1	25028			SK	SD		272.0	7.9	61.5
1980 - 1992		NYA				-	-	-	-	-	NYA					-	-	-	-
1993 - 1996	Includes Wagon	25301	HC		SK	VD	✓	302.0	20.4	76.1	25129	HC		SK	SD	✓	300.0	8.4	61.1
1997 - 2000		NYA				-	-	-	-	-	NYA					-	-	-	-
2001-2003		25617				VD		324.0	28.4	29.9	25446	HC		SK	VD	✓	298.0	18.4	61.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
2004		NYA					-		-	-	-	NYA					-		-	-	-
533i																					
1980 - 1984		25241			SK		VD		284.0	20.4	76.1	25099			SK		SD		284.0	8.4	61.1
535i, iS																					
1985 - 1988		25352	HC		SK		VD		282.0	23.0	76.1	25099			SK		SD		284.0	8.4	61.1
1989 - 1993		25301	HC		SK		VD	✓	302.0	20.4	76.1	25129	HC		SK		SD	✓	300.0	8.4	61.1
540i, 540i TOURING																					
1993 - 1995		25303	HC		SK		VD	✓	302.0	26.4	76.1	25481	HC		SK		VD	✓	300.0	18.4	61.1
1996 - 2/2000		25347	HC		SK		VD	✓	324.0	28.4	77.1	25446	HC		SK		VD	✓	298.0	18.4	61.0
3/2000 - 2003		25617					VD		324.0	28.4	29.9	25446	HC		SK		VD	✓	298.0	18.4	61.0
545i (E60)																					
2004		NYA					-		-	-	-	NYA					-		-	-	-
630, 633, 635																					
1976 - 8/1982		25235			SK		VD		280.0	20.4	78.1	NYA					-		-	-	-
9/1982 - 1989		25352	HC		SK		VD		282.0	23.0	76.1	25099			SK		SD		284.0	8.4	61.1
645i (E63, E64)																					
2004 - 2005		NYA					-		-	-	-	NYA					-		-	-	-
730i																					
1992 - 1993		25301	HC		SK		VD	✓	302.0	20.4	76.1	25147	HC		SK		SD		300.0	10.4	68.1
733i, 735i, 735iL																					
1977 - 8/1981		25235			SK		VD		280.0	20.4	78.1	25075			SK		SD		280.0	8.4	68.1
9/1981 - 12/1986	w/ 22mm Thick Front Disc	25235			SK		VD		280.0	20.4	78.1	25167			SK		SD		284.0	8.4	68.1
	w/ 25mm Thick Front Disc	25351	HC		SK		VD		280.0	23.4	78.1	25167			SK		SD		284.0	8.4	68.1
1/1987 - 2/1988		25303	HC		SK		VD	✓	302.0	26.4	76.1	25146	HC		SK		SD		300.0	8.4	68.1
3/1988 - 1993		25303	HC		SK		VD	✓	302.0	26.4	76.1	25147	HC		SK		SD		300.0	10.4	68.1
740i, iL																					
1993 - 4/1994	E32 Chasis	25303	HC		SK		VD	✓	302.0	26.4	76.1	25330	HC		SK		VD	✓	300.0	18.4	33.5
	E36 Chasis	25347	HC		SK		VD	✓	324.0	28.4	77.1	25158	HC		SK		SD	✓	324.0	10.4	61.1
5/1994 - 2001		25347	HC		SK		VD	✓	324.0	28.4	77.1	25158	HC		SK		SD	✓	324.0	10.4	61.1
745i																					
2002 - 2004		NYA					-		-	-	-	NYA					-		-	-	-
750i, iL																					
1988 - 1994		25303	HC		SK		VD	✓	302.0	26.4	76.1	25330	HC		SK		VD	✓	300.0	18.4	33.5
1995 - 2001		25471	HC		SK		VD	✓	334.0	30.4	77.1	NYA					-		-	-	-
760Li (E66)																					
2003 - 2004		NYA					-		-	-	-	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOBT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOBT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
840Ci																			
1994 - 1997		25476	HC		SK	VD		324.0	28.4	77.1	25158	HC		SK	SD	✓	324.0	10.4	61.1
850Ci, i																			
1990 - 7/1993		25347	HC		SK	VD	✓	324.0	28.4	77.1	25158	HC		SK	SD	✓	324.0	10.4	61.1
8/1993 - 1997		25476	HC		SK	VD		324.0	28.4	77.1	25158	HC		SK	SD	✓	324.0	10.4	61.1
850Csi																			
1994 - 1995		25347	HC		SK	VD	✓	324.0	28.4	77.1	25158	HC		SK	SD	✓	324.0	10.4	61.1
3.0 S, Si, BAVARIA																			
1971 - 1977		25027				SD		272.0	11.4	59.8	25028			SK	SD		272.0	7.9	61.5
1502																			
1975 - 1977		NYA				-		-	-	-	21006				RD		230.0	231.0	59.0
1600, 1600/2, 1602																			
1967 - 1972		25006				SD		240.0	8.4	58.5	21005				RD		200.0	201.0	56.0
	1600/2 From Chasis 1586784	NYA				-		-	-	-	21006				RD		230.0	231.0	59.0
1802																			
1971 - 1975		NYA				-		-	-	-	21006				RD		230.0	231.0	59.0
2002 (Excluding Ti & Tii)																			
1967 - 1976		25006				SD		240.0	8.4	58.5	21005				RD		200.0	201.0	56.0
2500, 2800 (Excluding CS)																			
1969 - 1971		25027				SD		272.0	11.4	59.8	25028			SK	SD		272.0	7.9	61.5
2800 CS																			
1970 - 1972		25027				SD		272.0	11.4	59.8	21007				RD		250.0	251.0	62.5
BMW TRUCK (SUV):																			
X3																			
2004		NYA				-		-	-	-	NYA				-		-	-	-
X5																			
2000 - 2001		25524				VD	✓	332.0	28.4	62.0	25523	HC		@	VD	✓	324.0	10.4	80.0
2002 - 2003	3.0i; 4.0i	25535				VD	✓	332.0	28.4	62.0	25523	HC		@	VD	✓	324.0	10.4	80.0
	4.6is	NYA				-		-	-	-	NYA				-		-	-	-
2004	3.0i; 4.0i w/ Solid Rear Discs	25524				VD	✓	332.0	28.4	62.0	25523	HC		@	VD	✓	324.0	10.4	80.0
	4.4i w/ Vented Rear Discs	25524				VD	✓	332.0	28.4	62.0	NYA				-		-	-	-
BUICK:																			
APOLLO																			
1973 - 1974	w/ Front Drum	23068				FD		241.3	242.8	86.6	23064				RD		241.3	242.8	74.4
	w/ Front Disc	27065				HR		295.3	30.9	115.5	23064				RD		241.3	242.8	74.4

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type			SFOKTI	Disc / Drum	HC	PVT	Screw	Ground				Type
1975		27128					HR	279.8	24.5	117.9	23052					RD	254.0	255.5	99.6

CENTURION

1971 - 1973	Sedan	27016					HR	300.6	30.9	125.7	23017					RD	279.4	281.7	85.0
	Wagon	27016					HR	300.6	30.9	125.7	NYA					-	-	-	-

CENTURY

1973 - 1975	Sedan	27128					HR	279.8	24.5	117.9	23052					RD	254.0	255.5	99.6
	Wagon	27128					HR	279.8	24.5	117.9	NYA					-	-	-	-
1976 - 1977	Sedan	27128					HR	279.8	24.5	117.9	NYA					-	-	-	-
	Wagon	27128					HR	279.8	24.5	117.9	NYA					-	-	-	-
1978		NYA					-	-	-	-	23052					RD	254.0	255.5	99.6
1979 - 1981		27130					HR	266.7	24.3	109.5	23052					RD	254.0	255.5	99.6
1982	Passenger Car	27129					VD	246.5	20.7	49.2	NYA					-	-	-	-
1983	Light and Medium Duty	27129					VD	246.5	20.7	49.2	NYA					-	-	-	-
	Heavy Duty	27131					VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
1984 - 1989	Coupe, Sedan w/ 100mm Bolt Circle	27129					VD	246.5	20.7	49.2	NYA					-	-	-	-
	Coupe, Sedan w/ 115mm Bolt Circle	27131					VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
	Wagon	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1990 - 1992	Coupe, Sedan w/ Plain Drum	27131					VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
	Coupe, Sedan w/ Finned Drum	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
	Wagon	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1991 - 1996		27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1997 - 2004	w/ Rear Drum	27007					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
	w/ Rear Disc	27007					VD	278.0	30.7	52.0	27190					SD	277.9	9.0	50.3

ELECTRA, ESTATE WAGON, ROADMASTER WAGON

1971 - 1976	Excludes Wagon	27016					HR	300.6	30.9	125.7	23017					RD	279.4	281.7	85.0
	Wagon	27016					HR	300.6	30.9	125.7	NYA					-	-	-	-
1977	w/ 9.5" Rear Drum	NYA					-	-	-	-	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum	NYA					-	-	-	-	23017					RD	279.4	281.7	85.0
	w/ Rear Disc	27128					HR	279.8	24.5	117.9	NYA					-	-	-	-
1978	w/ 9.5" Rear Drum	27128					HR	279.8	24.5	117.9	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
	w/ Rear Disc	27021					HR	301.5	24.5	77.3	NYA					-	-	-	-
1979 - 1980	w/ 9.5" Rear Drum	27018					HR	279.4	24.5	117.3	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
	w/ Rear Disc	27021					HR	301.5	24.5	77.3	NYA					-	-	-	-
1981	w/ 9.5" Rear Drum	27018					HR	279.4	24.5	117.3	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
1982 - 1984	w/ 9.5" Rear Drum	27018					HR	279.4	24.5	117.3	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
1985	w/ 9" Rear Drum	27018					HR	279.4	24.5	117.3	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
1986		27021					HR	301.5	24.5	77.3	23052					RD	254.0	255.5	99.6
1987 - 1989		27021					HR	301.5	24.5	77.3	NYA					-	-	-	-
1990		27021					HR	301.5	24.5	77.3	NYA					-	-	-	-
1991		27031					HR	301.5	24.5	118.1	NYA					-	-	-	-
1992	Sedan (Excludes Limo)	27031					HR	301.5	24.5	118.1	23017					RD	279.4	281.7	85.0
	Wagon	27031					HR	301.5	24.5	118.1	NYA					-	-	-	-

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear								
		Disc / Drum	HC	PVT	Screw	Ground	Type				SPOR	Disc / Drum	HC	PVT	Screw	Ground	Type	SPOR	
1993 - 1996	Hearse, Limo	27031					HR	301.5	24.5	118.1	NYA					-	-	-	-
	Excludes Hearse, Limo	27031					HR	301.5	24.5	118.1	NYA					-	-	-	-
	Hearse, Limo	27031					HR	301.5	24.5	118.1	NYA					-	-	-	-

GRAN SPORT, GS, GS350, GS455

1965 - 1972	w/ Front Drum	NYA					-	-	-	-	23052					RD	254.0	255.5	99.6
	w/ Front Disc	27127					HR	279.8	24.5	102.0	23052					RD	254.0	255.5	99.6

LE SABRE

1971 - 1976		27016					HR	300.6	30.9	125.7	23017					RD	279.4	281.7	85.0
1977 - 1978	w/ 9" Rear Drum	NYA					-	-	-	-	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
	w/ Rear Disc	27021					HR	301.5	24.5	77.3	NYA					-	-	-	-
1979	w/ 9" Rear Drum	27018					HR	279.4	24.5	117.3	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
	w/ Rear Disc	27021					HR	301.5	24.5	77.3	NYA					-	-	-	-
1980	w/ 9" Rear Drum	27018					HR	279.4	24.5	117.3	23052					RD	254.0	255.5	99.6
1981 - 1986	RWD w/ 9" Rear Drum	27018					HR	279.4	24.5	117.3	23052					RD	254.0	255.5	99.6
	RWD w/ 11" Rear Drum	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
	FWD	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1987 - 1989	RWD	27021					HR	301.5	24.5	77.3	NYA					-	-	-	-
	FWD	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1990 - 1991		27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1992		27038					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
1993 - 1997		27038					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
1998 - 1999		27007					VD	✓ 278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
2000 - 2004	w/ 15" Stock Wheels	27007					VD	✓ 278.0	30.7	52.0	27112					SD	280.9	9.0	38.6
	w/ 16" Stock Wheels	27181					VD	✓ 302.8	30.7	51.8	27112					SD	280.9	9.0	38.6

PARK AVENUE

1978 - 1984		27021					HR	301.5	24.5	77.3	NYA					-	-	-	-
1985 - 1990		27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1991 - 1996		27038					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
1997 - 1999		27181					VD	✓ 302.8	30.7	51.8	27157					SD	280.9	9.5	31.5
2000 - 2002		27181					VD	✓ 302.8	30.7	51.8	NYA					-	-	-	-
2003 - 2004	Excluding Ultra Series	27181					VD	✓ 302.8	30.7	51.8	NYA					-	-	-	-
	Ultra Series	27181					VD	✓ 302.8	30.7	51.8	27276					SD	297.7	9.0	38.6

REATA

1986 - 1991		27131					VD	260.7	24.3	50.8	NYA					-	-	-	-
1992 - 1993		27038					VD	278.0	30.7	52.0	27157					SD	280.9	9.5	31.5

REGAL (W BODY)

1973 - 1975	Sedan	27128					HR	279.8	24.5	117.9	23052					RD	254.0	255.5	99.6
	Wagon	27128					HR	279.8	24.5	117.9	NYA					-	-	-	-
1976 - 1977	Sedan	27128					HR	279.8	24.5	117.9	NYA					-	-	-	-
	Wagon	27128					HR	279.8	24.5	117.9	NYA					-	-	-	-
1978		NYA					-	-	-	-	23052					RD	254.0	255.5	99.6
1979 - 1981		27130					HR	266.7	24.3	109.5	23052					RD	254.0	255.5	99.6
1982 - 1987		27028					HR	266.7	24.5	109.3	23052					RD	254.0	255.5	99.6

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1988 - 1993		27133					VD		266.7	24.7	33.3	27134					SD		256.4	10.9	25.0
1994		27133					VD		266.7	24.7	33.3	27156					SD		278.0	9.4	21.6
1995	w/ 267mm Front Rotor	27133					VD		266.7	24.7	33.3	27156					SD		278.0	9.4	21.6
	w/ 286mm Front Rotor	27136					VD		285.4	24.7	36.9	27156					SD		278.0	9.4	21.6
1996		27136					VD		285.4	24.7	36.9	27156					SD		278.0	9.4	21.6
1997 - 1998		27007					VD	✓	278.0	30.7	52.0	27190					SD	✓	277.9	9.0	50.3
1999 - 2002	GS; Rear Disc Brakes	27007					VD	✓	278.0	30.7	52.0	27190					SD	✓	277.9	9.0	50.3
	LS; Rear Drum Brakes	27007					VD	✓	278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
2003 - 2004		27007					VD	✓	278.0	30.7	52.0	27190					SD	✓	277.9	9.0	50.3

RIVIERA (E BODY)

1971 - 1976	w/ 84mm Tall Rear Drum	27016					HR		300.6	30.9	125.7	23017					RD		279.4	281.7	85.0
	w/ 109mm Tall Rear Drum	27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
1977	w/ 84mm Tall Rear Drum	NYA					-		-	-	-	23017					RD		279.4	281.7	85.0
	w/ 109mm Tall Rear Drum	NYA					-		-	-	-	NYA					-		-	-	-
	w/ Rear Disc	27021					HR		301.5	24.5	77.3	NYA					-		-	-	-
1978	w/ 84mm Tall Rear Drum	27021					HR		301.5	24.5	77.3	23017					RD		279.4	281.7	85.0
	w/ 109mm Tall Rear Drum	27021					HR		301.5	24.5	77.3	NYA					-		-	-	-
	w/ Rear Disc	27021					HR		301.5	24.5	77.3	NYA					-		-	-	-
1979 - 1985	w/ Rear Drum	27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
	w/ Rear Disc	27020					VD		266.5	24.3	43.4	27020				@	VD		266.5	24.3	43.4
1986 - 1991		27131					VD		260.7	24.3	50.8	NYA					-		-	-	-
1992 - 1993		27038					VD		278.0	30.7	52.0	27157					SD		280.9	9.5	31.5
1994		NYA					-		-	-	-	NYA					-		-	-	-
1995 - 1996		27038					VD		278.0	30.7	52.0	27157					SD		280.9	9.5	31.5
1997 - 2000		27181					VD	✓	302.8	30.7	51.8	27157					SD		280.9	9.5	31.5

ROADMASTER

1991		27031					HR		301.5	24.5	118.1	23041					RD		-	281.6	-
1992	Sedan - Exc. Hearse & Limo; Rear Drum 3 1/4" Tall	27031					HR		301.5	24.5	118.1	23017					RD		279.4	281.7	85.0
	Sedan - Exc. Hearse, Limo; Rear Drum 4" Tall	27031					HR		301.5	24.5	118.1	23041					RD		-	281.6	-
	Wagon, Hearse & Limo	27031					HR		301.5	24.5	118.1	23041					RD		-	281.6	-
1993 - 1996		27031					HR		301.5	24.5	118.1	23041					RD		-	281.6	-

SKYHAWK (Excluding Wagon) H, J BODY

1975		NYA					-		-	-	-	NYA					-		-	-	-
1976 - 1980		NYA					-		-	-	-	NYA					-		-	-	-
1981		NYA					-		-	-	-	NYA					-		-	-	-
1982	w/ Solid Front Disc	NYA					-		-	-	-	23001					RD		200.0	201.0	66.0
	w/ Vented Front Disc	NYA					-		-	-	-	23001					RD		200.0	201.0	66.0
1983 - 1984		NYA					-		-	-	-	23001					RD		200.0	201.0	66.0
1985 - 1989		27132					VD		246.5	20.7	73.4	23001					RD		200.0	201.0	66.0

SKYHAWK WAGON (J BODY)

1975		NYA					-		-	-	-	NYA					-		-	-	-
1976 - 1980		NYA					-		-	-	-	NYA					-		-	-	-
1981		NYA					-		-	-	-	NYA					-		-	-	-
1982 - 1984	w/ Solid Front Disc	NYA					-		-	-	-	23001					RD		200.0	201.0	66.0
	w/ Vented Front Disc	NYA					-		-	-	-	23001					RD		200.0	201.0	66.0
1985 - 1989		27132					VD		246.5	20.7	73.4	23001					RD		200.0	201.0	66.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-----------------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-----------------	------	-------	-----------------------	--------------------------------	-------------------------

SKYLARK, SOMERSET, SOMERSET REGAL, SPECIAL (N, X BODY)

1964 - 1972	w/ Front Drum	NYA				-		-	-	-	23052				RD		254.0	255.5	99.6
	w/ Front Disc	27127				HR		279.8	24.5	102.0	23052				RD		254.0	255.5	99.6
1973 - 1974		NYA				-		-	-	-	NYA				-		-	-	-
1975 - 1978		27128				HR		279.8	24.5	117.9	23052				RD		254.0	255.5	99.6
1979		27018				HR		279.4	24.5	117.3	23052				RD		254.0	255.5	99.6
1980 - 1984		27129				VD		246.5	20.7	49.2	NYA				-		-	-	-
1985	Front Wheel Drive	27132				VD		246.5	20.7	73.4	23001				RD		200.0	201.0	66.0
	Rear Wheel Drive	27129				VD		246.5	20.7	49.2	NYA				-		-	-	-
1986 - 1989		27132				VD		246.5	20.7	73.4	23001				RD		200.0	201.0	66.0
1990	Excludes Performance Package	27132				VD		246.5	20.7	73.4	23001				RD		200.0	201.0	66.0
	w/ Performance Package	27029				VD	✓	259.0	18.7	48.0	23001				RD		200.0	201.0	66.0
1991 - 1998		27029				VD	✓	259.0	18.7	48.0	23001				RD		200.0	201.0	66.0

SPORTWAGON

1970 - 1972	w/ Front Drum	NYA				-		-	-	-	23052				RD		254.0	255.5	99.6
	w/ Front Disc	NYA				-		-	-	-	23052				RD		254.0	255.5	99.6

BUICK TRUCK (SUV):

RENDEZVOUS

2002 - 2004	2WD	27232				VD		-	27.0	-	27280				SD		290.3	9.0	45.5
	AWD	27233				VD		-	27.0	-	27280				SD		290.3	9.0	45.5

CADILLAC:

ALLANTE (V BODY)

1987 - 1992		27131				VD		260.7	24.3	50.8	27157				SD		280.9	9.5	31.5
1993		27038				VD		278.0	30.7	52.0	27157				SD		280.9	9.5	31.5

CALAIS

1972 - 1976		27016				HR		300.6	30.9	125.7	NYA				-		-	-	-
-------------	--	-------	--	--	--	----	--	-------	------	-------	-----	--	--	--	---	--	---	---	---

CATERA

1997 - 2000	w/ Solid Rear Disc	25394	HC		@	VD		296.0	25.0	58.3	25183			@	SD		286.0	10.0	67.0
2001	w/ Vented Rear Disc	25394	HC		@	VD		296.0	25.0	58.3	NYA			-			-	-	-

CIMARRON (J BODY)

1982 - 1984		NYA				-		-	-	-	23001				RD		200.0	201.0	66.0
1985 - 1988		27132				VD		246.5	20.7	73.4	23001				RD		200.0	201.0	66.0

CONCOURS (KF) - (1997 - on See Deville)

1994 - 1995		27038				VD		278.0	30.7	52.0	27157				SD		280.9	9.5	31.5
-------------	--	-------	--	--	--	----	--	-------	------	------	-------	--	--	--	----	--	-------	-----	------

CTS - Excludes CTS-V

2003 - 2004	Standard Suspension	NYA				-		-	-	-	27240				VD				
	Sport Suspension	NYA				-		-	-	-	27240				VD				

CTS-V

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground	Type				SPORIT	Disc / Drum	HC	PVT	Screw	Ground			
2003 - 2004	Brembo Calipers	NYA						-	-	-	NYA						-	-	-

DEVILLE, DEVILLE D'ELEGANCE, DEVILLE CONCOURS (KD) (RWD 82-84m FWD 85-ON)

1972 - 1976		27016					HR	300.6	30.9	125.7	NYA						-	-	-
1977		NYA					-	-	-	-	NYA						-	-	-
1978 - 1981		27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
1982 - 1984		27027					HR	281.5	24.7	134.3	23017					RD	279.4	281.7	85.0
1985 - 1989		27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1990	Standard	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
	Heavy Duty	27038					VD	278.0	30.7	52.0	NYA					-	-	-	
1991	Standard	27038					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
	Heavy Duty	27038					VD	278.0	30.7	52.0	NYA					-	-	-	
1992 - 1993	Standard	27038					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
	Heavy Duty	27038					VD	278.0	30.7	52.0	NYA					-	-	-	
1994 - 1996		27038					VD	278.0	30.7	52.0	27157					SD	280.9	9.5	31.5
1997		27181					VD	✓ 302.8	30.7	51.8	27157					SD	280.9	9.5	31.5
1998-1999	Standard; Rear Disc Brakes	27181					VD	✓ 302.8	30.7	51.8	27157					SD	280.9	9.5	31.5
2000-2004	Standard	27181					VD	✓ 302.8	30.7	51.8	27276					SD	297.7	9.0	38.6
	Heavy Duty	27044					VD	✓ 317.5	36.5	70.2	27278					VD	325.1	18.5	85.0

ELDORADO (E BODY)

1969 - 1975		NYA					-	-	-	-	NYA						-	-	-
1976 - 1978		NYA					-	-	-	-	NYA						-	-	-
1979 - 1985		27020					VD	266.5	24.3	43.4	27020				@	VD	266.5	24.3	43.4
1986 - 1991		27131					VD	260.7	24.3	50.8	NYA					-	-	-	
1992 - 1996		27038					VD	278.0	30.7	52.0	27157					SD	280.9	9.5	31.5
1997 - 2002		27181					VD	✓ 302.8	30.7	51.8	27157					SD	280.9	9.5	31.5

FLEETWOOD, BROUGHAM Models - RWD - Including Commercial Chasis & Limo

1972 - 1976		27016					HR	300.6	30.9	125.7	NYA						-	-	-
1977	w/ 11" Rear Drum	NYA					-	-	-	-	NYA						-	-	-
	w/ 12" Rear Drum	27016					HR	300.6	30.9	125.7	NYA						-	-	-
1978 - 1980	w/ 11" Rear Drum	NYA					-	-	-	-	23017					RD	279.4	281.7	85.0
	w/ 12" Rear Drum	27016					HR	300.6	30.9	125.7	NYA						-	-	-
	w/ Rear Disc	NYA					-	-	-	-	NYA						-	-	-
1981 - 1985	w/ 11" Rear Drum	NYA					-	-	-	-	23017					RD	279.4	281.7	85.0
	w/ 12" Rear Drum	27016					HR	300.6	30.9	125.7	NYA						-	-	-
1986 - 1989	w/ 11" Rear Drum	27016					HR	300.6	30.9	125.7	23017					RD	279.4	281.7	85.0
	w/ 12" Rear Drum	27016					HR	300.6	30.9	125.7	NYA						-	-	-
1990	w/ 11" Rear Drum Brakes	NYA					-	-	-	-	23017					RD	279.4	281.7	85.0
	w/ 12" Rear Drum Brakes	27016					HR	300.6	30.9	125.7	NYA						-	-	-
1991 - 1992	2" Wide Rear Shoe; Rear Drum 3 1/4" Tall	27031					HR	301.5	24.5	118.1	23017					RD	279.4	281.7	85.0
	2" Wide Rear Shoe; Rear Drum 4" Tall	27031					HR	301.5	24.5	118.1	23041					RD	-	281.7	-
	2 3/4" Wide Rear Shoe	27016					HR	300.6	30.9	125.7	NYA						-	-	-
1993	w/ ABS; 2" Wide Rear Shoe; Rear Drum 3 1/4" Tall	27031					HR	301.5	24.5	118.1	23017					RD	279.4	281.7	85.0
	w/ ABS; 2" Wide Rear Shoe; Rear Drum 4" Tall	27031					HR	301.5	24.5	118.1	23041					RD	-	281.7	-
	w/o ABS; 2 3/4" Wide Rear Shoe	27016					HR	300.6	30.9	125.7	NYA						-	-	-
1994 - 1996	w/ ABS; 2" Wide Rear Shoe	27031					HR	301.5	24.5	118.1	23041					RD	-	281.7	-
	w/o ABS; 2 3/4" Wide Rear Shoe	27016					HR	300.6	30.9	125.7	NYA						-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
FLEETWOOD - FWD - LIMOUSINE, SIXTY SPECIAL																					
1990	Standard	27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0
	Heavy Duty	27038					VD		278.0	30.7	52.0	NYA					-		-	-	-
1991	Standard	27038					VD		278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
	Heavy Duty	27038					VD		278.0	30.7	52.0	NYA					-		-	-	-
1992	Standard	27038					VD		278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
	Heavy Duty	27038					VD		278.0	30.7	52.0	NYA					-		-	-	-

SEVILLE, STS, SLS

1976		27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1977		NYA					-		-	-	-	NYA					-		-	-	-
1978 - 1979		27021					HR		301.5	24.5	77.3	NYA					-		-	-	-
1980 - 1985		27020					VD		266.5	24.3	43.4	27020				@	VD		266.5	24.3	43.4
1986 - 1991		27131					VD		260.7	24.3	50.8	NYA					-		-	-	-
1992 - 1996		27038					VD		278.0	30.7	52.0	27157					SD		280.9	9.5	31.5
1997		27181					VD	✓	302.8	30.7	51.8	27157					SD		280.9	9.5	31.5
1998 - 2002		27181					VD	✓	302.8	30.7	51.8	27276					SD		297.7	9.0	38.5
2003 - 2004		NYA					-		-	-	-	27276					SD		297.7	9.0	38.5

SHORT SILL COWL (Ambulance/Paramedics Chasis)

1982 - 1984		27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	-------	-----	--	--	--	--	---	--	---	---	---

XLR

2004	Left Side	27194					VD	✓	325.1	30.3	45.5	27195					VD	✓	304.8	24.5	48.4
	Right Side	27193					VD	✓	325.1	30.3	45.5	27196					VD	✓	304.8	24.5	48.4

CADILLAC TRUCK (SUV):

ESCALADE, ESCALADE EXT

1999 - 2001	Rear Disc Brakes	27142		PVT		@	VD	✓	295.0	30.9	66.4	27050					VD	✓	330.0	28.5	89.4
	Rear Drum Brakes	27142		PVT		@	VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8
2002	7200 lb. Rear Axle	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	9900 lb. Rear Axle	27161					VD	✓	304.7	27.2	58.2	27049				@	VD	✓	330.1	26.5	86.7
2003 - 2004	2WD	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	4WD - Inc. ESV, EXT	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

SRX

2004		NYA					-		-	-	-	NYA					-		-	-	-
------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

CHEVROLET:

AVEO

2004	w/ ABS	NYA					-		-	-	-	NYA					-		-	-	-
	w/out ABS	NYA					-		-	-	-	NYA					-		-	-	-

BEL AIR, BISCAYNE, BROOKWOOD, CAPRICE, IMPALA

1951 - 1958		23063					FD		279.4	280.9	74.4	23063					RD		279.4	280.9	74.4
1959 - 1970		23075					FD		279.4	280.9	95.0	23063					RD		279.4	280.9	74.4
1971 - 1976	Excludes Wagon, Police, Taxi	27016					HR		300.6	30.9	125.7	23017					RD		279.4	281.7	85.0
	Wagon, Police, Taxi	27016					HR		300.6	30.9	125.7	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1977 - 1980	w/ 9.5" Rear Drum	27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
	w/ 11" Rear Drum	27021					HR		301.5	24.5	77.3	NYA					-		-	-	-
1981 - 1985	w/ 9.5" Rear Drum	27018					HR		279.4	24.5	117.3	23052					RD		254.0	255.5	99.6
	w/ 11" Rear Drum	27021					HR		301.5	24.5	77.3	23017					RD		279.4	281.7	85.0

BERETTA (L BODY)

1987 - 1991		27132					VD		246.5	20.7	73.4	23001					RD		200.0	201.0	66.0
1992 - 1996		27029					VD	✓	259.0	18.7	48.0	23001					RD		200.0	201.0	66.0

CAMARO

1967 - 1969	w/ Front Drum	23068					FD		241.3	242.8	86.6	23064					RD		241.3	242.8	74.4
	w/ Front Disc	27127					HR		279.8	24.5	102.0	23064					RD		241.3	242.8	74.4
1970 - 1974		27128					HR		279.8	24.5	117.9	23064					RD		241.3	242.8	74.4
1975 - 1978		27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
1979 - 1981		27018					HR		279.4	24.5	117.3	23052					RD		254.0	255.5	99.6
1982 - 1987	w/ Rear Drum	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	w/ Rear Disc	27028					HR		266.7	24.5	109.3	NYA					-		-	-	-
1988	w/ Rear Drum	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	w/ Rear Disc; Excludes Performance Pkg.	27028					HR		266.7	24.5	109.3	NYA					-		-	-	-
	w/ Rear Disc; w/ Performance Pkg.	NYA					-		-	-	-	27169					VD		296.3	18.4	50.0
1989 - 1992	w/ Rear Drum	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	w/ Rear Disc; Excludes Performance Pkg.	27028					HR		266.7	24.5	109.3	27169					VD		296.3	18.4	50.0
	w/ Rear Disc; w/ Performance Pkg.	NYA					-		-	-	-	27169					VD		296.3	18.4	50.0
1993 - 1997	w/ Rear Drum	27038					VD		278.0	30.7	52.0	23078					RD		241.3	243.6	79.5
	w/ Rear Disc	27038					VD		278.0	30.7	52.0	27135					VD		292.9	18.4	46.0
1998 - 2002		27181					VD	✓	302.8	30.7	51.8	27197					VD	✓			

CAPRICE

1971 - 1976		27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
1977 - 1978	w/ 11" Front Disc	27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1979 - 1985	w/ 9.5" Rear Drum	27018					HR		279.4	24.5	117.3	NYA					-		-	-	-
	w/ 11" Rear Drum	27021					HR		301.5	24.5	77.3	23017					RD		279.4	281.7	85.0
1986 - 1989	w/ 9.5" Rear Drum	27018					HR		279.4	24.5	117.3	NYA					-		-	-	-
	w/ 11" Rear Drum	27021					HR		301.5	24.5	77.3	23017					RD		279.4	281.7	85.0
1990	Sedan w/ 9.5" Rear Drum	27018					HR		279.4	24.5	117.3	23052					RD		254.0	255.5	99.6
	w/ 11" Rear Drum (3 1/4" Tall)	27021					HR		301.5	24.5	77.3	23017					RD		279.4	281.7	85.0
	w/ 11" Rear Drum (4" Tall)	27021					HR		301.5	24.5	77.3	23041					RD		-	281.7	-
1991 - 1992	w/ 9.5" Rear Drum	27031					HR		301.5	24.5	118.1	23090					RD		241.3	243.6	77.5
	w/ 11" Rear Drum (3 1/4" Tall)	27031					HR		301.5	24.5	118.1	23017					RD		279.4	281.7	85.0
	w/ 11" Rear Drum (4" Tall)	27031					HR		301.5	24.5	118.1	23041					RD		-	281.7	-
1993	w/ 9.5" Rear Drum	27031					HR		301.5	24.5	118.1	23090					RD		241.3	243.6	77.5
	w/ 11" Rear Drum	27031					HR		301.5	24.5	118.1	23041					RD		-	281.7	-
1994 - 1996	w/ 9.5" Rear Drum	27031					HR		301.5	24.5	118.1	23090					RD		241.3	243.6	77.5
	w/ 11" Rear Drum	27031					HR		301.5	24.5	118.1	23041					RD		-	281.7	-
	Rear Disc Brakes	27031					HR		301.5	24.5	118.1	27216					HR		294.9	19.0	84.5

CAVALIER, CADET, Z24 (J BODY)

1982		NYA					-		-	-	-	23001					RD		200.0	201.0	66.0
1983 - 1984	Excludes Wagon	NYA					-		-	-	-	23001					RD		200.0	201.0	66.0
	Wagon	NYA					-		-	-	-	23001					RD		200.0	201.0	66.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1985 - 1991		27132					VD		246.5	20.7	73.4	23001					RD		200.0	201.0	66.0
1992 - 1995		27029					VD	✓	259.0	18.7	48.0	23001					RD		200.0	201.0	66.0
1996 - 2002	w/ 200mm Rear Drum	27029					VD	✓	259.0	18.7	48.0	23001					RD		200.0	201.0	66.0
	w/ 226mm Rear Drum	27029					VD	✓	259.0	18.7	48.0	NYA					-		-	-	-
2003 - 2004		27029					VD	✓	259.0	18.7	48.0	NYA					-		-	-	-

CELEBRITY

1982		27129					VD		246.5	20.7	49.2	NYA					-		-	-	-
1983		27131					VD		260.7	24.3	50.8	23016					RD		225.0	227.3	72.5
1984 - 1989	Light Duty	27129					VD		246.5	20.7	49.2	NYA					-		-	-	-
	Heavy Duty	27131					VD		260.7	24.3	50.8	23016					RD		225.0	227.3	72.5
	Wagon	27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0
1990		27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0

CHEVELLE, CONCOURSE, LAGUNA, MALIBU

1964 - 1967	w/ Front Drum	23079					FD		241.3	242.8	91.2	23064					RD		241.3	242.8	74.4
1968 - 1972	w/ Plain Front Drum	23068					FD		241.3	242.8	86.6	23064					RD		241.3	242.8	74.4
	w/ Finned Front Drum	23079					FD		241.3	242.8	91.2	23064					RD		241.3	242.8	74.4
	w/ Front Disc	27127					HR		279.8	24.5	102.0	23064					RD		241.3	242.8	74.4
1973 - 1975	Excludes Wagon	27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
	Wagon	27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1976 - 1977	Excludes Wagon	27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
	Wagon	27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1978		NYA					-		-	-	-	23052					RD		254.0	255.5	99.6
1979 - 1981		27130					HR		266.7	24.3	109.5	23052					RD		254.0	255.5	99.6
1982 - 1983		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6

CHEVETTE

1976 - 1987		NYA					-		-	-	-	23002					RD		200.0	201.4	67.0
-------------	--	-----	--	--	--	--	---	--	---	---	---	-------	--	--	--	--	----	--	-------	-------	------

CITATION

1980 - 1984	w/ Plain Rear Drum	27129					VD		246.5	20.7	49.2	23001					RD		200.0	201.0	66.0
	w/ Finned Rear Drum	27129					VD		246.5	20.7	49.2	NYA					-		-	-	-
1985		27129					VD		246.5	20.7	49.2	23002					RD		200.0	201.4	67.0

CORSICA

1987 - 1991		27132					VD		246.5	20.7	73.4	23001					RD		200.0	201.0	66.0
1992 - 1996		27029					VD	✓	259.0	18.7	48.0	23001					RD		200.0	201.0	66.0

CORVAIR

1961 - 1965		23063					FD		279.4	280.9	74.4	23063					RD		279.4	280.9	74.4
1966 - 1969		NYA					-		-	-	-	23079					RD		241.3	242.8	91.2

CORVETTE

1953 - 1962		23063					FD		279.4	280.9	74.4	23063					RD		279.4	280.9	74.4
1963 - 1966		23075					FD		279.4	280.9	95.0	NYA					-		-	-	-
1967 - 1982		NYA					-		-	-	-	NYA					-		-	-	-
1983 - 1987		27188					VD		292.1	18.4	63.9	NYA					-		-	-	-
1988 - 1995	w/ Standard Suspension	27174					VD		304.8	18.4	56.0	27171					VD		304.8	18.4	49.9
	w/ Hevy Duty Suspension - Left Side	NYA					-		-	-	-	27171					VD		304.8	18.4	49.9

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ Heavy Duty Suspension - Right Side	NYA					-		-	-	-	27171					VD		304.8	18.4	49.9
1996	Left Side	NYA					-		-	-	-	27171					VD		304.8	18.4	49.9
	Right Side	NYA					-		-	-	-	27171					VD		304.8	18.4	49.9
1997 - 2004	Left Side	27194					VD		325.1	30.3	45.5	27195					VD		304.8	24.5	48.4
	Right Side	27193					VD		325.1	30.3	45.5	27196					VD		304.8	24.5	48.4
2005		NYA					-		-	-	-	NYA					-		-	-	-

IMPALA

1971 - 1976		27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
1977 - 1978	w/ 11" Front Disc	27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1979 - 1985	w/ 9.5" Rear Drum	27018					HR		279.4	24.5	117.3	NYA					-		-	-	-
	w/ 11" Rear Drum	27021					HR		301.5	24.5	77.3	23017					RD		279.4	281.7	85.0
1986 - 1993		NYA					-		-	-	-	NYA					-		-	-	-
1994 - 1996		27031					HR		301.5	24.5	118.1	27216					HR		294.9		84.5
1999 - 2004		27181					VD	✓	302.8	30.7	51.8	27190					SD	✓	277.9	9.0	50.3

KINGSWOOD

1969 - 1970		23075					FD		279.4	280.9	95.0	23063					RD		279.4	280.9	74.4
1971 - 1973		27016					HR		300.6	30.9	125.7	NYA					-		-	-	-

LUMINA COUPE, SEDAN (W BODY)

1990 - 1993		27133					VD		266.7	24.7	33.3	27134					SD		256.4	10.9	25.0
1994	w/ Rear Drum	27133					VD		266.7	24.7	33.3	23015					RD		225.0	226.3	72.0
	w/ Rear Disc	27133					VD		266.7	24.7	33.3	27134					SD		256.4	10.9	25.0
1995	w/ 267mm Front Disc; w/ Rear Drum	27133					VD		266.7	24.7	33.3	23015					RD		225.0	226.3	72.0
	w/ 286mm Front Disc; w/ Rear Drum	27136					VD		285.4	24.7	36.9	23015					RD		225.0	226.3	72.0
	w/ 267mm Front Disc; w/ Rear Disc	27133					VD		266.7	24.7	33.3	27156					SD		278.0	9.4	21.6
	w/ 286mm Front Disc; w/ Rear Disc	27136					VD		285.4	24.7	36.9	27156					SD		278.0	9.4	21.6
1996 - 1999	w/ Rear Drum	27136					VD		285.4	24.7	36.9	23015					RD		225.0	226.3	72.0
	w/ Rear Disc	27136					VD		285.4	24.7	36.9	27156					SD		278.0	9.4	21.6
2000 - 2002	w/ Rear Drum	27136					VD		285.4	24.7	36.9	23015					RD		225.0	226.3	72.0
	w/ Rear Disc	27136					VD		285.4	24.7	36.9	27190					SD	✓	277.9	9.0	50.3

MALIBU, MALIBU MAXX

1965 - 1966		NYA					-		-	-	-	23063					RD		279.4	280.9	74.4
1982		27028					HR		266.7	24.5	109.3	NYA					-		-	-	-
1983		27028					HR		266.7	24.5	109.3	NYA					-		-	-	-
1997 - 2003	w/ Rear Drum	27137					VD		277.8	24.7	48.8	23015					RD		225.0	226.3	72.0
	w/ Rear Disc	27137					VD		277.8	24.7	48.8	27156					SD		278.0	9.4	21.6
2004	Classic Model	27137					VD		277.8	24.7	48.8	23015					RD		225.0	226.3	72.0
	New Model - 15" Wheels, 2.2L Engine	NYA					-		-	-	-	23015					RD		225.0	226.3	72.0
	New Model - 15" Wheels, 3.5L Engine	NYA					-		-	-	-	NYA					-		-	-	-
	New Model - 16" Wheels, 3.5L Engine	NYA					-		-	-	-	NYA					-		-	-	-

METRO

1997 - 2001	2 Door w/ ABS	25403					@	VD	231.0	15.0	50.0	21097					RD		180.0	182.0	51.0
	2 Door w/o ABS	25403					@	VD	231.0	15.0	50.0	21096					RD		180.0	182.0	74.0
	4 Door	25403					@	VD	231.0	15.0	50.0	21097					RD		180.0	182.0	51.0

MONTE CARLO

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK1	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK1	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1970 - 1972		27127					HR		279.8	24.5	102.0	23052					RD		254.0	255.5	99.6
1973 - 1974		27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
1975	w/ 9.5" Rear Drum	27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
	w/ 11" Rear Drum	27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1976 - 1977		27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1978		NYA					-		-	-	-	23052					RD		254.0	255.5	99.6
1979 - 1981		27130					HR		266.7	24.3	109.5	23052					RD		254.0	255.5	99.6
1982 - 1988		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1995	w/ 267mm Front Disc; w/ Rear Drum	27133					VD		266.7	24.7	33.3	23015					RD		225.0	226.3	72.0
	w/ 286mm Front Disc; w/ Rear Drum	27136					VD		285.4	24.7	36.9	23015					RD		225.0	226.3	72.0
	w/ 267mm Front Disc; w/ Rear Disc	27133					VD		266.7	24.7	33.3	27156					SD		278.0	9.4	21.6
	w/ 286mm Front Disc; w/ Rear Disc	27136					VD		285.4	24.7	36.9	27156					SD		278.0	9.4	21.6
1996 - 1999	w/ Rear Drum	27136					VD		285.4	24.7	36.9	23015					RD		225.0	226.3	72.0
	w/ Rear Disc	27136					VD		285.4	24.7	36.9	27156					SD		278.0	9.4	21.6
2000 - 2004		27181					VD	✓	302.8	30.7	51.8	27190					SD	✓	277.9	9.0	50.3

NOVA

1965 - 1967	w/ Finned Front Drum	23068					FD		241.3	242.8	86.6	23064					RD		241.3	242.8	74.4
	w/ Plain Front Drum	23079					FD		241.3	242.8	91.2	23064					RD		241.3	242.8	74.4
1968 - 1969	w/ Finned Front Drum	23068					FD		241.3	242.8	86.6	23064					RD		241.3	242.8	74.4
	w/ Plain Front Drum	23079					FD		241.3	242.8	91.2	23064					RD		241.3	242.8	74.4
	w/ Front Disc	27127					HR		279.8	24.5	102.0	23064					RD		241.3	242.8	74.4
1970 - 1974	w/ Front Drum	23068					FD		241.3	242.8	86.6	23064					RD		241.3	242.8	74.4
	w/ Front Disc	27127					HR		279.8	24.5	102.0	23064					RD		241.3	242.8	74.4
1975 - 1978		27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
1979		27018					HR		279.4	24.5	117.3	23052					RD		254.0	255.5	99.6
1985 - 1987		25061					@ SD		243.0	12.5	47.4	21054					RD		200.0	201.0	66.5
1988	w/ SOHC Engine	25061					@ SD		243.0	12.5	47.4	21054					RD		200.0	201.0	66.5
	w/ DOHC Engine	25421					@ VD		243.0	17.0	48.2	NYA					-		-	-	-

PRIZM

1998 - 2002		25388					@ VD		255.0	20.0	48.2	21070					RD		200.0	201.0	65.5
-------------	--	-------	--	--	--	--	------	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

SPECTRUM

1985 - 1988	Excludes Turbo & F41	25126					@ SD		227.0	9.6	42.0	NYA					-		-	-	-
	Turbo & F41	25458					VD		230.0	16.6	43.0	NYA					-		-	-	-

SPRINT

1985 - 1988		25123					@ SD		215.0	8.0	33.0	21087					RD		180.0	182.0	65.5
-------------	--	-------	--	--	--	--	------	--	-------	-----	------	-------	--	--	--	--	----	--	-------	-------	------

TOWNSMAN

1970		23075					FD		279.4	280.9	95.0	23063					RD		279.4	280.9	74.4
1971 - 1972		27016					HR		300.6	30.9	125.7	NYA					-		-	-	-

CHEVROLET TRUCK / VAN / SUV:

ASTRO VAN

1985 - 1989		27021					HR		301.5	24.5	77.3	23060					RD		241.3	243.6	79.5
1990 - 1995	2WD w/ Rear Wheel ABS	27021					HR		301.5	24.5	77.3	23060					RD		241.3	243.6	79.5
	2WD w/ Four Wheel ABS	27144					HR		301.2	24.5	118.3	23060					RD		241.3	243.6	79.5

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type				Disc / Drum	HC	PVT	Screw	Ground	Type				
1996 - 2002	4WD	27080					VD	294.9	30.9	78.0	23060					RD	241.3	243.6	79.5	
	2WD	27144					HR	301.2	24.5	118.3	23060					RD	241.3	243.6	79.5	
	4WD	27080					VD	294.9	30.9	78.0	23060					RD	241.3	243.6	79.5	
2003 - 2004		27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0

AVALANCHE 1500

2002	w/ Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4
	w/ out Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
2003 - 2004	2WD	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4
	4WD	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4

AVALANCHE 2500

2002		27220					VD	✓	325.0	326.5	89.2	27049			@	VD	✓	330.1	26.5	86.7
2003 - 2004		27220					VD	✓	325.0	326.5	89.2	27048			@	VD		330.0	27.0	92.9

BLAZER 2WD (Full Size)

1969 - 1970		NYA					-	-	-	-	23059					RD		279.4	280.9	74.2
1971 - 1975		27016					HR	300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
1976 - 1984		27016					HR	300.6	30.9	125.7	23058					RD		283.2	284.7	98.8

BLAZER 4WD (Full Size)

1971 - 1973		27054					VD		301.2	30.9	58.3	NYA				-		-	-	-	
1974 - 1975	w/ 2" Rear Shoe	27054					VD		301.2	30.9	58.3	NYA				-		-	-	-	
	w/ 2.75" Rear Shoe	27054					VD		301.2	30.9	58.3	23069				RD		283.2	284.7	125.0	
1976 - 1989		27054					VD		301.2	30.9	58.3	23069				RD		283.2	284.7	125.0	
1990 - 1991		27054					VD		301.2	30.9	58.3	23091				RD		283.2	284.7	101.3	
1992 - 1994		27142				PVT	@	VD	✓	295.0	30.9	66.4	23065				RD		254.0	256.3	88.1

COLORADO

2004	Sport, Z71	NYA					-	-	-	-	NYA					-		-	-	-
	Z85 - 2WD	NYA					-	-	-	-	NYA					-		-	-	-
	Z85 - 4WD	NYA					-	-	-	-	NYA					-		-	-	-

EL CAMINO

1964 - 1965	w/ 9.5" Rear Drum	23079					FD		241.3	242.8	91.2	23064				RD		241.3	242.8	74.4
	w/ 11" Rear Drum	23063					FD		279.4	280.9	74.4	23063				RD		279.4	280.9	74.4
1967 - 1968		23079					FD		241.3	242.8	91.2	23064				RD		241.3	242.8	74.4
1968 - 1972	w/ Front Drum	23068					FD		241.3	242.8	86.6	23064				RD		241.3	242.8	74.4
	w/ Front Disc	27127					HR		279.8	24.5	102.0	23064				RD		241.3	242.8	74.4
1979 - 1981		27130					HR		266.7	24.3	109.5	23052				RD		254.0	255.5	99.6
1982 - 1988		27028					HR		266.7	24.5	109.3	23052				RD		254.0	255.5	99.6

EQUINOX

2005		27285					VD		-	24.5	-	NYA				-		-	-	-
------	--	-------	--	--	--	--	----	--	---	------	---	-----	--	--	--	---	--	---	---	---

EXPRESS / CARGO VAN (G3500)

1996	w/ S.R.W. Excludes 9200 lb.	27081					HR	✓	317.5	30.9	126.6	23062				RD		330.2	332.5	160.0
	w/ S.R.W. 9200 lb.	27187					VD		317.5	37.2	131.3	NYA				-		-	-	-
	w/ D.R.W.	27170					HR		317.5	37.2	207.9	23055				RD		330.2	332.5	193.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1997 - 2001	w/ S.R.W.	27081					HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	w/ D.R.W.	27170					HR		317.5	37.2	207.9	23055					RD		330.2	332.5	193.0

LLV POSTAL VAN

1987 - 1988		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1989 - 1995		27028					HR		266.7	24.5	109.3	23078					RD		241.3	243.6	79.5

LUMINA APV VAN (U BODY)

1990 - 1991		27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0
1992 - 1996		27038					VD		278.0	30.7	52.0	23015					RD		225.0	226.3	72.0

LUV

1972 - 1975		21046					FD		254.0	255.5	69.0	21046					RD		254.0	255.5	69.0
1976 - 1977		NYA					-		-	-	-	21046					RD		254.0	255.5	69.0
1978 - 1980	2WD	NYA					-		-	-	-	21046					RD		254.0	255.5	69.0
	4WD	25204				@	SD		259.0	11.1	37.4	21046					RD		254.0	255.5	69.0
1981 - 1983		25204				@	SD		259.0	11.1	37.4	21045					RD		254.0	255.5	71.0

SILVERADO 2WD/4WD (1/2 TON)

1999 - 2001	w/ 7200 lb. Axle	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	w/ 9900 lb. Axle	27161				@	VD	✓	304.7	27.2	58.2	27049				@	VD	✓	330.1	26.5	86.7
2002	w/ 9900 lb. Axle	27161				@	VD	✓	304.7	27.2	58.2	27049				@	VD	✓	330.1	26.5	86.7

SILVERADO 1500 - 2WD

1999 - 2000		27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
2001	2 Door	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	4 Door - Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
2002	2 Door; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	2 Door - Ext. Cab; 4 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	4 Door - Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
2003	2 Door; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	2 Door - Ext. Cab; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	2 Door - Ext. Cab; 4 Wheel Steering; 330mm Rear Disc	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	2 Door - Ext. Cab; 4 Wheel Steering; 325mm Rear Disc	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	4 Door - Heavy Duty; 2 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	4 Door - Heavy Duty; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27047				@	VD	✓	325.0	18.5	79.0
2004	Regular Cab	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	Crew Cab	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	Ext. Cab; Std. Duty; 2 Wheel Steering; Exc. Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	Ext. Cab; 4 Wheel Steering; Std. Duty; Exc. Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	Ext. Cab - Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	Ext. Cab - Heavy Duty; w/ 9.5 Ring Gear	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	Ext. Cab - Heavy Duty; w/ 10.5, 11.5 Ring Gear	27220					VD	✓	325.0	36.5	89.2	27048				@	VD		330.0	27.0	92.9

SILVERADO 1500 - 4WD

1999 - 2000		27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
2001	2 Door - Reg. Cab	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	2 Door - Ext. Cab	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	4 Door - Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
2002	2 Door; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
2003	2 Door - Ext. Cab; 4 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	4 Door - Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	2 Door; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	2 Door - Ext. Cab; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	2 Door - Ext. Cab; 4 Wheel Steering; 330mm Rear Disc	27161					VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4	
	2 Door - Ext. Cab; 4 Wheel Steering; 325mm Rear Disc	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	4 Door - Heavy Duty; 2 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	4 Door - Heavy Duty; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27047				@	VD	✓	325.0	18.5	79.0
2004	Regular Cab	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	Crew Cab	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4	
	Ext. Cab; Std. Duty; 2 Wheel Steering; Exc. Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	Ext. Cab; 4 Wheel Steering; Std. Duty; Exc. Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4	
	Extended Cab; Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	Extended Cab - Heavy Duty; w/ 9.5 Ring Gear	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	Extended Cab - Heavy Duty; w/ 10.5, 11.5 Ring Gear	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Extended Cab; SS - 6.0L V8	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

SILVERADO 2500 - 2WD

1999 - 2000	Exc. 6.0 w/ 5 Spd.	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	6.0 w/ 5 Spd.	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
2001 - 2003	A/T; Exc. Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	M/T; Exc. Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
2004	A/T; Exc. Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	M/T; Exc. Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty; 2 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	NYA				-	VD	✓	-	-	-

SILVERADO 2500 - 4WD

1999 - 2000	Exc. 6.0 w/ 5 Spd.	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	6.0 w/ 5 Spd.	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
2001 - 2003	A/T; Exc. Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	M/T; Exc. Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
2004	A/T; Exc. Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	M/T; Exc. Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty; 2 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	NYA				-	VD	✓	-	-	-

SILVERADO 3500 - 2WD

2001 - 2004		27220					VD	✓	325.0	36.5	89.2	27234					VD	✓	-	28.5	-
-------------	--	-------	--	--	--	--	----	---	-------	------	------	-------	--	--	--	--	----	---	---	------	---

SILVERADO 3500 - 4WD

2001 - 2003		27220					VD	✓	325.0	36.5	89.2	27234					VD	✓	-	28.5	-
2004	SRW	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	DRW	27220					VD	✓	325.0	36.5	89.2	27234					VD	✓	-	28.5	-

SSR

2003 - 2004		27279					VD	✓	325.0	27.5	54.3	27283					VD	✓	-	18.5	-
-------------	--	-------	--	--	--	--	----	---	-------	------	------	-------	--	--	--	--	----	---	---	------	---

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK1	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK1	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
SUBURBAN 2WD (1/2 Ton) C10, 15, 1500																					
1974 - 1989		27016				@	HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1990 - 1991		27016				@	HR		300.6	30.9	125.7	23074					RD		283.2	284.7	101.3
1992 - 1993		27042				@	HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
1994	w/ 11" Rear Drum	27042				@	HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
	w/ 13" Rear Drum	27081				@	HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
1995 - 1996	w/ 11" Rear Drum	27042				@	HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
	w/ 13" Rear Drum	27081				@	HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
1997 - 1999	w/ 11" Rear Drum	27042				@	HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
	w/ 13" Rear Drum	27081				@	HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1
2000	11" Rear Drum Brakes	27042				@	HR	✓	295.5	30.9	115.2	23067					RD		330.2	332.5	166.1
	13" Rear Drum Brakes	27081				@	HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1
	Rear Disc Brakes; w/ Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	Rear Disc Brakes; w/out Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27047			@		VD	✓	325.0	18.5	79.0
2001 - 2002	w/ Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	w/out Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27047			@		VD	✓	325.0	18.5	79.0
2003 - 2004		27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

SUBURBAN 4WD (1/2 Ton) K10, 15, 1500

1981 - 1991		27054					VD		301.2	30.9	58.3	23091					RD		228.6	230.0	104.9
1992 - 1993		27142			PVT	@	VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8
1994 - 1999	11" Rear Drum Brakes; 6 Lug	27142			PVT	@	VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8
	13" Rear Drum Brakes; 8 Lug	27044					VD	✓	317.5	30.9	70.2	23067					RD		330.2	332.5	166.1
2000	11" Rear Drum Brakes; 6 Lug	27142			PVT	@	VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8
	13" Rear Drum Brakes; 8 Lug	27044					VD	✓	317.5	30.9	70.2	23067					RD		330.2	332.5	166.1
	Rear Disc Brakes; w/ Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	Rear Disc Brakes; w/out Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27047			@		VD	✓	325.0	18.5	79.0
2001 - 2002	w/ Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	w/out Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27047			@		VD	✓	325.0	18.5	79.0
2003 - 2004		27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

SUBURBAN 2WD (3/4 Ton) C20, 25, 2500

1971 - 1972		27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
1973 - 1980	w/ 11" Rear Drum	27057					HR		317.5	30.9	121.4	23076					RD		283.2	284.7	125.0
	w/ 13" Rear Drum	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
1981 - 1984	w/ 11" Rear Drum	27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
	w/ 13" Rear Drum; w/ 9.5" Ring Gear	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
	w/ 13" Rear Drum; w/ 10.5" Ring Gear	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
1985 - 1987	w/ 11" Rear Drum	27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
	w/ 5.25" Tall 13" Rear Drum	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	w/ 6 3/8" Tall 13" Rear Drum	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
1988 - 1991	w/ Floating Axle	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	w/ Non-Floating Axle	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
1992 - 1999	w/ 13 x 2.5" Shoes; w/ Floating Axle	27081					HR	✓	317.5	30.9	126.6	23070					RD		330.2	332.5	131.8
	w/ 13 x 2.5" Shoes; w/ Non-Floating Axle	27081					HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1
	w/ 13 x 3.5" Shoes; Rear Drum w/ 4.8" Hub Hole	27081					HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	w/ 13 x 3.5" Shoes; Rear Drum w/ 4.6" Hub Hole	27081					HR	✓	317.5	30.9	126.6	NYA					-		-	-	-
2000	Rear Drum; 13 x 2.5" Shoe	27081					HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1
	Rear Drum; 13 x 3.5" Shoe; 4.8" Hub Hole	27081					HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	Rear Drum; 13 x 3.5" Shoe; 4.6" Hub Hole	27081					HR	✓	317.5	30.9	126.6	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	Rear Disc Brakes; w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27049					@ VD	✓	330.1	26.5	86.7
	Rear Disc Brakes; w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27048					@ VD	✓	330.0	27.0	92.9
2001 - 2002	Rear Disc w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27049					@ VD	✓	330.1	26.5	86.7
	Rear Disc w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27048					@ VD	✓	330.0	27.0	92.9
2003 - 2004	2 Wheel Steering; Rear Disc w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27049					@ VD	✓	330.1	26.5	86.7
	2 Wheel Steering; Rear Disc w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27048					@ VD	✓	330.0	27.0	92.9
	4 Wheel Steering	27044					VD	✓	317.5	30.9	70.2	27047					@ VD	✓	325.0	18.5	79.0

SUBURBAN 4WD (3/4 Ton) K20, 25, 2500

1974 - 1980	w/ 11" Rear Drum	27139					VD		317.5	30.9	71.0	23076					RD		283.2	284.7	125.0
	w/ 13" Rear Drum	27139					VD		317.5	30.9	71.0	23070					RD		330.2	332.5	131.8
1981 - 1988	w/ 11" Rear Drum	27139					VD		317.5	30.9	71.0	NYA					-		-	-	-
	w/ 13" Rear Drum	27139					VD		317.5	30.9	71.0	23067					RD		330.2	332.5	166.1
1989 - 1991		27139					VD		317.5	30.9	71.0	23067					RD		330.2	332.5	166.1
1992 - 1996	13 x 2.5" Rear Shoe w/ Floating Axle	27044					VD	✓	317.5	30.9	70.2	23070					RD		330.2	332.5	131.8
	13 x 2.5" Rear Shoe w/ Non-Floating Axle	27044					VD	✓	317.5	30.9	70.2	23067					RD		283.2	284.7	125.0
	13 x 3.5" Rear Shoe; Rear Drum w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	23062					RD		330.2	332.5	160.0
	13 x 3.5" Rear Shoe; Rear Drum w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	NYA					-		-	-	-
1997 - 1999	13 x 2.5" Rear Shoe	27044					VD	✓	317.5	30.9	70.2	23067					RD		283.2	284.7	125.0
	13 x 3.5" Rear Shoe; Rear Drum w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	23062					RD		330.2	332.5	160.0
	13 x 3.5" Rear Shoe; Rear Drum w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	NYA					-		-	-	-
2000	13 x 2.5" Rear Shoe	27044					VD	✓	317.5	30.9	70.2	23067					RD		283.2	284.7	125.0
	13 x 3.5" Rear Shoe; Rear Drum w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	23062					RD		330.2	332.5	160.0
	13 x 3.5" Rear Shoe; Rear Drum w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	NYA					-		-	-	-
	Rear Disc w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27049					@ VD	✓	330.1	26.5	86.7
	Rear Disc w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27048					@ VD	✓	330.0	27.0	92.9
2001 - 2002	Rear Disc w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27049					@ VD	✓	330.1	26.5	86.7
	Rear Disc w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27048					@ VD	✓	330.0	27.0	92.9
2003 - 2004	2 Wheel Steering; Rear Disc w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27049					@ VD	✓	330.1	26.5	86.7
	2 Wheel Steering; Rear Disc w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	27048					@ VD	✓	330.0	27.0	92.9
	4 Wheel Steering	27044					VD	✓	317.5	30.9	70.2	27047					@ VD	✓	325.0	18.5	79.0

S-10 BLAZER SUV 2WD

1989-1990		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1991	4 Wheel ABS	27243					HR	✓	266.7	24.5	109.6	23052					RD		254.0	255.5	99.6
	Exc. 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1992 - 1994	4 Wheel ABS	27243					HR	✓	266.7	24.5	109.6	23078					RD		241.3	243.6	79.5
	Exc. 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23078					RD		241.3	243.6	79.5
1995	2 Door; 4 Wheel ABS	27243					HR	✓	266.7	24.5	109.6	23052					RD		254.0	255.5	99.6
	2 Door; Exc. 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	4 Door; 4 Wheel ABS	27243					HR	✓	266.7	24.5	109.6	23078					RD		241.3	243.6	79.5
	4 Door; Exc. 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23078					RD		241.3	243.6	79.5
1996 - 1997	2 Door	27131					VD		260.7	24.3	50.8	23078					RD		241.3	243.6	79.5
	4 Door	27243					HR	✓	266.7	24.5	109.6	23078					RD		241.3	243.6	79.5
1998 - 2003	2 Door	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9
	4 Door	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9
2004	2 Door; Exc. ZR2	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9
	ZR2	27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
	4 Door	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
S-10 (T-10) BLAZER SUV 4WD																					
1982-1991		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1992-1996		27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
1997	Rear Drum	27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
	Rear Disc	27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
1998-2001		27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
2002-2003	2 Door; Manual Transmission	27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
	2 Door; Automatic Transmission	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9
	4 Door; Automatic Transmission	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9
2004	2 Door; Exc. ZR2; w/ Manual Transmission	27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
	2 Door; Exc. ZR2; w/ Automatic Transmission	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9
	2 Door - ZR2	27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
	4 Door; Automatic Transmission	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9

S-10 PICK-UP 2WD

1989-1990		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1991	4 Wheel ABS	27243					HR	✓	266.7	24.5	109.6	23052					RD		254.0	255.5	99.6
	Exc. 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1992-1995	4 Wheel ABS	27243					HR	✓	266.7	24.5	109.6	23078					RD		241.3	243.6	79.5
	Exc. 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23078					RD		241.3	243.6	79.5
1996-1997	Electric Pick-Up	27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
	Exc. Electric Pick-Up	27243					HR	✓	266.7	24.5	109.6	23078					RD		241.3	243.6	79.5
1998-2003		27243					HR	✓	266.7	24.5	109.6	23078					RD		241.3	243.6	79.5
2004		27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9

S-10 (T-10) PICK-UP 4WD

1989-1991		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1992-1997	Exc. 1995-1996 High Roller	27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
1998-2003		27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
2004	2.2L Engine	27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
	4.3L Engine	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9

TAHOE 2WD

1995 - 1997		27042				@	HR	✓	295.5	30.9	115.2	23053					RD		254.0	256.3	88.6
1998 - 1999	Exc. Police & Performance Pkg	27042				@	HR	✓	295.5	30.9	115.2	23053					RD		254.0	256.3	88.6
	Police & Performance Pkg	27042				@	HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
2000	Exc. Police & Performance Pkg; Rear Drum Brakes	27042				@	HR	✓	295.5	30.9	115.2	23053					RD		254.0	256.3	88.6
	Police & Performance Pkg; Rear Drum Brakes	27042				@	HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
	Rear Disc Brakes	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
2001 - 2004		27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

TAHOE 4WD

1995 - 1999	w/ 10" Rear Drum; 2 Door	27142				@	VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
	w/ 11" Rear Drum; 4 Door	27142				PVT	@	VD	✓	295.0	30.9	66.4	23057				RD		283.2	284.7	99.8
2000	w/ 10" Rear Drum; 2 Door	27142				@	VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
	w/ 11" Rear Drum; 4 Door	27142				PVT	@	VD	✓	295.0	30.9	66.4	23057				RD		283.2	284.7	99.8
	Rear Disc Brakes w/ Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	Rear Disc Brakes w/out Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0	
2001 - 2002	w/ Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	w/out Limited Slip Axle	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0	

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
2003 - 2004		27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

TRACKER

1998	2 Door	25136				@	SD		289.0	8.0	45.7	NYA					-		-	-	-
	4 Door	25453				@	VD		287.0	15.0	46.0	NYA					-		-	-	-
1999	2 Door; w/ Rear Drum	25639					VD		286.8	15.0	29.1	NYA					-		-	-	-
	4 Door; w/ Rear Drum	25639					VD		286.8	15.0	29.1	NYA					-		-	-	-
2000 - 2004		NYA					-		-	-	-	NYA					-		-	-	-

TRAILBLAZER

2002-2004	Regular; 5 Passenger; 113" Wheelbase	27251					VD		-	27.5	-	27283					VD		-	18.5	-
	Extended; 7 Passenger; 129" Wheelbase	27279					VD		325.0	27.5	54.3	27283					VD		-	18.5	-

VENTURE

1997-2001		27007					VD	✓	278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
2002-2004	2WD; w/ Rear Drum	27007					VD	✓	278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
	2WD; w/ Rear Disc	27007					VD	✓	278.0	30.7	52.0	27190					SD	✓	277.9	9.0	50.3
	AWD	27233					VD			27.0		27280					VD		290.3	9.0	45.5

1/2 TON C10, 1500 SERIES PICK-UP 2WD

1951 - 1968		23059					FD		279.4	280.9	74.2	23059					RD		279.4	280.9	74.2
1969 - 1970	Excludes Heavy Duty	23059					FD		279.4	280.9	74.2	23059					RD		279.4	280.9	74.2
	Heavy Duty	NYA					-		-	-	-	23059					RD		279.4	280.9	74.2
1971 - 1973		27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
1974 - 1980	4.9, 5.2, & 5.6M GVW	27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
	Heavy Duty & GVW over 6000 lb.	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1981 - 1986	w/ 11 x 2" Rear Drum; Excludes Heavy Duty	27021					HR		301.5	24.5	77.3	23014					RD		279.4	282.4	94.0
	w/ 11 x 2" Rear Drum; Heavy Duty & Diesel	27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
	w/ 11.15 x 2.75" Rear Drum	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1987	Model Not Produced	NYA					-		-	-	-	NYA					-		-	-	-
1988 - 1991	Excludes Heavy Duty	27059					HR		283.4	24.7	106.4	23053					RD		254.0	256.3	88.6
	Heavy Duty & Extended Cab	27065					HR		295.3	30.9	115.5	23053					RD		254.0	256.3	88.6
1992 - 1994		27065					HR		295.3	30.9	115.5	23053					RD		254.0	256.3	88.6
1995 - 1999		27042					HR	✓	295.5	30.9	115.2	23053					RD		254.0	256.3	88.6

1/2 TON G10, 100 SERIES VAN

1964 - 1966	w/ 9.5 x 2" Rear Drum	23068					FD		241.3	242.8	86.6	23064					RD		241.3	242.8	74.4
	w/ 9.5 x 2.5" Rear Drum	23068					FD		241.3	242.8	86.6	23068					RD		241.3	242.8	86.6
1967 - 1970		23068					FD		241.3	242.8	86.6	23064					RD		241.3	242.8	74.4
1971	w/ Front Drum; w/ 2400 lb. Rear Axle	23063					FD		279.4	280.9	74.4	23064					RD		241.3	242.8	74.4
	w/ Front Drum; w/ 3000 lb. Rear Axle	23063					FD		279.4	280.9	74.4	23063					RD		279.4	280.9	74.4
	w/ Front Disc; w/ 2400 lb. Rear Axle	27128					HR		279.8	24.5	117.9	23064					RD		241.3	242.8	74.4
	w/ Front Disc; w/ 3000 lb. Rear Axle	27128					HR		279.8	24.5	117.9	23063					RD		279.4	280.9	74.4
1972 - 1973		27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1974		NYA					-		-	-	-	NYA					-		-	-	-
1975		NYA					-		-	-	-	23014					RD		279.4	282.4	94.0
1976 - 1989	w/ 2" Rear Shoe	27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
	w/ 2.75" Rear Shoe	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1990 - 1992		27016					HR		300.6	30.9	125.7	23074					RD		283.2	284.7	101.3
1993 - 1995	w/ 4 Wheel ABS & Vacuum Booster	27153					HR		301.2	30.9	125.7	23074					RD		283.2	284.7	101.3

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ 4 Wheel ABS & Hydraulic Booster	27117					HR		301.2	32.6	125.3	NYA					RD		-	-	-
	w/ Rear Wheel ABS	27016					HR		300.6	30.9	125.7	23061					RD		283.2	284.7	99.8
1996 - 2002		27042					HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
2003 - 2004		27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

1/2 TON K10, 100 SERIES PICK-UP 4WD

1951 - 1963		23059					FD		279.4	280.9	74.2	23059					RD		279.4	280.9	74.2
1964 - 1970		NYA					-		-	-	-	23059					RD		279.4	280.9	74.2
1971 - 1973		27054					VD		301.2	30.9	58.3	NYA					-		-	-	-
1974 - 1986		27054					VD		301.2	30.9	58.3	23069					RD		283.2	284.7	125.0
1987		NYA					-		-	-	-	NYA					-		-	-	-
1988 - 1991	w/ 10" Rear Drum	27058					VD		283.4	24.4	56.4	23065					RD		254.0	256.3	88.1
	w/ 10" Rear Drum; Extended Cab	27142		PVT		@	VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
	w/ 11" Rear Drum	27142		PVT		@	VD	✓	295.0	30.9	66.4	23071					RD		241.3	243.6	79.5
1992 - 1994	w/ 10" Rear Drum	27142		PVT		@	VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
	w/ 11" Rear Drum	27142		PVT		@	VD	✓	295.0	30.9	66.4	23071					RD		241.3	243.6	79.5
	8 Lug	27044					VD	✓	317.5	30.9	70.2	NYA					-		-	-	
1995 - 1999	w/ 10" Rear Drum	27142		PVT		@	VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
	w/ 11" Rear Drum	27142		PVT		@	VD	✓	295.0	30.9	66.4	23071					RD		241.3	243.6	79.5
2000		27142		PVT		@	VD	✓	295.0	30.9	66.4	27047				@	VD	✓	325.0	18.5	79.0

1/2 TON P SERIES

1951 - 1970		23059					FD		279.4	280.9	74.2	23059					RD		279.4	280.9	74.2
1971 - 1973		NYA					-		-	-	-	NYA					-		-	-	-
1974 - 1980	w/ 2" Rear Shoes	27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
	w/ 2.75" Rear Shoes	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8

1/2 TON R10 SERIES PICK-UP 2WD

1987	w/ 2" Rear Shoes	27021					HR		301.5	24.5	77.3	23014					RD		279.4	282.4	94.0
	w/ 2.75" Rear Shoes	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1988 - 1991		27016					HR		300.6	30.9	125.7	23074					RD		283.2	284.7	101.3

1/2 TON V10 SERIES PICK-UP 4WD

1987 - 1991		27054					VD		301.2	30.9	58.3	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

3/4 TON C20, 200 SERIES PICK-UP 2WD

1960 - 1970		23072					FD		283.2	284.7	95.5	23072					RD		283.2	284.7	95.5
1971 - 1980		NYA					-		-	-	-	NYA					-		-	-	-
1981 - 1984	w/ 11" Rear Drum	27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
	w/ 13" Rear Drum; 9.5" Ring Gear	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
	w/ 13" Rear Drum; 10.5" Ring Gear	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
1985 - 1986	w/ 11" Rear Drum	27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
	w/ 13" Rear Drum; 5.25" Tall	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	w/ 13" Rear Drum; 6.3/8" Tall	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
1988 - 1991	w/ 11" Rear Drum	27163					HR		294.9	30.9	114.6	23071					RD		241.3	243.6	79.5
	w/ 13" Rear Drum	27143					HR		317.5	30.9	125.8	23067					RD		330.2	332.5	166.1
1992 - 1996	w/ 11" Rear Drum	27163					HR		294.9	30.9	114.6	NYA					-		-	-	-
	w/ 13" Rear Drum; 4.82" Hub Hole	27081					HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	w/ 13" Rear Drum; 4.5/8" Hub Hole; 5.25" Tall	NYA					-		-	-	-	23070					RD		330.2	332.5	131.8
	w/ 13" Rear Drum; 4.5/8" Hub Hole; 6.5/8" Tall	NYA					-		-	-	-	23067					RD		330.2	332.5	166.1

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear					
		Disc / Drum	HC	PVT	Screw	Ground	Type			SFOKTI	Disc / Drum	HC	PVT	Screw	Ground

3/4 TON G20, 200 SERIES VAN

1967 - 1971		NYA					-	-	-	-	23014					RD	279.4	282.4	94.0
1972 - 1989		27016					HR	300.6	30.9	125.7	23058					RD	283.2	284.7	98.8
1990-1992	Gas	27016					HR	300.6	30.9	125.7	23074					RD	283.2	284.7	101.3
	Diesel	NYA					-	-	-	-	23074					RD	283.2	284.7	101.3
1993-1995	w/ Rear Wheel ABS	27016					HR	300.6	30.9	125.7	23074					RD	283.2	284.7	101.3
	w/ 4 Wheel ABS; w/ Vacuum Booster	27153					HR	301.2	30.9	125.7	23074					RD	283.2	284.7	101.3
	w/ 4 Wheel ABS; w/ Hydro Booster	NYA					-	-	-	-	23074					RD	283.2	284.7	101.3
1996-2000	6 Lug; 7300 lb. GVW	27179					HR	294.9	30.9	114.6	23071					RD	241.3	243.6	79.5
	8 Lug; 7700-8600 lb. GVW; Gas Engine	27081					HR	✓ 317.5	30.9	126.6	23067					RD	330.2	332.5	166.1
	8 Lug; 7700-8600 lb. GVW; Diesel Engine	27081					HR	✓ 317.5	30.9	126.6	23062					RD	330.2	332.5	160.0
2001-2002	6 Lug; 7300 lb. GVW	27179					HR	294.9	30.9	114.6	23071					RD	241.3	243.6	79.5
	8 Lug; 7700-8600 lb. GVW; Gas Engine	27081					HR	✓ 317.5	30.9	126.6	23067					RD	330.2	332.5	166.1
	8 Lug; 7700-8600 lb. GVW; Diesel Engine	27281					HR	316.7	37.2	125.9	23062					RD	330.2	332.5	160.0
2003 - 2004	7300 lb. GVW	27161					VD	✓ 304.7	27.2	58.2	NYA					-	-	-	
	8500 lb. GVW Panel; 8600 lb. GVW Passenger	27220					VD	✓ 325.0	36.5	89.2	27049				@	VD	✓ 330.1	26.5	86.7

3/4 TON K20, 200 SERIES PICK-UP 4WD

1972- 1980	w/ 11" Rear Drum	27139					VD	317.5	30.9	71.0	23076					RD	283.2	284.7	125.0
	w/ 13" Rear Drum	27139					VD	317.5	30.9	71.0	23070					RD	330.2	332.5	131.8
1981 - 1986	w/ 11" Rear Drum	27139					VD	317.5	30.9	71.0	NYA					-	-	-	
	w/ 13" Rear Drum	27139					VD	317.5	30.9	71.0	23067					RD	330.2	332.5	166.1
1988		27142					PVT	@	VD	✓ 295.0	30.9	66.4	23071			RD	241.3	243.6	79.5
1989	w/ 11" Rear Drum	27142					PVT	@	VD	✓ 295.0	30.9	66.4	23071			RD	241.3	243.6	79.5
	w/ 13" Rear Drum; 6 3/8" Tall	27044					VD	✓ 317.5	30.9	70.2	23067					RD	330.2	332.5	166.1
1990 - 1991	w/ 11" Rear Drum	27142					PVT	@	VD	✓ 295.0	30.9	66.4	23071			RD	241.3	243.6	79.5
	w/ 13" Rear Drum; 5.25" Tall	27044					VD	✓ 317.5	30.9	70.2	23070					RD	330.2	332.5	131.8
	w/ 13" Rear Drum; 6 3/8" Tall	27044					VD	✓ 317.5	30.9	70.2	23067					RD	330.2	332.5	166.1
1992 - 1993	w/ 11" Rear Drum	27142					PVT	@	VD	✓ 295.0	30.9	66.4	23071			RD	241.3	243.6	79.5
	w/ 13" Rear Drum; 5.25" Tall	27044					VD	✓ 317.5	30.9	70.2	23070					RD	330.2	332.5	131.8
	w/ 13" Rear Drum; 6 3/8" Tall	27044					VD	✓ 317.5	30.9	70.2	23067					RD	330.2	332.5	166.1
1994 - 1995	w/ 11" Rear Drum	27142					PVT	@	VD	✓ 295.0	30.9	66.4	23071			RD	241.3	243.6	79.5
	w/ 13" Rear Drum; 5.25" Tall	27044					VD	✓ 317.5	30.9	70.2	23070					RD	330.2	332.5	131.8
	w/ 13" Rear Drum; 6 3/8" Tall	27044					VD	✓ 317.5	30.9	70.2	23067					RD	330.2	332.5	166.1
1996	w/ 11" Rear Drum	27142					PVT	@	VD	✓ 295.0	30.9	66.4	23071			RD	241.3	243.6	79.5
	w/ 13" Rear Drum; 5.25" Tall	27044					VD	✓ 317.5	30.9	70.2	23070					RD	330.2	332.5	131.8
	w/ 13" Rear Drum; 6 3/8" Tall	27044					VD	✓ 317.5	30.9	70.2	23067					RD	330.2	332.5	166.1
1997 - 1998	w/ 11" Rear Drum	27142					PVT	@	VD	✓ 295.0	30.9	66.4	23071			RD	241.3	243.6	79.5
	w/ 13" Rear Drum; 5.25" Tall	27044					VD	✓ 317.5	30.9	70.2	23070					RD	330.2	332.5	131.8
	w/ 13" Rear Drum; 6 3/8" Tall	27044					VD	✓ 317.5	30.9	70.2	23067					RD	330.2	332.5	166.1
1999 - 2000	w/ 5.7L Engine	27044					VD	✓ 317.5	30.9	70.2	23067					RD	330.2	332.5	166.1
	w/ 7.4L Engine	27044					VD	✓ 317.5	30.9	70.2	23070					RD	330.2	332.5	131.8

1 TON C30 SERIES PICK-UP 2WD

1960 - 1970		23072					FD	283.2	284.7	95.5	23072					RD	283.2	284.7	95.5
1971 - 1973		27139					VD	317.5	30.9	71.0	NYA					-	-	-	
1974 - 1980	JB7	27057					HR	317.5	30.9	121.4	23070					RD	330.2	332.5	131.8
	JB8	27140					HR	317.5	37.2	195.3	NYA					-	-	-	
1981 - 1986	w/ SRW	NYA					-	-	-	-	NYA					-	-	-	

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear									
		Disc / Drum	HC	PVT	Screw	Ground	Type			Disc / Drum	HC	PVT	Screw	Ground	Type	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
	w/ DRW	27140					HR	317.5	37.2	195.3						RD	330.2	332.5	185.4
1987		NYA					-	-	-	-						-	-	-	-
1988 - 1989	w/ SRW	27143					HR	317.5	30.9	125.8						RD	330.2	332.5	166.1
	w/ DRW	NYA					-	-	-	-						RD	330.2	332.5	185.4
1990 - 1991	w/ SRW; Excludes 9000 - 9200 GVW	27143					HR	317.5	30.9	125.8						RD	330.2	332.5	131.8
	w/ SRW; 9000 - 9200 GVW	27178					VD	361.6	37.2	81.5						RD	330.2	332.5	160.0
	w/ DRW; w/ Rear Drum	27165					VD	317.5	37.2	207.9						RD	330.2	332.5	193.0
	w/ DRW; w/ Rear Disc	27178					VD	361.6	37.2	81.5						VD	349.3	37.2	110.9
1992 - 1993	w/ SRW; w/ 13 x 2.5" Shoes; 5.25" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8						RD	330.2	332.5	131.8
	w/ SRW; w/ 13 x 2.5" Shoes; 5.25" Tall; w/ ABS	27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	131.8
	w/ SRW; w/ 13 x 2.5" Shoes; 6 3/8" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8						RD	330.2	332.5	160.0
	w/ SRW; w/ 13 x 2.5" Shoes; 6 3/8" Tall; w/ ABS	27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	160.0
	w/ SRW; w/ 13 x 3.5" Shoes; w/ out ABS	27143					HR	317.5	30.9	125.8						RD	330.2	332.5	160.0
	w/ SRW; w/ 13 x 3.5" Shoes; w/ ABS	27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	160.0
	w/ DRW; w/ Rear Drum	27165					VD	317.5	37.2	207.9						RD	330.2	332.5	193.0
	w/ DRW; w/ Rear Disc	27165					VD	317.5	37.2	207.9						VD	349.3	37.2	110.9
	1994	w/ SRW; w/ 13 x 2.5" Shoes; 5.25" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8						RD	330.2	332.5
w/ SRW; w/ 13 x 2.5" Shoes; 5.25" Tall; w/ ABS		27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	131.8
w/ SRW; w/ 13 x 2.5" Shoes; 6 3/8" Tall; w/ out ABS		27143					HR	317.5	30.9	125.8						RD	330.2	332.5	166.1
w/ SRW; w/ 13 x 2.5" Shoes; 6 3/8" Tall; w/ ABS		27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	166.1
w/ SRW; w/ 13 x 3.5" Shoes; w/ out ABS		27143					HR	317.5	30.9	125.8						RD	330.2	332.5	160.0
w/ SRW; w/ 13 x 3.5" Shoes; w/ ABS		27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	160.0
w/ DRW; w/ Rear Drum		27165					VD	317.5	37.2	207.9						RD	330.2	332.5	193.0
w/ DRW; w/ Rear Disc - To VIN RJ107932		27165					VD	317.5	37.2	207.9						VD	349.3	37.2	110.9
w/ DRW; w/ Rear Disc - From VIN RJ107933		27218					VD	351.8	34.7	74.5						HR	344.9	34.7	110.9
1995 - 1996	w/ SRW; w/ 13 x 2.5" Shoes; 5.25" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8						RD	330.2	332.5	131.8
	w/ SRW; w/ 13 x 2.5" Shoes; 5.25" Tall; w/ ABS	27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	131.8
	w/ SRW; w/ 13 x 2.5" Shoes; 6 3/8" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8						RD	330.2	332.5	166.1
	w/ SRW; w/ 13 x 2.5" Shoes; 6 3/8" Tall; w/ ABS	27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	166.1
	w/ SRW; w/ 13 x 3.5" Shoes; w/ out ABS	27143					HR	317.5	30.9	125.8						RD	330.2	332.5	160.0
	w/ SRW; w/ 13 x 3.5" Shoes; w/ ABS	27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	160.0
	w/ DRW; w/ Rear Drum	27170					HR	317.5	37.2	207.9						RD	330.2	332.5	193.0
	w/ DRW; w/ Rear Disc	27218					VD	351.8	34.7	74.5						HR	344.9	34.7	110.9
	1997 - 2000	w/ SRW; Excludes Extended Cab Pick-Up; w/ out ABS	27143					HR	317.5	30.9	125.8						RD	330.2	332.5
w/ SRW; Excludes Extended Cab Pick-Up; w/ ABS		27081					HR	✓ 317.5	30.9	126.6						RD	330.2	332.5	160.0
w/ SRW; Extended Cab Pick-Up		NYA					-	-	-	-						RD	330.2	332.5	160.0
w/ DRW; w/ Rear Drum		27170					HR	317.5	37.2	207.9						RD	330.2	332.5	193.0
w/ DRW; w/ Rear Disc		27218					VD	351.8	34.7	74.5						HR	344.9	34.7	110.9
2001 - 2002		27218				VD	351.8	34.7	74.5						HR	344.9	34.7	110.9	

1 TON K30 SERIES PICK-UP 4WD

1977-1986	w/ SRW	NYA					-	-	-	-						-	-	-	-
	w/ DRW	NYA					-	-	-	-						RD	330.2	332.5	185.4
1987		NYA					-	-	-	-						-	-	-	-
		NYA					-	-	-	-						-	-	-	-
1988 - 1989	w/ SRW; 6 3/8" Tall Rear Drum	27044					VD	✓ 317.5	30.9	70.2						RD	330.2	332.5	166.1
	w/ DRW	27044					VD	✓ 317.5	30.9	70.2						RD	330.2	332.5	185.4
1990 - 1991	w/ SRW; 5 1/4" Tall Rear Drum	27044					VD	✓ 317.5	30.9	70.2						RD	330.2	332.5	131.8
	w/ DRW	27275					VD	327.0	37.2	78.2						RD	330.2	332.5	193.0
1992 - 1996	w/ SRW; w/ 13 x 2.5" Rear Shoes	27044					VD	✓ 317.5	30.9	70.2						RD	330.2	332.5	131.8
	w/ SRW; w/ 13 x 3.5" Rear Shoes	27044					VD	✓ 317.5	30.9	70.2						RD	330.2	332.5	160.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ DRW; 317mm Dia. Front Rotor	27013				@	VD		317.0	37.2	70.0	23055					RD		330.2	332.5	193.0
	w/ DRW; 327mm Dia. Front Rotor	27275					VD		327.0	37.2	78.2	23055					RD		330.2	332.5	193.0
1997-2000	w/ SRW; Excludes Extended Cab Pick-Up	27044					VD	✓	317.5	30.9	70.2	23062					RD		330.2	332.5	160.0
	w/ SRW; Extended Cab Pick-Up	27275					VD		327.0	37.2	78.2	23062					RD		330.2	332.5	160.0
	DRW; 327mm Front Rotor	27275					VD		327.0	37.2	78.2	23055					RD		330.2	332.5	193.0
	DRW; 317mm Front Rotor	27013				@	VD		317.0	37.2	70.0	23055					RD		330.2	332.5	193.0

1 TON G30, 3500 SERIES, EXPRESS VAN

1970 - 1973		23072					FD		283.2	284.7	95.5	23072					RD		283.2	284.7	95.5
1974 - 1984	w/ SRW	NYA					-		-	-	-	23076					RD		283.2	284.7	125.0
1985-1989		NYA					-		-	-	-	NYA					-		-	-	-
1990-1991	SRW; Floating Axle; 4 5/8" Tall Rear Drum	27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
	SRW; Floating Axle; 5 1/4" Tall Rear Drum	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	SRW; Non-Floating Axle	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
	DRW	27140					HR		317.5	37.2	195.3	23056					RD		330.2	332.5	185.4
1992	SRW; 13 x 2 1/2" Rear Shoes; Floating Axle	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	SRW; 13 x 2 1/2" Rear Shoes; Non-Floating Axle	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
	SRW; 13 x 3 1/2" Rear Shoes											23062					RD		330.2	332.5	160.0
	DRW	27140					HR		317.5	37.2	195.3	23055					RD		330.2	332.5	193.0
1993-1995	SRW; 13 x 2 1/2" Rear Shoes; Floating Axle	27217					HR		317.5	30.9	121.3	23070					RD		330.2	332.5	131.8
	SRW; 13 x 2 1/2" Rear Shoes; Non-Floating Axle	27217					HR		317.5	30.9	121.3	23067					RD		330.2	332.5	166.1
	SRW; 13 x 3 1/2" Rear Shoes; w/ 2 Wheel ABS											23062					RD		330.2	332.5	160.0
	SRW; 13 x 3 1/2" Rear Shoes; w/ 4 Wheel ABS	27187					VD		317.5	37.1	131.3	23062					RD		330.2	332.5	160.0
	DRW	27119					VD		292.1	37.1	205.0	23055					RD		330.2	332.5	193.0
1996-2000	SRW	27081					HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	DRW	27170					HR		317.5	37.2	207.9	23055					RD		330.2	332.5	193.0
2001	SRW; G315 Cab & Chassis; w/ 139" Wheelbase	27081					HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	SRW; Exc. G315 Cab & Chassis; w/ 139" Wheelbase	27281					HR		316.7	37.2	125.9	23062					RD		330.2	332.5	160.0
2002	SRW	27281					HR		316.7	37.2	125.9	23062					RD		330.2	332.5	160.0
	DRW	27170					HR		317.5	37.2	207.9	23055					RD		330.2	332.5	193.0
2003 - 2004	SRW	27220					VD	✓	325.0	36.5	89.2	27048				@	RD		330.0	27.0	92.9
	DRW	27220					VD	✓	325.0	36.5	89.2	27234					RD				

1 TON P30 SERIES

1979 - 1984	w/ DRW; w/ 4 Wheel Disc	27178					VD		361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
1985-1989	DRW w/ I-Beam Front Axle	27219					HR		317.5	37.2	195.2	NYA					-		-	-	-
	DRW w/ 4 Wheel Disc	27178					VD		361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
1990	SRW; JB7 & JD7; 13 x 2 1/2" Rear Shoe	27057					VD		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	SRW; JB8; 13 x 3 1/2" Rear Shoe	NYA					-		-	-	-	23062					RD		330.2	332.5	160.0
	DRW; Ind. Front Susp.; Rear Drum Brakes; JB8	27140					VD		317.5	37.2	195.3	23055					RD		330.2	332.5	193.0
	DRW; I-Beam Front Axle; Rear Drum Brakes; JB8	27219					HR		317.5	37.1	195.2	23055					RD		330.2	332.5	193.0
	DRW; Ind. Front Susp.; Rear Disc Brakes; JF9	27178					VD		361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
									Parking Brake Drum			23059					RD		279.4	280.9	74.2
	DRW; I-Beam Front Axle; Rear Disc Brakes; JF9	27178					VD		361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
									Parking Brake Drum			23059					RD		279.4	280.9	74.2
1991-1993	SRW; JB7 & JD7; 13 x 2 1/2" Rear Shoe	27057					VD		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	SRW; JB8; 13 x 3 1/2" Rear Shoe; Drum w/4.6" Hub Hole	NYA					-		-	-	-	23067					RD		330.2	332.5	166.1
	SRW; JB8; 13 x 3 1/2" Rear Shoe; Drum w/4.8" Hub Hole	NYA					-		-	-	-	23062					RD		330.2	332.5	160.0
	DRW; L.F.S.; Rear Drum Brakes; JB8; Drum w/4.6" Hub Hole	27140					VD		317.5	37.2	195.3	23067					RD		330.2	332.5	166.1
	DRW; L.F.S.; Rear Drum Brakes; JB8; Drum w/4.8" Hub Hole	27140					VD		317.5	37.2	195.3	23062					RD		330.2	332.5	160.0

Make Model, Year (s)	Notes	Front					Type	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground					Disc / Drum	HC	PVT	Screw	Ground			
	DRW; I-Beam Axle; Rear Drum; JB8; Drum w/4.6" Hub Hole	27219				HR	317.5	37.1	195.2	23067				RD	330.2	332.5	166.1	
	DRW; I-Beam Axle; Rear Drum; JB8; Drum w/4.8" Hub Hole	27219				HR	317.5	37.1	195.2	23062				RD	330.2	332.5	160.0	
	DRW; Rear Disc Brakes; JF9	27178				VD	361.6	37.2	81.5	27173				VD	349.3	37.2	110.9	
							Parking Brake Drum				23059			RD	279.4	280.9	74.2	
1994-1995	SRW; JB7 & JD7; 13 x 2 1/2" Rear Shoe	27057				VD	317.5	30.9	121.4	23070				RD	330.2	332.5	131.8	
	SRW; JB8; 13 x 3 1/2" Rear Shoe	NYA				-	-	-	-	23067				RD	330.2	332.5	166.1	
	DRW; Ind. Front Susp.; Rear Drum Brakes; JB8	27140				VD	317.5	37.2	195.3	23055				RD	330.2	332.5	193.0	
	DRW; I-Beam Front Axle; Rear Drum Brakes; JB8	27219				HR	317.5	37.1	195.2	23055				RD	330.2	332.5	193.0	
	DRW; Rear Disc Brakes; JF9	27178				VD	361.6	37.2	81.5	27173				VD	349.3	37.2	110.9	
1996	SRW; JB7; 13 x 2 1/2" Rear Shoe	NYA				-	-	-	-	23070				RD	330.2	332.5	131.8	
	SRW; JB8; 13 x 3 1/2" Rear Shoe	NYA				-	-	-	-	23067				RD	330.2	332.5	166.1	
	DRW; Ind. Front Susp.; JB8	27140				VD	317.5	37.2	195.3	23055				RD	330.2	332.5	193.0	
	DRW; I-Beam Front Axle w/ Out ABS Ring; JB8	27219				HR	317.5	37.1	195.2	23055				RD	330.2	332.5	193.0	
	DRW; I-Beam Front Axle & ABS Ring; JB8	27263				HR	317.5	37.1	195.2	23055				RD	330.2	332.5	193.0	
	DRW; Rear Disc Brakes; JF9	27178				VD	361.6	37.2	81.5	27173				VD	349.3	37.2	110.9	
1997-1999	SRW; Rear Wheel ABS; 2 1/2" Rear Shoe	NYA				-	-	-	-	23070				RD	330.2	332.5	131.8	
	SRW; 4 Wheel ABS; 2 1/2" Rear Shoe	27187				VD	317.5	37.1	131.3	23070				RD	330.2	332.5	131.8	
	SRW; Rear Wheel ABS; 3 1/2" Rear Shoe	NYA				-	-	-	-	NYA				-	-	-		
	SRW; 4 Wheel ABS; 3 1/2" Rear Shoe	27187				VD	317.5	37.1	131.3	23067				RD	330.2	332.5	166.1	
	DRW; Ind. Front Susp.; Rear Drum Brakes	27119				VD	292.1	37.1	205.0	23055				RD	330.2	332.5	193.0	
	DRW; I-Beam Front Axle; Rear Drum Brakes	27263				HR	317.5	37.1	195.2	23055				RD	330.2	332.5	193.0	
	Rear Disc Brakes	27218				VD	351.8	34.7	74.5	27122				VD	344.9	34.7	110.9	

1 TON V30, V3500 SERIES PICKUP, CAB & CHASSIS 4WD

1987-1991	DRW	27275				VD	327.0	37.2	78.2	23056				RD	330.2	332.5	185.4
-----------	-----	-------	--	--	--	----	-------	------	------	-------	--	--	--	----	-------	-------	-------

CHRYSLER:

300, 300C

2005	300, Touring & Ltd.; w/Solid Rear Discs	NYA				-	-	-	-	NYA				-	-	-	-
	300C; w/Vented Rear Discs	NYA				-	-	-	-	NYA				-	-	-	-

300M

1999 - 2004	w/out Performance Package	27203				VD	297.2	24.4	53.8	27183				SD	270.1	10.4	46.4
	w/Performance Package	27209				VD	297.2	24.4	53.8	27183				SD	270.1	10.4	46.4

CIRRUS

1995 - 2000	14" Wheels; w/ Rear Drum Brakes	27035				@	VD	260.0	21.4	32.0	23028				RD	228.6	230.1	69.1
	14" Wheels; W/ Rear Disc Brakes	27035				@	VD	260.0	21.4	32.0	23028				RD	228.6	230.1	69.1
	15" Wheels; w/ Rear Drum Brakes	27089					VD	282.6	21.4	32.1	27037			@	SD	172.0	7.3	81.5
	15" Wheels; W/ Rear Disc Brakes	27089					VD	282.6	21.4	32.1	27037			@	SD	172.0	7.3	81.5

CONCORDE

1993 - 1996		27086					VD	281.8	22.4	52.0	27183				SD	270.1	10.4	46.4
1997	Rear Drum Brakes	27086					VD	281.8	22.4	52.0	23094				RD	220.0	221.2	68.1
	Rear Disc Brakes	27086					VD	281.8	22.4	52.0	27183				SD	270.1	10.4	46.4
1998 - 2000	15" Wheels	27114					VD	281.9	24.4	53.8	27183				SD	270.1	10.4	46.4
	16" Wheels	27203					VD	297.2	24.4	53.8	27183				SD	270.1	10.4	46.4
	17" Wheels	27203					VD	297.2	24.4	53.8	27183				SD	270.1	10.4	46.4
2001 - 2002		27203					VD	297.2	24.4	53.8	27183				SD	270.1	10.4	46.4

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground	Type				SFOUR	Disc / Drum	HC	PVT	Screw	Ground			
2003 - 2004	Exc. Performance Package	27203					VD	297.2	24.4	53.8	27183					SD	270.1	10.4	46.4
	Performance Package	27209					VD	297.2	24.4	53.8	27183					SD	270.1	10.4	46.4

CORDOBA

1975	w/ 10" Rear Drum - Finned	27019					HR	278.6	23.9	123.1	23025					RD	254.0	255.5	106.4
	w/ 10" Rear Drum - Plain	27019					HR	278.6	23.9	123.1	23026					RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27019					HR	278.6	23.9	123.1	23064					RD	241.3	242.8	74.4
1976	w/ 10" Rear Drum	NYA					-	-	-	-	23026					RD	254.0	256.3	90.7
	w/ 11" Rear Drum	NYA					-	-	-	-	23004					RD	279.4	281.7	111.0
1977	w/ 10" Rear Drum	NYA					-	-	-	-	23025					RD	254.0	255.5	106.4
	w/ 11" Rear Drum	NYA					-	-	-	-	23004					RD	279.4	281.7	111.0
1978 - 1979	w/ 10" Rear Drum - Finned	NYA					-	-	-	-	23025					RD	254.0	255.5	106.4
	w/ 10" Rear Drum - Plain	NYA					-	-	-	-	23026					RD	254.0	256.3	90.7
	w/ 11" Rear Drum	NYA					-	-	-	-	23064					RD	241.3	242.8	74.4
1980 - 1983	w/ 10" Rear Drum - Finned	27019					HR	278.6	23.9	123.1	23025					RD	254.0	255.5	106.4
	w/ 10" Rear Drum Plain	27019					HR	278.6	23.9	123.1	23026					RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27019					HR	278.6	23.9	123.1	23004					RD	279.4	281.7	111.0

CROSSFIRE

2004		25604	HC	PVT	SK	@	VD	✓	300.0	25.4	46.5	25131				@	SD	278.0	9.0	56.2
------	--	-------	----	-----	----	---	----	---	-------	------	------	-------	--	--	--	---	----	-------	-----	------

E-CLASS, EXECUTIVE

1985	5 Lug	27024					VD		260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
------	-------	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	-------	-------	------

FIFTH AVENUE

1982 - 1989	w/ 10" Rear Drum	27019					HR	278.6	23.9	123.1	23025					RD	254.0	255.5	106.4
	w/ 11" Rear Drum	27019					HR	278.6	23.9	123.1	23004					RD	279.4	281.7	111.0
1990	w/ Rear Disc	27024					VD	260.0	22.4	38.0	NYA					-	-	-	-
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
1991 - 1993	w/ Rear Disc	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3

IMPERIAL

1974 - 1975		27155					HR	298.5	30.0	126.6	NYA					-	-	-	-
1981	w/ 10" Rear Drum	27019					HR	278.6	23.9	123.1	23026					RD	254.0	256.3	90.7
1982 - 1989	w/ 10" Rear Drum	27019					HR	278.6	23.9	123.1	23025					RD	254.0	255.5	106.4
	w/ 11" Rear Drum	27019					HR	278.6	23.9	123.1	23004					RD	279.4	281.7	111.0
1990	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
1991-1993	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
	w/ Rear Disc	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6

INTREPID, ES - (CANADA)

1993 - 1996	Rear Disc Brakes	27086					VD	281.8	22.4	52.0	27183					SD	270.1	12.0	46.4
	Rear Drum Brakes	27086					VD	281.8	22.4	52.0	23094					RD	220.0	221.2	68.1

LeBARON COUPE & CONVERTIBLE (Excludes GTC & GTS)

1977 - 1979	w/ Rear Drum - Finned	27019					HR	278.6	23.9	123.1	23025					RD	254.0	255.5	106.4
	w/ Rear Drum - Plain	27019					HR	278.6	23.9	123.1	23026					RD	254.0	256.3	90.7
1980 - 1981	w/ 10" Rear Drum - Finned	27019					HR	278.6	23.9	123.1	23025					RD	254.0	255.5	106.4
	w/ 10" Rear Drum - Plain	27019					HR	278.6	23.9	123.1	23026					RD	254.0	256.3	90.7

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type			Disc / Drum	HC	PVT	Screw	Ground	Type				
	w/ 11" Rear Drum	27019					HR	278.6	23.9	123.1	23004					RD	279.4	281.7	111.0
1982		27052					VD	239.3	22.4	38.1	NYA					-	-	-	-
1983		NYA					-	-	-	-	23005					RD	200.0	201.2	60.5
1985 - 1986	5 Lug	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1987 - 1988		27024					VD	260.0	22.4	38.0	23006					RD	200.0	201.2	61.0
1989	w/ 14" Stock Wheels	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	w/ 15" Stock Wheels	27229					VD	282.0	22.4	38.0	NYA					-	-	-	-
	w/ 16" Stock Wheels	27229					VD	282.0	22.4	38.0	NYA					-	-	-	-
1990	14" Wheels	27024									27206								
	15" Wheels	27024									27206								
	16" Wheels	27229									NYA								
1991 - 1995	Rear Drum Brakes	27024									23089								
	Rear Disc Brakes; 14" Wheels	27024									27206								
	Rear Disc Brakes; 15" Wheels	27229									NYA								

LeBARON GTC & GTS

1985 - 1989		27024					VD	260.0	22.4	38.0	23006					RD	200.0	201.2	61.0
1990	w/ 14" Stock Wheels	27024					VD	260.0	22.4	38.0	NYA					-	-	-	-
	w/ 15" Stock Wheels	27024					VD	260.0	22.4	38.0	NYA					-	-	-	-
1991	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5

LeBARON SEDAN & WAGON

1984 - 1986	5 Lug	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1987	Sedan	27024					VD	260.0	22.4	38.0	23006					RD	200.0	201.2	61.0
	Wagon	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1988	Sedan	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
	Wagon	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1989		27024					VD	260.0	22.4	38.0	23006					RD	200.0	201.2	61.0
1990	Rear Disc Brakes	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	Rear Drum Brakes	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1991	Rear Disc Brakes	27229					VD	282.0	22.4	38.0	NYA					-	-	-	-
	Rear Drum Brakes	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1992 - 1995	Rear Disc Brakes; 14" Wheels	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	Rear Disc Brakes; 15" Wheels	27229					VD	282.0	22.4	38.0	NYA					-	-	-	-
	Rear Drum Brakes	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5

LHS

1993 - 1994		27086					VD	281.8	22.4	52.0	27183					SD	270.1	10.4	46.4
1995 - 1997		27202					VD	282.2	22.4	52.0	27183					SD	270.1	10.4	46.4
1998 - 2000	w/ 15" Stock Wheels	27114					VD	281.9	24.4	53.8	27183					SD	270.1	10.4	46.4
	w/ 16" Stock Wheels	27203					VD	297.2	24.4	53.8	27183					SD	270.1	10.4	46.4
2001 - 2002		27203					VD	297.2	24.4	53.8	27183					SD	270.1	10.4	46.4

NEON

2000 - 2001	Rear Disc Brakes	27138					VD	-	20.4	-	27207					SD	270.0	7.2	53.1
	Rear Drum Brakes	27138					VD	-	20.4	-	NYA					-	-	-	-

NEWPORT

1972 - 1973		27090					HR	298.5	30.0	126.6	NYA					-	-	-	-
1974 - 1978		27155					HR	298.5	30.0	126.6	NYA					-	-	-	-

Make Model, Year (s)	Notes	Front							Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear							
		Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT				Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)
1979 - 1981	Excludes Heavy Duty (Finned)	NYA					-	-	-	-	23025					RD	254.0	255.5	106.4
	Excludes Heavy Duty (Plain)	NYA					-	-	-	-	23026					RD	254.0	256.3	90.7
	Heavy Duty	NYA					-	-	-	-	23004					RD	279.4	281.7	111.0
1982 - 1986	Excludes Heavy Duty	27019					HR	278.6	23.9	123.1	23025					RD	254.0	255.5	106.4
	Heavy Duty	27019					HR	278.6	23.9	123.1	23004					RD	279.4	281.7	111.0

NEW YORKER

1972 - 1973		27090					HR	298.5	30.0	126.6	NYA					-	-	-	-
1974 - 1978		27155					HR	298.5	30.0	126.6	NYA					-	-	-	-
1979 - 1981	Excludes Heavy Duty (Finned)	NYA					-	-	-	-	23025					RD	254.0	255.5	106.4
	Excludes Heavy Duty (Plain)	NYA					-	-	-	-	23026					RD	254.0	256.3	90.7
	Heavy Duty	NYA					-	-	-	-	23004					RD	279.4	281.7	111.0
1982	Excludes Heavy Duty	27019					HR	278.6	23.9	123.1	23025					RD	254.0	255.5	106.4
1983		NYA					-	-	-	-	NYA					-	-	-	-
1984 - 1987	5 Lug	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1988	w/ Rear Disc	27024					VD	260.0	22.4	38.0	NYA					-	-	-	-
	w/ Rear Drum; Excludes Turbo	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
	w/ Rear Drum; Turbo	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1989	w/ Rear Disc	27024					VD	260.0	22.4	38.0	NYA					-	-	-	-
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
1990	w/ Rear Disc	27024					VD	260.0	22.4	38.0	NYA					-	-	-	-
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
1991	w/ Rear Disc	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
1992 - 1993	C Body w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
	w/ Rear Disc	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
1994	w/ Rear Disc	27086					VD	281.8	22.4	52.0	27183					SD	270.1	10.4	46.4
	w/ Rear Drum	27086					VD	281.8	22.4	52.0	23094					RD	220.0	221.2	68.1
1995 - 1996		27086					VD	281.8	22.4	52.0	27183					SD	270.1	10.4	46.4

PROWLER

1997 - 2002		27006	HC				@	VD	282.0	22.4	38.0	NYA					-	-	-	-
-------------	--	-------	----	--	--	--	---	----	-------	------	------	-----	--	--	--	--	---	---	---	---

PT CRUISER

2000 - 2002	w/ Rear Disc	27227						VD	280.0	21.4	39.1	27207					SD	270.0	7.2	53.1
	w/ Rear Drum	27227						VD	280.0	21.4	39.1	23089					RD	220.0	221.2	65.5
2003	w/ Rear Drum	27227						VD	280.0	21.4	39.1	23089					RD	220.0	221.2	65.5
	w/ Rear Disc; Excludes TURBO	27227						VD	280.0	21.4	39.1	27207					SD	270.0	7.2	53.1
2004	TURBO	NYA					-	-	-	-	NYA					-	-	-	-	
	Rear Drum Brakes; Exc. TURBO	27277						VD	280.0	21.4	39.1	NYA					-	-	-	
	Rear Drum Brakes; TURBO Ltd. Platinum	NYA					-	-	-	-	NYA					-	-	-	-	
	Rear Disc Brakes; TURBO Ltd. Platinum	NYA					-	-	-	-	27037					SD	172.0	7.3	81.5	
	Rear Disc Brakes; HO TURBO - GT, Series 3	NYA					-	-	-	-	NYA					-	-	-	-	
2005	Rear Drum Brakes; w/out ABS; Exc. TURBO	27277						VD	280.0	21.4	39.1	23089					RD	220.0	221.2	65.5
	Rear Drum Brakes; w/ ABS; Exc. TURBO	27277						VD	280.0	21.4	39.1	NYA					-	-	-	
	Rear Drum Brakes; TURBO Ltd. Platinum	NYA					-	-	-	-	23089					RD	220.0	221.2	65.5	
	Rear Disc Brakes; TURBO Ltd. Platinum	NYA					-	-	-	-	27037					SD	172.0	7.3	81.5	
	Rear Disc Brakes; HO TURBO - GT, Series 3	NYA					-	-	-	-	NYA					-	-	-	-	

SEBRING CONVERTIBLE

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1996 - 2000	Rear Drum Brakes	27035				@	VD		260.0	21.4	32.0	23089					RD		220.0	221.2	65.5
	Rear Disc Brakes	27035				@	VD		260.0	21.4	32.0	27037					SD		172.0	7.3	81.5
2001 - 2004		27089					VD		282.6	21.4	32.1	27037					SD		172.0	7.3	81.5

SEBRING COUPE

1995 - 1999	Rear Drum Brakes	25366				@	VD		256.0	22.4	45.1	21119					RD		228.6	230.6	62.0
	Rear Disc Brakes	25366				@	VD		256.0	22.4	45.1	25557					SD		262.1	8.4	60.2
2000		25366				@	VD		256.0	22.4	45.1	25557					SD		262.1	8.4	60.2
2001 - 2004	4 Cylinder; Rear Drum Brakes	25366				@	VD		256.0	22.4	45.1	21119					RD		228.6	230.6	62.0
	6 Cylinder; Rear Disc Brakes	25640					VD		276.1	24.0	45.5	25557					SD		262.1	8.4	60.2

SEBRING SEDAN

2001 - 2004	4 Cylinder; Rear Drum Brakes	27089					VD		282.6	21.4	32.1	23099					RD		-	230.6	-
	6 Cylinder; Rear Disc Brakes	27089					VD		282.6	21.4	32.1	27037					SD		172.0	7.3	81.5

TC BY MASERATI

1989 - 1991		27024					VD		260.0	22.4	38.0	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

TOWN & COUNTRY

1972 - 1973		27090					HR		298.5	30.0	126.6	NYA					-		-	-	-
1974 - 1977		27155					HR		298.5	30.0	126.6	NYA					-		-	-	-
1978	w/ 10" Rear Drum	27019					HR		278.6	23.9	123.1	NYA					-		-	-	-
1979 - 1981	w/ Finned Drum	27019					HR		278.6	23.9	123.1	23025					RD		254.0	255.5	106.4
	w/ Plain Drum	27019					HR		278.6	23.9	123.1	23026					RD		254.0	256.3	90.7
1982		27052					VD		239.3	22.4	38.1	NYA					-		-	-	-
1983		NYA					-		-	-	-	NYA					-		-	-	-
1984 - 1986	5 Lug	27024					VD		260.0	22.4	38.0	23089					RD		220.0	221.2	65.5
1987 - 1988		27024					VD		260.0	22.4	38.0	23089					RD		220.0	221.2	65.5

CHRYSLER VAN:

PACIFICA

2004		NYA					-		-	-	-	NYA					-		-	-	-
------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

TOWN & COUNTRY VAN

1989 - 1990	14" Wheels	27062					VD		260.7	20.4	38.1	23007					RD		228.6	231.0	103.0
	15" Wheels	27063					VD		281.8	20.4	38.5	23022					RD		228.6	229.7	104.1
1991 - 1995	FWD - 14" Wheels	27024					VD		260.0	22.4	38.0	23007					RD		228.6	231.0	103.0
	FWD - 15" Wheels	27004	HC			@	VD		282.0	22.4	38.0	23022					RD		228.6	229.7	104.1
	AWD	27004	HC			@	VD		282.0	22.4	38.0	23004					RD		279.4	281.7	111.0
1996	FWD - 14" Wheels	27014					VD		256.0	22.4	38.0	23008					RD		250.0	251.2	78.0
	FWD - 15" Wheels	27004	HC			@	VD		282.0	22.4	38.0	23009					RD		250.0	251.2	78.0
1997 - 2000	FWD - 14" Wheels	27014				@	VD		256.0	22.4	38.0	23008					RD		250.0	251.2	78.0
	FWD - 15" Wheels	27006	HC			@	VD		282.0	22.4	38.0	23009					RD		250.0	251.2	78.0
	AWD	27006	HC			@	VD		282.0	22.4	38.0	27259					SD		289.9	11.3	56.1
2001 - 2003	FWD	27244					VD		-	25.3	-	27259					SD		289.9	11.3	56.1
	AWD	27244					VD		-	25.3	-	27259					SD		289.9	11.3	56.1
2004 - 2005	FWD - Rear Drum Brakes	27244					VD		-	25.3	-	23009					RD		250.0	251.2	78.0
	FWD - Rear Disc Brakes	27244					VD		-	25.3	-	27259					SD		289.9	11.3	56.1
	AWD	27244					VD		-	25.3	-	27259					SD		289.9	11.3	56.1

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------

VOYAGER

2000	14" Wheels	27014				@	VD		256.0	22.4	38.0	23008					RD		250.0	251.2	78.0
	15" Wheels	27006	HC			@	VD		282.0	22.4	38.0	23009					RD		250.0	251.2	78.0
2001 - 2002		27244					VD		-	25.3	-	23009					RD		250.0	251.2	78.0
2003		27244					VD		-	25.3	-	23009					RD		250.0	251.2	78.0

DAEWOO:

LANOS

1999 - 2002	w/ ABS	25302				SK	VD		256.0	21.0	41.0	23002					RD		200.0	201.4	67.0
	w/ out ABS	25302				SK	VD		256.0	21.0	41.0	NYA					-		-	-	-

LEGANZA

1999 - 2002	w/ Rear Drum	25677					VD					23002					RD		200.0	201.4	67.0
	w/ Rear Disc	25677					VD					25652					SD		257.8	8.0	64.6

NUBIRA

1999	w/ Rear Drum	25579				SK	@	VD	256.0	22.0	47.0	23002					RD		200.0	201.4	67.0
	w/ Rear Disc	25579				SK	@	VD	256.0	22.0	47.0	25653					SD		257.8	8.0	64.6
2000 - 2002		NYA					-	-	-	-	-	23002					RD		200.0	201.4	67.0
		NYA					-	-	-	-	-	25653					SD		257.8	8.0	64.6

DAIHATSU:

CHARADE (3 Cylinder 1.0L)

1988 - 1/1989		25181				@	SD		234.0	10.0	47.2	21103					RD		180.0	181.0	72.5
2/1989 - 1992		25180				@	SD		234.0	10.0	47.3	21103					RD		180.0	181.0	72.5

ROCKY

1989-1992		25634					SD		277.1	11.5	29.5	NYA					-		-	-	-
-----------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

DE TOMASO:

PANTERA

1990 - 1996		25307					VD		332.0	30.0	91.5	25308					VD		314.0	26.0	83.5
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	------	------

DODGE:

400

1982		27052					VD		239.3	22.4	38.1	NYA					-		-	-	-
1983		NYA					-	-	-	-	-	23005					RD		200.0	201.2	60.5

600

1983 - 1988	4 Lug	NYA					-	-	-	-	-	NYA					-		-	-	-
	5 Lug	27024					VD		260.0	22.4	38.0	23089					RD		220.0	221.2	65.5

ARIES

1981 - 1982		27052					VD		239.3	22.4	38.1	NYA					-		-	-	-
1983 - 1984	Standard	27052					VD		239.3	22.4	38.1	23005					RD		200.0	201.2	60.5

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground	Type				Disc / Drum	HC	PVT	Screw	Ground	Type			
1985 - 1987	Heavy Duty	NYA					-	-	-	23089					RD	220.0	221.2	65.5	
	Standard (4 Lug)	27052				VD	239.3	22.4	38.1	23005				RD	200.0	201.2	60.5		
	Standard (5 Lug)	27053				VD	239.3	22.4	38.1	23006				RD	200.0	201.2	61.0		
	Heavy Duty (5 Lug)	27024				VD	260.0	22.4	38.0	23089				RD	220.0	221.2	65.5		
1988 - 1989	Standard	27053				VD	239.3	22.4	38.1	23006				RD	200.0	201.2	61.0		
	Heavy Duty	27024				VD	260.0	22.4	38.0	23089				RD	220.0	221.2	65.5		

ASPEN

1976 - 1980	w/ 10" Rear Drum - Plain	27019				HR	278.6	23.9	123.1	23026				RD	254.0	256.3	90.7
	w/ 10" Rear Drum - Finned	27019				HR	278.6	23.9	123.1	23025				RD	254.0	255.5	106.4
	w/ 11" Rear Drum	27019				HR	278.6	23.9	123.1	23004				RD	279.4	281.7	111.0

AVENGER

1995 - 1997	w/ Rear Disc	25365			@	VD	✓	256.0	22.4	45.1	25557			SD	✓	262.1	8.4	60.2
	w/ Rear Drum	25365			@	VD	✓	256.0	22.4	45.1	21119			RD		228.6	230.6	62.0
1998 - 1999	w/ Rear Disc	25365			@	VD	✓	256.0	22.4	45.1	25557			SD	✓	262.1	8.4	60.2
	w/ Rear Drum	25365			@	VD	✓	256.0	22.4	45.1	21119			RD		228.6	230.6	62.0
2000 - 2001		25365			@	VD	✓	256.0	22.4	45.1	25557			SD	✓	262.1	8.4	60.2

CHALLENGER

1970 - 1972		NYA				-	-	-	-	23004				RD	279.4	281.7	111.0
1973 - 1974		27019				HR	278.6	23.9	123.1	23026				RD	254.0	256.3	90.7
1975 - 1976		NYA				-	-	-	-	NYA				-	-	-	-
1977 - 1983	w/ Rear Disc	25100				SD	255.0	11.0	27.3	NYA				-	-	-	-
	w/ Rear Drum	25100				SD	255.0	11.0	27.3	21047				RD	228.6	230.6	62.5

CHARGER

1970 - 1972		NYA				-	-	-	-	23004				RD	279.4	281.7	111.0
1973 - 1974	w/ 10" Rear Drum	27019				HR	278.6	23.9	123.1	23026				RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27019				HR	278.6	23.9	123.1	23004				RD	279.4	281.7	111.0
1975 - 1977	w/ 10" Rear Drum	NYA				-	-	-	-	23025				RD	254.0	255.5	106.4
	w/ 11" Rear Drum	NYA				-	-	-	-	23004				RD	279.4	281.7	111.0
1978 - 1980		NYA				-	-	-	-	NYA				-	-	-	-
1981 - 1982		25078			@	SD	232.0	11.0	38.0	NYA				-	-	-	-
1983 - 1984	Excludes Shelby	25078			@	SD	232.0	11.0	38.0	23005				RD	200.0	201.2	60.5
	Shelby	NYA				-	-	-	-	23005				RD	200.0	201.2	60.5
1985 - 1989	Excludes Shelby	25078			@	SD	232.0	11.0	38.0	23005				RD	200.0	201.2	60.5
	Shelby - 4 Lug	NYA				-	-	-	-	NYA				-	-	-	-
	Shelby - 5 Lug	27024				VD	260.0	22.4	38.0	23089				RD	220.0	221.2	65.5
1990		25078			@	SD	232.0	11.0	38.0	23005				RD	200.0	201.2	60.5

COLT (Excludes Turbo, Vista, & Wagon)

1974 - 1978		25076				SD	229.0	11.4	30.0	21047				RD	228.6	230.6	62.5
1979	Rear Wheel Drive	25076				SD	229.0	11.4	30.0	21047				RD	228.6	230.6	62.5
	Front Wheel Drive	25118				SD	229.0	11.4	39.5	21048				RD	180.0	182.0	72.0
1980 - 1984		25118				SD	229.0	11.4	39.5	21048				RD	180.0	182.0	72.0
1985 - 1988		25109			@	SD	243.0	11.4	34.0	21077				RD	180.0	182.0	69.0
1989	w/ SOHC Engine	25109			@	SD	243.0	11.4	34.0	21077				RD	180.0	182.0	69.0
	w/ DOHC Engine	25270			@	VD	242.0	16.4	34.0	21077				RD	180.0	182.0	69.0
1990	w/ SOHC Engine	25109			@	SD	243.0	11.4	34.0	21077				RD	180.0	182.0	69.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ DOHC Engine	25270				@	VD		242.0	16.4	34.0	25165				@	SD		265.0	8.4	49.0
1991	w/ SOHC Engine	25198					SD		234.0	11.4	34.0	21077					RD		180.0	182.0	69.0
	w/ DOHC Engine	25271				@	VD		236.0	16.4	34.0	NYA					-		-	-	-
1992	2 Door Made In Japan; Excludes LA Model	25198					SD		234.0	11.4	34.0	21077					RD		180.0	182.0	69.0
	4 Door Made In Japan; Excludes LA Model	25271				@	VD		236.0	16.4	34.0	21077					RD		180.0	182.0	69.0
	Made In USA; Excludes LA Model	25271				@	VD		236.0	16.4	34.0	NYA					-		-	-	-
	LA Model	25198					SD		234.0	11.4	34.0	21077					RD		180.0	182.0	69.0
1993	2 Door Made In Japan; Excludes LA Model	25135				@	SD		234.0	11.4	45.0	NYA					-		-	-	-
	4 Door w/ Rear Drum; w/ out ABS	25480				@	VD		236.0	16.4	45.0	21121					RD		202.9	205.0	64.0
	4 Door w/ Rear Disc; w/ ABS	25480				@	VD		236.0	16.4	45.0	NYA					-		-	-	-
1994	2 Door - Low Economy Series	25135				@	SD		234.0	11.4	45.0	NYA					-		-	-	-
	2 Door - Medium/High Series; w/ 1.5L Engine; w/ 1.8L Engine	25480				@	VD		236.0	16.4	45.0	NYA					-		-	-	-
	4 Door w/ Rear Disc	25480				@	VD		236.0	16.4	45.0	NYA					-		-	-	-
	4 Door w/ Rear Drum	25480				@	VD		236.0	16.4	45.0	21121					RD		202.9	205.0	64.0

COLT TURBO

1984		25270				@	VD		242.0	16.4	34.0	21048					RD		180.0	182.0	72.0
1985 - 3/1988		25270				@	VD		242.0	16.4	34.0	21060					RD		180.0	182.0	69.0
4/1988 - 1989		25341				@	VD		266.0	22.4	34.0	25165				@	SD		265.0	8.4	49.0

COLT VISTA

1984		25270				@	VD		242.0	16.4	34.0	NYA					-		-	-	-
1985 - 1991	2WD	25270				@	VD		242.0	16.4	34.0	21099					RD		203.0	205.0	73.0
	4WD	25363				@	VD		266.0	22.4	45.0	21047					RD		228.6	230.6	62.5
1992 - 1994	2WD w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	NYA					-		-	-	-
	4WD w/ Rear Drum; w/ ABS	25364				@	VD	✓	256.0	22.4	45.1	21047					RD		228.6	230.6	62.5

COLT WAGON

1974 - 1977		25076					SD		229.0	11.4	30.0	21047					RD		228.6	230.6	62.5
1978 - 1980		25100					SD		255.0	11.0	27.3	21047					RD		228.6	230.6	62.5
	2WD	25109				@	SD		243.0	11.4	34.0	NYA					-		-	-	-
	4WD	25363				@	VD		266.0	22.4	45.0	NYA					-		-	-	-
1981 - 1987		NYA					-		-	-	-	NYA					-		-	-	-
1988 - 1990	2WD	25109				@	SD		243.0	11.4	34.0	21099					RD		203.0	205.0	73.0
	4WD	25363				@	VD		266.0	22.4	45.0	NYA					-		-	-	-

CORONET

1965 - 1972	8 Cylinder w/ 10" Drum	NYA					-		-	-	-	23026					RD		254.0	256.3	90.7
	Wagon w/ 11" Rear Drum	NYA					-		-	-	-	23004					RD		279.4	281.7	111.0
1973 - 1974		27019					HR		278.6	23.9	123.1	23026					RD		254.0	256.3	90.7
1975 - 1977	Sedan	NYA					-		-	-	-	23025					RD		254.0	255.5	106.4
	Wagon	NYA					-		-	-	-	23004					RD		279.4	281.7	111.0

DART, DEMON, PHOENIX, PIONEER, SENECA, SWINGER

1963 - 1972	6 Cylinder w/ Rear Drum - Plain	23027					FD		228.6	230.9	85.1	23029					RD		228.6	230.1	72.1
1973 - 1976	w/ Front Disc	27019					HR		278.6	23.9	123.1	23026					RD		254.0	256.3	90.7

DAYTONA

1984 - 1986	w/ Kelsey-Hayes Front Caliper	27024					VD		260.0	22.4	38.0	23089					RD		220.0	221.2	65.5
	w/ ATE Front Caliper	27024					VD		260.0	22.4	38.0	23089					RD		220.0	221.2	65.5

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground	Type				SPOKE	Disc / Drum	HC	PVT	Screw	Ground			
1987	w/ Rear Disc	27024					VD	260.0	22.4	38.0	NYA					-	-	-	
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1988	w/ Rear Disc	27024					VD	260.0	22.4	38.0	NYA					-	-	-	
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
1989	w/ Solid Rear Disc	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	w/ Vented Rear Disc	NYA					-	-	-	-	NYA					-	-	-	
1990	w/ Rear Disc; w/ 14" Stock Wheels	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	w/ Rear Disc; w/ 15" Stock Wheels	27229					VD	282.0	22.4	38.0	27206					SD	-	10.4	-
	w/ Rear Disc; w/ 16" Stock Wheels	27229					VD	282.0	22.4	38.0	NYA					-	-	-	
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23006					RD	200.0	201.2	61.0
1991 - 1993	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
	w/ 15" Stock Wheels	27229					VD	282.0	22.4	38.0	NYA					-	-	-	
	w/ Rear Discs	27229					VD	282.0	22.4	38.0	NYA					-	-	-	

DIPLOMAT

1976 - 1979	w/ Rear Drum - Finned; Excludes Taxi & Police	27019					HR	278.6	23.9	123.1	23025					RD	254.0	255.5	106.4
	w/ Rear Drum - Plain; Excludes Taxi & Police	27019					HR	278.6	23.9	123.1	23026					RD	254.0	256.3	90.7
	Taxi & Police	27019					HR	278.6	23.9	123.1	23004					RD	279.4	281.7	111.0

DYNASTY

1988 - 1989	w/ Rear Disc	27024					VD	260.0	22.4	38.0	NYA					-	-	-	
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
1990	w/ Rear Disc	27024					VD	260.0	22.4	38.0	NYA					-	-	-	
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
1991	w/ Rear Disc	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3
1992 - 1993	w/ Rear Disc	27024					VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	w/ Rear Drum	27024					VD	260.0	22.4	38.0	23030					RD	220.0	221.2	65.3

INTREPID

1993 - 1994	w/ Rear Disc	27086					VD	281.8	22.4	52.0	27183					SD	270.1	10.4	46.4
	w/ Rear Drum	27086					VD	281.8	22.4	52.0	23094					RD	220.0	221.2	68.1
1995 - 1997	w/ Rear Disc	27202					VD	282.2	22.4	52.0	27183					SD	270.1	10.4	46.4
	w/ Rear Drum	27202					VD	282.2	22.4	52.0	23094					RD	220.0	221.2	68.1
1998 - 1999	w/ 15" Stock Wheels	27114					VD	281.9	24.4	53.8	27183					SD	270.1	10.4	46.4
	w/ 16" Stock Wheels	27203					VD	297.2	24.4	53.8	27183					SD	270.1	10.4	46.4
2000	w/ 15" Stock Wheels	NYA					-	-	-	-	27183					SD	270.1	10.4	46.4
	w/ 16" Stock Wheels	27203					VD	297.2	24.4	53.8	27183					SD	270.1	10.4	46.4
	Export & R/T Models	27209					VD	297.2	24.4	53.8	27183					SD	270.1	10.4	46.4
2001	w/ ABS	NYA					-	-	-	-	27183					SD	270.1	10.4	46.4
	w/ out ABS	27203					VD	297.2	24.4	53.8	27183					SD	270.1	10.4	46.4
	Export & R/T Models	27209					VD	297.2	24.4	53.8	27183					SD	270.1	10.4	46.4

LANCER

1961 - 1962		23027					FD	228.6	230.9	85.1	23029					RD	228.6	230.1	72.1
1963 - 1984		NYA					-	-	-	-	NYA					-	-	-	
1985 - 1987	4 Lug	NYA					-	-	-	-	23005					RD	200.0	201.2	60.5
	5 Lug; Excludes Shelby	27024					VD	260.0	22.4	38.0	23006					RD	200.0	201.2	61.0
	Shelby	27024					VD	260.0	22.4	38.0	NYA					-	-	-	
1988 - 1989	4 Lug	NYA					-	-	-	-	23005					RD	200.0	201.2	60.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOBT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOBT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	5 Lug	27024				VD		260.0	22.4	38.0	23006				RD		200.0	201.2	61.0

MAGNUM XE

1978 - 1979	w/ 10" Rear Drum	NYA				-		-	-	-	23025				RD		254.0	255.5	106.4
	w/ 11" Rear Drum	NYA				-		-	-	-	23004				RD		279.4	281.7	111.0

MAGNUM

2005	SE, SXT; w/ Solid Rear Disc	NYA									NYA								
	RT; w/ Vented Rear Disc	NYA									NYA								

MIRADA

1980 - 1983	w/ Rear Drum - Finned	27019				HR		278.6	23.9	123.1	23025				RD		254.0	255.5	106.4
	w/ Rear Drum - Plain	27019				HR		278.6	23.9	123.1	23026				RD		254.0	256.3	90.7

MONACO

1972 - 1973	w/ Front Disc	27090				HR		298.5	30.0	126.6	23004				RD		279.4	281.7	111.0
1974 - 1976		27155				HR		298.5	30.0	126.6	NYA				-		-	-	-
1977 - 1978	Excludes Heavy Duty	NYA				-		-	-	-	23025				RD		254.0	255.5	106.4
	Heavy Duty	NYA				-		-	-	-	23004				RD		279.4	281.7	111.0

NEON

1994 - 1996	4 Lug w/ Rear Drum	27087				VD		239.7	18.4	38.1	23005				RD		200.0	201.2	60.5
	5 Lug w/ rear Drum	27088				VD		257.2	18.4	38.1	23006				RD		200.0	201.2	61.0
	w/ Rear Disc	27088				VD		257.2	18.4	38.1	27207				SD		270.0	7.2	53.1
1997 - 1999	w/ Rear Disc	27088				VD		257.2	18.4	38.1	27207				SD		270.0	7.2	53.1
	w/ Rear Drum	27088				VD		257.2	18.4	38.1	23006				RD		200.0	201.2	61.0
2000 - 2004	w/ Rear Disc	27138				VD					27207				SD		270.0	7.2	53.1
	w/ Rear Drum	27138				VD					23006				RD		200.0	201.2	61.0

O24

1982 - 1986		25078				@ SD		232.0	11.0	38.0	NYA				-		-	-	-
-------------	--	-------	--	--	--	------	--	-------	------	------	-----	--	--	--	---	--	---	---	---

OMNI

1978 - 5/1978		25078				@ SD		232.0	11.0	38.0	NYA				-		-	-	-
6/1978 - 1980		25078				@ SD		232.0	11.0	38.0	NYA				-		-	-	-
1981 - 1982		25078				@ SD		232.0	11.0	38.0	NYA				-		-	-	-
1983 - 1984	Excludes GLH	25078				@ SD		232.0	11.0	38.0	23005				RD		200.0	201.2	60.5
	GLH	NYA				-		-	-	-	23005				RD		200.0	201.2	60.5
1985 - 1986	Excludes GLH	25078				@ SD		232.0	11.0	38.0	23005				RD		200.0	201.2	60.5
	4 Lug GLH	NYA				-		-	-	-	NYA				-		-	-	-
	5 Lug GLH	27024				VD		260.0	22.4	38.0	23089				RD		220.0	221.2	65.5
1987 - 1990		25078				@ SD		232.0	11.0	38.0	23005				RD		200.0	201.2	60.5

SHADOW

1987 - 1988	w/ ATE Front Calipers	27053				VD		239.3	22.4	38.1	23006				RD		200.0	201.2	61.0
	w/ Kelsey-Hayes Front Calipers	27024				VD		260.0	22.4	38.0	23006				RD		200.0	201.2	61.0
1989	w/ Rear Disc	27024				VD		260.0	22.4	38.0	27206				SD		270.1	10.4	51.6
	w/ Rear Drum	27053				VD		239.3	22.4	38.1	23006				RD		200.0	201.2	61.0
1990 - 1994	w/ Rear Disc	27024				VD		260.0	22.4	38.0	27206				SD		270.1	10.4	51.6

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ Rear Drum	27024				VD		260.0	22.4	38.0	23006				RD		200.0	201.2	61.0

SPIRIT

1989		27062				VD		260.7	20.4	38.1	23089				RD		220.0	221.2	65.5
1990	w/ Rear Disc	27024				VD		260.0	22.4	38.0	27206				SD		270.1	10.4	51.6
	w/ Rear Drum	27024				VD		260.0	22.4	38.0	23089				RD		220.0	221.2	65.5
1991 - 1995	w/ Rear Drum	27024				VD		260.0	22.4	38.0	23089				RD		220.0	221.2	65.5
	w/ 14" Stock Wheels; w/ Rear Disc	27024				VD		260.0	22.4	38.0	27206				SD		270.1	10.4	51.6
	w/ 15" Stock Wheels; w/ Rear Disc	27229				VD		282.0	22.4	38.0	NYA				-		-	-	-

SRT-4

2003 - 2004		NYA				-		-	-	-	NYA				-		-	-	-
-------------	--	-----	--	--	--	---	--	---	---	---	-----	--	--	--	---	--	---	---	---

STEALTH (2WD)

1991 - 1996		25544			@	VD	✓	276.0	22.4	45.3	25546				VD	✓	265.9	16.4	65.5
-------------	--	-------	--	--	---	----	---	-------	------	------	-------	--	--	--	----	---	-------	------	------

STEALTH (4WD)

1991 - 1993		25623				VD		296.0	28.4	45.0	25624				VD			18.4	
1994 - 1996		NYA				-		-	-	-	NYA				-		-	-	-

STRATUS Coupe

2001-2004	Rear Drum Brakes; 4 Cylinder	25365			@	VD	✓	256.0	22.4	45.1	21119				RD		228.6	230.6	62.0
	Rear Disc Brakes; V6	25640				VD		276.1	24.0	45.5	25557				SD	✓	262.1	8.4	60.2

STRATUS Sedan

1995-2000	Rear Drum Brakes; 14" Wheel	27035				VD		260.0	21.4	32.0	23028				RD		228.6	230.1	69.1
	Rear Drum Brakes; 15" Wheel	27089				VD		282.6	21.4	32.1	23028				RD		228.6	230.1	69.1
	Rear Disc Brakes; 14" Wheel	27035				VD		260.0	21.4	32.0	27037			@	SD		172.0	7.3	81.5
	Rear Disc Brakes; 15" Wheel	27089				VD		282.6	21.4	32.1	27037			@	SD		172.0	7.3	81.5
2001-2002		27089				VD		282.6	21.4	32.1	27037			@	SD		172.0	7.3	81.5
2003-2004	Rear Drum Brakes	27089				VD		282.6	21.4	32.1	23099				RD			230.6	
	Rear Disc Brakes	27089				VD		282.6	21.4	32.1	27037			@	SD		172.0	7.3	81.5

ST. REGIS

1979 - 1981	w/ 10" Rear Drum	NYA				-		-	-	-	23026				RD		254.0	256.3	90.7
	w/ 11" Rear Drum	NYA				-		-	-	-	23026				RD		254.0	256.3	90.7

VIPER

2003 - 2004		27230				VD					27231				SD				
-------------	--	-------	--	--	--	----	--	--	--	--	-------	--	--	--	----	--	--	--	--

DODGE TRUCK / VAN / SUV:

CARAVAN, GRAND CARAVAN, MINI RAM VAN

1984 - 1985		27060				VD		260.7	20.4	38.1	NYA				-		-	-	-
1986	w/ Rear Drum - Finned	27062				VD		260.7	20.4	38.1	23007				RD		228.6	231.0	103.0
1987	w/ Kelsey-Hayes Front Caliper; w/ Rear Drum - Finned	27062				VD		260.7	20.4	38.1	23007				RD		228.6	231.0	103.0
	w/ ATE Front Caliper	27063				VD		281.8	20.4	38.5	23022				RD		228.6	229.7	104.1
1988 - 1990	w/ 14" Stock Wheels	27062				VD		260.7	20.4	38.1	23007				RD		228.6	231.0	103.0
	w/ 15" Stock Wheels	27063				VD		281.8	20.4	38.5	23022				RD		228.6	229.7	104.1

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type			Disc / Drum	HC	PVT	Screw	Ground	Type				
1991-1995	FWD - 14" Wheels	27024					VD	260.0	22.4	38.0	23007					RD	228.6	231.0	103.0
	FWD - 15" Wheels	27004	HC				@ VD	282.0	22.4	38.0	23022					RD	228.6	231.0	103.0
	AWD	27004	HC				@ VD	282.0	22.4	38.0	23004					RD	279.4	281.7	111.0
1996	FWD - 14" Wheels	27014					@ VD	256.0	22.4	38.0	23008					RD	250.0	251.2	78.0
	FWD - 15" Wheels	27004	HC				@ VD	282.0	22.4	38.0	23009					RD	250.0	251.2	78.0
	AWD	27004	HC				@ VD	282.0	22.4	38.0	23009					RD	250.0	251.2	78.0
1997-2000	FWD - 14" Wheels	27014					@ VD	256.0	22.4	38.0	23008					RD	250.0	251.2	78.0
	FWD - 15" Wheels	27006	HC				@ VD	282.0	22.4	38.0	23009					RD	250.0	251.2	78.0
	AWD	27006	HC				@ VD	282.0	22.4	38.0	27259					SD	289.9	11.3	56.1
2001-2005	FWD - Rear Drum Brakes	27244					VD		25.3		23009					RD	250.0	251.2	78.0
	FWD - Rear Disc Brakes	27244					VD		25.3		27259					SD	289.9	11.3	56.1
	AWD	27244					VD		25.3		27259					SD	289.9	11.3	56.1

DAKOTA (2WD)

1986 - 1988	w/ 14" Stock Wheels; w/ 9" Rear Drum	NYA					-	-	-	-	23010					RD	228.6	230.0	105.0
	w/ 14" Stock Wheels; w/ 10" Rear Drum	NYA					-	-	-	-	23025					RD	254.0	255.5	106.4
	w/ 15" Stock Wheels; w/ 9" Rear Drum	27096					HR	289.3	20.6	110.7	23010					RD	228.6	230.0	105.0
	w/ 15" Stock Wheels; w/ 10" Rear Drum	27096					HR	289.3	20.6	110.7	23025					RD	254.0	255.5	106.4
1989 - 1990	w/ 14" Stock Wheels; w/ 9" Rear Drum	NYA					-	-	-	-	23010					RD	228.6	230.0	105.0
	w/ 14" Stock Wheels; w/ 10" Rear Drum	NYA					-	-	-	-	23025					RD	254.0	255.5	106.4
	w/ 15" Stock Wheels; w/ 9" Rear Drum	27096					HR	289.3	20.6	110.7	23010					RD	228.6	230.0	105.0
	w/ 15" Stock Wheels; w/ 10" Rear Drum	27096					HR	289.3	20.6	110.7	23025					RD	254.0	255.5	106.4
1991 - 1996	w/ 9" Rear Drum; w/ Rear Wheel ABS	27097					HR	287.3	22.6	111.1	23092					RD	228.6	230.0	104.9
	w/ 9" Rear Drum; w/ 4 Wheel ABS	27256					HR	287.4	22.6	111.3	23092					RD	228.6	230.0	104.9
	w/ 10" Rear Drum; w/ Rear Wheel ABS	27097					HR	287.3	22.6	111.1	23037					RD	320.0	255.5	109.2
	w/ 10" Rear Drum; w/ 4 Wheel ABS	27256					HR	287.4	22.6	111.3	23037					RD	320.0	255.5	109.2
1997 - 1998	w/ 9" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	23092					RD	228.6	230.0	104.9
	w/ 10" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	23037					RD	320.0	255.5	109.2
1999	w/ 9" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	23092					RD	228.6	230.0	104.9
	w/ 10" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	NYA					-	-	-	
2000 - 2002	w/ 9" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	23092					RD	228.6	230.0	104.9
	w/ 10" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	NYA					-	-	-	
2003 - 2004	w/ Rear Disc	NYA					-	-	-	-	NYA					-	-	-	
	w/ 11" Rear Drum	NYA					-	-	-	-	NYA					-	-	-	

DAKOTA (4WD)

1986 - 1990	w/ 9" Rear Drum	27246					VD	287.4	20.6	63.4	23010					RD	228.6	230.0	105.0
	w/ 10" Rear Drum	27246					VD	287.4	20.6	63.4	23025					RD	254.0	255.5	106.4
1991 - 1996	w/ 9" Rear Drum	27064					VD	286.9	22.6	63.9	23092					RD	228.6	230.0	104.9
	w/ 10" Rear Drum	27064					VD	286.9	22.6	63.9	23037					RD	320.0	255.5	109.2
1997 - 1998	w/ 9" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	23092					RD	228.6	230.0	104.9
	w/ 10" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	23037					RD	320.0	255.5	109.2
1999	w/ 9" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	23092					RD	228.6	230.0	104.9
	w/ 10" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	NYA					-	-	-	
2000 - 2002	w/ 9" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	23092					RD	228.6	230.0	104.9
	w/ 11" Rear Drum	27008					@ VD	✓ 287.0	22.6	64.0	NYA					-	-	-	
2003 - 2004	w/ 11" Rear Drum	NYA					-	-	-	-	NYA					-	-	-	
	w/ Rear Disc	NYA					-	-	-	-	NYA					-	-	-	

DURANGO

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1998 - 2002		27008				@ VD	✓	287.0	22.6	64.0	NYA				-		-	-	-
2003	2WD	NYA				-		-	-	-	NYA				-		-	-	-
	4WD	NYA				-		-	-	-	NYA				-		-	-	-
2004		27282				VD		336.0	26.4	67.5	27274				VD		352.0	20.4	71.0

D50, RAM 50 PICK-UP (2WD)

1979 - 4/1986		25115				@ SD		255.0	18.4	33.2	21049				RD		241.3	243.3	80.5
5/1986 - 1995		25298				@ VD		258.5	20.4	33.5	21094				RD		254.0	256.0	83.0

D50, POWER RAM 50 PICK-UP (4WD)

1981 - 8/1983		25408				@ VD		255.0	18.4	45.0	21049				RD		241.3	243.3	80.5
9/1983 - 3/1986	w/ Gas Engine	25408				@ VD		255.0	18.4	45.0	21049				RD		241.3	243.3	80.5
	w/ Diesel Engine	25408				@ VD		255.0	18.4	45.0	21094				RD		254.0	256.0	83.0
4/1986 - 1994		25442				@ VD		277.0	20.4	45.0	21094				RD		254.0	256.0	83.0

RAIDER

1987 - 5/1987		25408				@ VD		255.0	18.4	45.0	21094				RD		254.0	256.0	83.0
6/1987 - 1989	4 Cylinder	NYA				-		-	-	-	21094				RD		254.0	256.0	83.0
	6 Cylinder	25442				@ VD		277.0	20.4	45.0	21094				RD		254.0	256.0	83.0

RAM 1500 (2WD)

1994 - 1999	w/ 4 Wheel ABS	27093				HR	✓	294.7	30.9	114.6	23088				RD		279.4	281.6	98.0
2000-2001		27228				VD		304.0	28.4	69.6	NYA				-		-	-	-
2002-2004		27282				VD		336.0	26.4	67.5	27274				VD		352.0	20.4	71.0

RAM 1500 (4WD)

1994 - 1999		27083				VD	✓	294.9	30.9	65.4	23088				RD		279.4	281.6	98.0
2000 - 2001		27141				VD		307.6	28.4	73.3	NYA				-		-	-	-
2002-2004		27282				VD		336.0	26.4	67.5	27274				VD		352.0	20.4	71.0

RAM 2500 (2WD)

1994 - 1999		27082				HR		317.5	30.9	131.8	23084				RD		330.2	332.5	133.1
2000-07/04/00	Rear Drum Brakes	27126				VD		326.4	33.5	101.9	NYA				-		-	-	-
07/05/00-2002	Rear Disc Brakes	27126				VD		326.4	33.5	101.9	27272				VD		323.3	28.4	130.8
2003 - 2004		NYA				-		-	-	-	NYA				-		-	-	-

RAM 2500 (4WD)

1994 - 1999	7500 lb. GVW	27044				VD	✓	317.5	30.9	70.2	23084				RD		330.2	332.5	133.1
	8800 lb. GVW	27013				@ VD		317.0	37.2	70.0	23084				RD		330.2	332.5	133.1
2000-07/04/00	Rear Drum Brakes	27126				VD		326.4	33.5	101.9	NYA				-		-	-	-
07/05/00-2002	Rear Disc Brakes	27126				VD		326.4	33.5	101.9	27272				VD		323.3	28.4	130.8
2003 - 2004		NYA				-		-	-	-	NYA				-		-	-	-

RAM 3500 (2WD)

1994 - 1999	w/ Ind. Front Susp.; Rear Wheel ABS	27176				HR		317.5	37.2	199.6	23096				RD		330.2	332.5	227.3
	w/ 4 Wheel ABS	27258				HR		317.5	37.2	199.6	23096				RD		330.2	332.5	227.3
	w/ Solid Axle	27013				@ VD		317.0	37.2	70.0	23096				RD		330.2	332.5	227.3
2000-07/04/00	Rear Drum Brakes	27126				VD		326.4	33.5	101.9	NYA				-		-	-	-
07/05/00-2002	Rear Disc Brakes	27126				VD		326.4	33.5	101.9	27272				VD		323.3	28.4	130.8

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground	Type				SFOKTI	Disc / Drum	HC	PVT	Screw	Ground			
2003 - 2004	SRW	NYA					-	-	-	NYA					-	-	-		
	DRW	NYA					-	-	-	NYA					-	-	-		

RAM 3500 (4WD)

1994 - 1999		27013				@	VD	317.0	37.2	70.0	23096				RD	330.2	332.5	227.3
2000-07/04/00	Rear Drum Brakes	27126					VD	326.4	33.5	101.9	NYA				-	-	-	
07/05/00-2002	Rear Disc Brakes	27126					VD	326.4	33.5	101.9	27272				VD	323.3	28.4	130.8
2003 - 2004	SRW	NYA					-	-	-	-	NYA				-	-	-	
	DRW	NYA					-	-	-	-	NYA				-	-	-	

RAMCHARGER (2WD)

1974 - 1977		27090					HR	298.5	30.0	126.6	23004				RD	279.4	281.7	111.0
1978	w/ 10" Rear Drum	27090					HR	298.5	30.0	126.6	23026				RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27090					HR	298.5	30.0	126.6	23004				RD	279.4	281.7	111.0
1979 - 1981	w/ 10" Rear Drum - Finned	27090					HR	298.5	30.0	126.6	23025				RD	254.0	255.5	106.4
	w/ 10" Rear Drum - Plain	27090					HR	298.5	30.0	126.6	23026				RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27090					HR	298.5	30.0	126.6	23004				RD	279.4	281.7	111.0
1982 - 1983	w/ Rear Drum - Finned	NYA					-	-	-	-	23025				RD	254.0	255.5	106.4
	w/ Rear Drum - Plain	NYA					-	-	-	-	23026				RD	254.0	256.3	90.7
1984		NYA					-	-	-	-	NYA				-	-	-	
1985 - 1993		27023					HR	298.5	30.0	127.2	23023				RD	279.4	280.9	114.6

RAMCHARGER (4WD)

1978 - 1979	w/ 10" Rear Drum	NYA					-	-	-	-	23026				RD	254.0	256.3	90.7
	w/ 11" Rear Drum	NYA					-	-	-	-	23004				RD	279.4	281.7	111.0
1980 - 1981		NYA					-	-	-	-	NYA				-	-	-	
1982 - 1983	w/ Rear Drum - Finned	NYA					-	-	-	-	23025				RD	254.0	255.5	106.4
	w/ Rear Drum - Plain	NYA					-	-	-	-	23026				RD	254.0	256.3	90.7
1984 - 1993		NYA					-	-	-	-	23023				RD	279.4	280.9	114.6

RAM SRT-10

2004		NYA					-	-	-	-	27274				VD	352.0	20.4	71.0
------	--	-----	--	--	--	--	---	---	---	---	-------	--	--	--	----	-------	------	------

RAMPAGE

1982 - 1984		25078				@	SD	232.0	11.0	38.0	23005				RD	200.0	201.2	60.5
-------------	--	-------	--	--	--	---	----	-------	------	------	-------	--	--	--	----	-------	-------	------

1/2 TON A-100/150 SERIES VAN

1964 - 1968		NYA					-	-	-	-	23026				RD	254.0	256.3	90.7
-------------	--	-----	--	--	--	--	---	---	---	---	-------	--	--	--	----	-------	-------	------

1/2 TON B-100/150 SERIES VAN

1973	Front Drum - Standard w/ Rear Drum - Finned	NYA					-	-	-	-	23025				RD	254.0	255.5	106.4
	Front Drum - Standard w/ Rear Drum - Plain	NYA					-	-	-	-	23026				RD	254.0	256.3	90.7
	Front Drum - Heavy Duty	NYA					-	-	-	-	23004				RD	279.4	281.7	111.0
	Front Disc - Standard	27090					HR	298.5	30.0	126.6	NYA				-	-	-	
	Front Disc - Heavy Duty	27090					HR	298.5	30.0	126.6	NYA				-	-	-	
1974 - 1979	w/ 10" Rear Drum	27090					HR	298.5	30.0	126.6	23026				RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27090					HR	298.5	30.0	126.6	23004				RD	279.4	281.7	111.0
1980 - 1981	w/ 10" Rear Drum - Finned	27090					HR	298.5	30.0	126.6	23025				RD	254.0	255.5	106.4
	w/ 10" Rear Drum - Plain	27090					HR	298.5	30.0	126.6	23026				RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27090					HR	298.5	30.0	126.6	23004				RD	279.4	281.7	111.0

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear										
		Disc / Drum	HC	PVT	Screw	Ground	Type			SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI
1982 - 1983	w/ Rear Drum - Finned	27155					HR	298.5	30.0	126.6	23025						RD	254.0	255.5	106.4
	w/ Rear Drum - Plain	27155					HR	298.5	30.0	126.6	23026						RD	254.0	256.3	90.7
1984		NYA					-	-	-	-	NYA						-	-	-	-
1985 - 1993	w/ 10" Rear Drum	27023					HR	298.5	30.0	127.2	23026						RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27023					HR	298.5	30.0	127.2	23023						RD	279.4	280.9	114.6
1994 - 1997	w/ 4 Wheel ABS	27172					HR	298.5	30.0	126.6	23023						RD	279.4	280.9	114.6
	w/ Rear Wheel ABS	27023					HR	298.5	30.0	127.2	23023						RD	279.4	280.9	114.6
1998 - 2000		NYA					-	-	-	-	NYA						-	-	-	-

1/2 TON D-100/150 SERIES PICK-UP (2WD)

1973 - 1978	w/ Front Disc; w/ 10" Rear Drum - Finned	27090					HR	298.5	30.0	126.6	23025						RD	254.0	255.5	106.4
	w/ Front Disc; w/ 10" Rear Drum - Plain	27090					HR	298.5	30.0	126.6	23026						RD	254.0	256.3	90.7
	w/ Front Disc; w/ 11" Rear Drum	27090					HR	298.5	30.0	126.6	23004						RD	279.4	281.7	111.0
1979	w/ Rear Drum - Finned	27090					HR	298.5	30.0	126.6	23025						RD	254.0	255.5	106.4
	w/ Rear Drum - Plain	27090					HR	298.5	30.0	126.6	23026						RD	254.0	256.3	90.7
1980 - 1981	w/ 10" Rear Drum - Finned	27090					HR	298.5	30.0	126.6	23025						RD	254.0	255.5	106.4
	w/ 10" Rear Drum - Plain	27090					HR	298.5	30.0	126.6	23026						RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27090					HR	298.5	30.0	126.6	23004						RD	279.4	281.7	111.0
1982 - 1983		27155					HR	298.5	30.0	126.6	23025						RD	254.0	255.5	106.4
1984		NYA					-	-	-	-	NYA						-	-	-	-
1985 - 1987	w/ 10" Rear Drum - Finned	27023					HR	298.5	30.0	127.2	23025						RD	254.0	255.5	106.4
	w/ 10" Rear Drum - Plain	NYA					-	-	-	-	23026						RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27023					HR	298.5	30.0	127.2	23023						RD	279.4	280.9	114.6
1988		27023					HR	298.5	30.0	127.2	23023						RD	279.4	280.9	114.6
1989 - 1993		27023					HR	298.5	30.0	127.2	23023						RD	279.4	280.9	114.6

1/2 TON 100/150 SERIES PICK-UP (4WD)

1986 - 1989	W Series	NYA					-	-	-	-	23023						RD	279.4	280.9	114.6
1990 - 1993	D5 Series	NYA					-	-	-	-	23023						RD	279.4	280.9	114.6

3/4 TON B-200/250 SERIES VAN

1974 - 1978	w/ 10" Rear Drum	27090					HR	298.5	30.0	126.6	23026						RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27090					HR	298.5	30.0	126.6	23004						RD	279.4	281.7	111.0
1979 - 1980		27090					HR	298.5	30.0	126.6	23026						RD	254.0	256.3	90.7
1981	w/ Rear Drum - Finned	27090					HR	298.5	30.0	126.6	23025						RD	254.0	255.5	106.4
	w/ Rear Drum - Plain	27090					HR	298.5	30.0	126.6	23026						RD	254.0	256.3	90.7
1982 - 1983	w/ Rear Drum - Finned	27155					HR	298.5	30.0	126.6	23025						RD	254.0	255.5	106.4
	w/ Rear Drum - Plain	27155					HR	298.5	30.0	126.6	23026						RD	254.0	256.3	90.7
1984	w/ 10" Rear Drum - Finned	27155					HR	298.5	30.0	126.6	23025						RD	254.0	255.5	106.4
	w/ 10" Rear Drum - Plain	27155					HR	298.5	30.0	126.6	23026						RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27155					HR	298.5	30.0	126.6	23004						RD	279.4	281.7	111.0
1985	w/ 10" Rear Drum	27023					HR	298.5	30.0	127.2	23026						RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27023					HR	298.5	30.0	127.2	23023						RD	279.4	280.9	114.6
1986 - 1989	w/ 10" Rear Drum	27023					HR	298.5	30.0	127.2	NYA						-	-	-	-
	w/ 11" Rear Drum	27023					HR	298.5	30.0	127.2	23023						RD	279.4	280.9	114.6
1990 - 1993		27023					HR	298.5	30.0	127.2	23023						RD	279.4	280.9	114.6
1994 - 1997	w/ Rear Wheel ABS (5 Lug)	27023					HR	298.5	30.0	127.2	23098						RD	304.8	307.1	110.2
	w/ 4 Wheel ABS (5 Lug)	27172					HR	298.5	30.0	126.6	23097						RD	304.8	307.1	105.2
	w/ Rear Wheel ABS (8 Lug); Drum 96.5mm Tall	27255					VD	325.6	30.0	145.9	23031						RD	304.8	306.3	95.8
	w/ Rear Wheel ABS (8 Lug); Drum 104.8mm Tall	27255					VD	325.6	30.0	145.9	23097						RD	304.8	307.1	105.2

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground	Type				SPOKE	Disc / Drum	HC	PVT	Screw	Ground			
	w/ Rear Wheel ABS (8 Lug); Drum 110.5mm Tall	27255					VD	325.6	30.0	145.9	23098					RD	304.8	307.1	110.2
	w/ 4 Wheel ABS (8 Lug); Drum 96.5mm Tall	27255					VD	325.6	30.0	145.9	23031					RD	304.8	306.3	95.8
	w/ 4 Wheel ABS (8 Lug); Drum 104.8mm Tall	27255					VD	325.6	30.0	145.9	23097					RD	304.8	307.1	105.2
	w/ 4 Wheel ABS (8 Lug); Drum 110.5mm Tall	27255					VD	325.6	30.0	145.9	23098					RD	304.8	307.1	110.2
1998-2003		27269					HR	325.6	30.0	116.3	NYA					-	-	-	-

3/4 TON D-200/250 SERIES PICK-UP (2WD)

1972	w/ Front Disc; w/ 2" Rear Shoes	27092					HR	325.6	28.6	75.3	NYA					-	-	-	-
	w/ Front Disc; w/ 2.5" Rear Shoes	27092					HR	325.6	28.6	75.3	23031					RD	304.8	306.3	95.8
	w/ Front Disc; w/ 3" Rear Shoes	27092					HR	325.6	28.6	75.3	23024					RD	304.8	307.1	159.8
1973 - 1977	w/ SRW; w/ 2" Rear Shoes	NYA					-	-	-	-	NYA					-	-	-	-
	w/ SRW; w/ 2.5" Rear Shoes	NYA					-	-	-	-	23031					RD	304.8	306.3	95.8
	w/ SRW; w/ 3" Rear Shoes	NYA					-	-	-	-	NYA					-	-	-	-
	w/ DRW; w/ 2" Rear Shoes	27091					VD	325.4	28.6	75.4	23027					RD	228.6	230.9	85.1
	w/ DRW; w/ 2.5" Rear Shoes	27091					VD	325.4	28.6	75.4	23031					RD	304.8	306.3	95.8
	w/ DRW; w/ 3" Rear Shoes	27091					VD	325.4	28.6	75.4	NYA					-	-	-	-
1978 - 1981	4000 lb. Front Axle w/ 2" Rear Shoes	27092					HR	325.6	28.6	75.3	NYA					-	-	-	-
	w/ 2" Rear Shoes; Excludes w/ 4000 lb. Front Axle	27061					HR	325.4	30.0	146.1	NYA					-	-	-	-
	4000 lb. Front Axle w/ 2.5" Rear Shoes	27092					HR	325.6	28.6	75.3	23031					RD	304.8	306.3	95.8
	w/ 2.5" Rear Shoes; Excludes w/ 4000 lb. Front Axle	27061					HR	325.4	30.0	146.1	23031					RD	304.8	306.3	95.8
	4000 lb. Front Axle w/ 3" Rear Shoes	27092					HR	325.6	28.6	75.3	23024					RD	304.8	307.1	159.8
	w/ 3" Rear Shoes; Excludes w/ 4000 lb. Front Axle	27061					HR	325.4	30.0	146.1	23024					RD	304.8	307.1	159.8
1982 - 1985	3300 lb. Front Axle w/ 2.5" Wide Rear Shoes	27061					HR	325.4	30.0	146.1	23031					RD	304.8	306.3	95.8
	3800 lb. Front Axle w/ 2.5" Wide Rear Shoes	27092					HR	325.6	28.6	75.3	23031					RD	304.8	306.3	95.8
	3300 lb. Front Axle w/ 3" Wide Rear Shoes	27061					HR	325.4	30.0	146.1	23024					RD	304.8	307.1	159.8
	3800 lb. Front Axle w/ 3" Wide Rear Shoes	27092					HR	325.6	28.6	75.3	23024					RD	304.8	307.1	159.8
1986 - 1987	w/ 2.5" Wide Rear Shoes	27061					HR	325.4	30.0	146.1	23031					RD	304.8	306.3	95.8
	w/ 3" Wide Rear Shoes	27061					HR	325.4	30.0	146.1	23024					RD	304.8	307.1	159.8
1988	w/ 11" Rear Drum	27061					HR	325.4	30.0	146.1	23023					RD	279.4	280.9	114.6
	w/ 12" Rear Drum	27061					HR	325.4	30.0	146.1	23031					RD	304.8	306.3	95.8
1989	3300 lb. Front Axle w/ 11" Rear Drum	27061					HR	325.4	30.0	146.1	23023					RD	279.4	280.9	114.6
	3800 lb. Front Axle w/ 12" Rear Drum	NYA					-	-	-	-	23031					RD	304.8	306.3	95.8
1990 - 1993	Gas Engine w/ 11" Rear Drum	27061					HR	325.4	30.0	146.1	23023					RD	279.4	280.9	114.6
	Diesel Engine w/ 11" Rear Drum	27254					VD	325.6	30.1	75.9	23023					RD	279.4	280.9	114.6
	Gas Engine w/ 12" Rear Drum	27061					HR	325.4	30.0	146.1	23031					RD	304.8	306.3	95.8
	Diesel Engine w/ 12" Rear Drum	27254					VD	325.6	30.1	75.9	23031					RD	304.8	306.3	95.8

3/4 TON D-200/250 SERIES PICK-UP (4WD)

1982 - 1989		NYA					-	-	-	-	23031					RD	304.8	306.3	95.8
1990 - 1993		NYA					-	-	-	-	23031					RD	304.8	306.3	95.8
1994	w/ 3500 lb. Front Axle	27044					VD	317.5	30.9	70.2	NYA					-	-	-	-
	w/ 4500 lb. Front Axle	27013					@ VD	317.0	37.2	70.0	NYA					-	-	-	-

1 TON B-300/350 SERIES VAN

1974 - 1977	3600 lb. Front Axle w/ SRW; w/ 2.5" Rear Shoes	NYA					-	-	-	-	23031					RD	304.8	306.3	95.8
	3800 lb. Front Axle w/ SRW; w/ 2.5" Rear Shoes	27092					HR	325.6	28.6	75.3	23031					RD	304.8	306.3	95.8
	DRW w/ 2.5" Rear Shoes	27091					VD	325.4	28.6	75.4	23031					RD	304.8	306.3	95.8
	3600 lb. Front Axle w/ SRW; w/ 3" Rear Shoes	NYA					-	-	-	-	23024					RD	304.8	307.1	159.8
	3800 lb. Front Axle w/ SRW; w/ 3" Rear Shoes	27092					HR	325.6	28.6	75.3	23024					RD	304.8	307.1	159.8
	DRW w/ 3" Rear Shoes	27091					VD	325.4	28.6	75.4	23024					RD	304.8	307.1	159.8

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground	Type				Disc / Drum	HC	PVT	Screw	Ground	Type			
1978	3800 lb. Front Axle w/ SRW; w/ 2" Rear Shoes	27092					HR	325.6	28.6	75.3	NYA					-	-	-	
	SRW w/ 2.5" Rear Shoes	27092					HR	325.6	28.6	75.3	23031				RD	304.8	306.3	95.8	
	DRW w/ 2.5" Rear Shoes	27091					VD	325.4	28.6	75.4	23031				RD	304.8	306.3	95.8	
	SRW w/ 3" Rear Shoes	27092					HR	325.6	28.6	75.3	23024				RD	304.8	307.1	159.8	
	DRW w/ 3" Rear Shoes	27091					VD	325.4	28.6	75.4	23024				RD	304.8	307.1	159.8	
1979 - 1981	3600 lb. Front Axle w/ SRW; w/ 2" Rear Shoes	27061					HR	325.4	30.0	146.1	NYA				-	-	-		
	3800 lb. Front Axle w/ SRW; 2" Rear Shoes	27092					HR	325.6	28.6	75.3	NYA				-	-	-		
	DRW w/ 2" Rear Shoes	27091					VD	325.4	28.6	75.4	NYA				-	-	-		
	3600 lb. Front Axle w/ SRW; w/ 2.5" Rear Shoes	27061					HR	325.4	30.0	146.1	23031				RD	304.8	306.3	95.8	
	3800 lb. Front Axle w/ SRW; w/ 2.5" Rear Shoes	27092					HR	325.6	28.6	75.3	23031				RD	304.8	306.3	95.8	
	DRW w/ 2.5" Rear Shoes	27091					VD	325.4	28.6	75.4	23031				RD	304.8	306.3	95.8	
	3600 lb. Front Axle w/ SRW; w/ 3" Rear Shoes	27061					HR	325.4	30.0	146.1	23024				RD	304.8	307.1	159.8	
	3800 lb. Front Axle w/ SRW; w/ 3" Rear Shoes	27092					HR	325.6	28.6	75.3	23024				RD	304.8	307.1	159.8	
	DRW w/ 3" Rear Shoes	27091					VD	325.4	28.6	75.4	23024				RD	304.8	307.1	159.8	
1982 - 1993	3600 lb. Front Axle w/ 2.5" Rear Shoes	27061					HR	325.4	30.0	146.1	23024				RD	304.8	307.1	159.8	
	3800 lb. Front Axle w/ 2.5" Rear Shoes	27092					HR	325.6	28.6	75.3	NYA				-	-	-		
	3600 lb. Front Axle w/ 3" Rear Shoes	27061					HR	325.4	30.0	146.1	23024				RD	304.8	307.1	159.8	
	3800 lb. Front Axle w/ 3" Rear Shoes	27092					HR	325.6	28.6	75.3	NYA				-	-	-		
1994 - 1997	3600 lb. Front Axle w/ All Wheel ABS	27255					HR	325.6	30.1	145.9	NYA				-	-	-		
	3600 lb. Front Axle w/ Rear Wheel ABS	27061					HR	325.4	30.0	146.1	23024				RD	304.8	307.1	159.8	
	4000 lb. Front Axle w/ Dana 60 Rear Axle	27092					HR	325.6	28.6	75.3	23098				RD	304.8	307.1	110.2	
	4000 lb. Front Axle w/ DRW	27091					VD	325.4	28.6	75.4	NYA				-	-	-		
1998-2003		27269				HR	325.6	30.0	116.3	NYA				-	-	-			

1 TON D-300/350 SERIES PICK-UP (2WD)

1982 - 1983	3600 lb. Front Axle w/ SRW; w/ 2.5" Rear Shoes	27061					HR	325.4	30.0	146.1	23031				RD	304.8	306.3	95.8
	3800 lb. Front Axle w/ SRW; w/ 2.5" Rear Shoes	27092					HR	325.6	28.6	75.3	23031				RD	304.8	306.3	95.8
	DRW w/ 2.5" Rear Shoes	27091					VD	325.4	28.6	75.4	23031				RD	304.8	306.3	95.8
	3600 lb. Front Axle w/ SRW; w/ 3" Rear Shoes	27061					HR	325.4	30.0	146.1	23024				RD	304.8	307.1	159.8
	3800 lb. Front Axle w/ SRW; w/ 3" Rear Shoes	27092					HR	325.6	28.6	75.3	23024				RD	304.8	307.1	159.8
	DRW w/ 3" Rear Shoes	27091					VD	325.4	28.6	75.4	23024				RD	304.8	307.1	159.8
1984 - 1985	w/ 2.5" Rear Shoes; Excludes 4000 lb. Front Axle	27061					HR	325.4	30.0	146.1	23031				RD	304.8	306.3	95.8
	4000 lb. Front Axle w/ 2.5" Rear Shoes	27092					HR	325.6	28.6	75.3	23031				RD	304.8	306.3	95.8
	w/ SRW; w/ 3" Rear Shoes; Excludes 4000 lb. Front Axle	27061					HR	325.4	30.0	146.1	23024				RD	304.8	307.1	159.8
	4000 lb. Front Axle w/ SRW; w/ 3" Rear Shoes	27092					HR	325.6	28.6	75.3	23024				RD	304.8	307.1	159.8
	DRW w/ 3" Rear Shoes	27091					VD	325.4	28.6	75.4	23024				RD	304.8	307.1	159.8
1986 - 1987	w/ 2.5" Rear Shoes; Excludes 4000 lb. Front Axle	27061					HR	325.4	30.0	146.1	23031				RD	304.8	306.3	95.8
	4000 lb. Front Axle w/ 2.5" Rear Shoes	27092					HR	325.6	28.6	75.3	23031				RD	304.8	306.3	95.8
	w/ 3" Rear Shoes; Excludes 4000 lb. Front Axle	27061					HR	325.4	30.0	146.1	23024				RD	304.8	307.1	159.8
	4000 lb. Front Axle w/ 3" Rear Shoes	27091					VD	325.4	28.6	75.4	23024				RD	304.8	307.1	159.8
1988 - 1989	w/ 2.5" Rear Shoes	27061					HR	325.4	30.0	146.1	23031				RD	304.8	306.3	95.8
	w/ SRW; w/ 3" Rear Shoes	27061					HR	325.4	30.0	146.1	23024				RD	304.8	307.1	159.8
	w/ DRW; w/ 3" Rear Shoes	27091					VD	325.4	28.6	75.4	23024				RD	304.8	307.1	159.8
1990 - 1993	Gas Engine w/ 2.5" Rear Shoes	27061					HR	325.4	30.0	146.1	23031				RD	304.8	306.3	95.8
	Diesel Engine w/ 2.5" Rear Shoes	27254					VD	325.6	30.1	75.9	23031				RD	304.8	306.3	95.8
	Gas Engine w/ SRW; w/ 3" Rear Shoes	27061					HR	325.4	30.0	146.1	23031				RD	304.8	306.3	95.8
	Diesel Engine w/ SRW; w/ 3" Rear Shoes	27254					VD	325.6	30.1	75.9	23031				RD	304.8	306.3	95.8
	DRW w/ 3" Rear Shoes	27091					VD	325.4	28.6	75.4	23024				RD	304.8	307.1	159.8

1, 1 1/2 TON CB, MB SERIES

Make Model, Year (s)	Notes	Front					Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground						Disc / Drum	HC	PVT	Screw	Ground			
1978	w/ SRW	27092				HR		325.6	28.6	75.3	23024					RD	304.8	307.1	159.8
	w/ DRW	27091				VD		325.4	28.6	75.4	NYA					-	-	-	-
1979 - 1981	3600 lb. Front Axle w/ SRW	27061				HR		325.4	30.0	146.1	NYA					-	-	-	-
	3800 lb. Front Axle w/ SRW	27092				HR		325.6	28.6	75.3	NYA					-	-	-	-
	w/ DRW	27091				VD		325.4	28.6	75.4	NYA					-	-	-	-

1, 1 1/2 TON 300, 350, 400, 450 PICK-UP (4WD)

1978 - 1981	w/ 2" Rear Shoes	NYA				-		-	-	-	NYA					-	-	-	-
	w/ 2.5" Rear Shoes	NYA				-		-	-	-	23031				RD	304.8	306.3	95.8	
	w/ 3" Rear Shoes	NYA				-		-	-	-	NYA				-	-	-	-	
1982 - 1985	3500 lb. Front Axle w/ 2.5" Rear Shoes	NYA				-		-	-	-	23031				RD	304.8	306.3	95.8	
	3500 lb. Front Axle w/ 3" Rear Shoes	NYA				-		-	-	-	23024				RD	304.8	307.1	159.8	
	4500 lb. Front Axle w/ 2.5" Rear Shoes	NYA				-		-	-	-	23031				RD	304.8	306.3	95.8	
	4500 lb. Front Axle w/ 3" Rear Shoes	NYA				-		-	-	-	23024				RD	304.8	307.1	159.8	
1986 - 1993	w/ 2.5" Rear Shoes	NYA				-		-	-	-	23031				RD	304.8	306.3	95.8	
	w/ 3" Rear Shoes	NYA				-		-	-	-	23024				RD	304.8	307.1	159.8	
1994 - 1998		27013				@	VD	317.0	37.2	70.0	NYA				-	-	-	-	

EAGLE:

ALLIANCE

1988	w/ Solid Front Disc	25053						SD	238.0	11.0	41.0	21018				RD	203.3	204.0	65.0
	w/ Vented Front Disc	NYA						-	-	-	-	21048				RD	180.0	182.0	72.0

MEDALLION

1988 - 1989		25295						SK	VD	265.0	17.7	31.6	21063				RD	228.6	230.0	72.5
-------------	--	-------	--	--	--	--	--	----	----	-------	------	------	-------	--	--	--	----	-------	-------	------

SUMMIT (Excluding Wagon)

1989 - 1990	w/ 1.5L Engine	25270				@	VD	242.0	16.4	34.0	21077				RD	180.0	182.0	69.0	
	w/ 1.6L Engine	25341				@	VD	266.0	22.4	34.0	25165		@	SD	265.0	8.4	49.0		
1991	Made in Japan	25109				@	SD	243.0	11.4	34.0	21077				RD	180.0	182.0	69.0	
	Made in USA	25271				@	VD	236.0	16.4	34.0	NYA				-	-	-	-	
1992	2 Door - Made in Japan	25198						SD	234.0	11.4	34.0	21077				RD	180.0	182.0	69.0
	4 Door - Made in Japan	25271				@	VD	236.0	16.4	34.0	21077				RD	180.0	182.0	69.0	
	Made in USA	25271				@	VD	236.0	16.4	34.0	NYA				-	-	-	-	
1993	2 Door	25135				@	SD	234.0	11.4	45.0	NYA				-	-	-	-	
	4 Door w/ Rear Drum; w/ out ABS	25480				@	VD	236.0	16.4	45.0	21121				RD	202.9	205.0	64.0	
	4 Door w/ Rear Disc; w/ ABS	25480				@	VD	236.0	16.4	45.0	NYA				-	-	-	-	
1994	2 Door - Economy & Low Series	25135				@	SD	234.0	11.4	45.0	NYA				-	-	-	-	
	2 Door - Medium & High Series w/ 1.5L, 1.8L Engine	25480				@	VD	236.0	16.4	45.0	NYA				-	-	-	-	
	4 Door w/ Rear Drum; w/ out ABS	25480				@	VD	236.0	16.4	45.0	21121				RD	202.9	205.0	64.0	
	4 Door w/ Rear Disc; w/ ABS	25480				@	VD	236.0	16.4	45.0	NYA				-	-	-	-	
1995 - 1996	2 Door; Solid Front Disc	25135				@	SD	234.0	11.4	45.0	21121				RD	202.9	205.0	64.0	
	2 Door; Vented Front Disc	25480				@	VD	236.0	16.4	45.0	21121				RD	202.9	205.0	64.0	
	4 Door; Rear Drum Brakes	25480				@	VD	236.0	16.4	45.0	21121				RD	202.9	205.0	64.0	
	4 Door; Rear Disc Brakes	25480				@	VD	236.0	16.4	45.0	NYA				-	-	-	-	

SUMMIT WAGON

1992 - 1996	2WD w/ Rear Drum; w/ out ABS	25364				@	VD	✓	256.0	22.4	45.1	NYA				-	-	-	-
	AWD w/ Rear Drum; w/ out ABS	25364				@	VD	✓	256.0	22.4	45.1	21047				RD	228.6	230.6	62.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------

TALON FWD (Excluding Turbo)

4/1989 - 1990		25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
1991 - 1994	w/ out ABS	25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
	w/ ABS	25366				@	VD		256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
1995 - 1996		25365				@	VD	✓	256.0	22.4	45.1	25557					SD	✓	262.1	8.4	60.2
1997 - 1999		25365				@	VD	✓	256.0	22.4	45.1	21119					RD		228.6	230.6	62.0

TALON Tsi TURBO (2WD)

1990 - 1994	w/ out ABS	25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
	w/ ABS	25366				@	VD		256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
1995 - 1999		25365				@	VD	✓	256.0	22.4	45.1	25557					SD	✓	262.1	8.4	60.2

TALON Tsi TURBO (AWD)

1990		25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
1991 - 1992	w/ out ABS	25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
	w/ ABS	25366				@	VD		256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
1993		25544				@	VD	✓	276.0	22.4	45.3	25164				@	SD	✓	265.0	8.4	49.0
1/1994 - 11/1994		25544				@	VD	✓	276.0	22.4	45.3	NYA				-			-	-	-
12/1994 - 1997		25544				@	VD	✓	276.0	22.4	45.3	25557					SD	✓	262.1	8.4	60.2
1998 - 1999		NYA				-		-	-	-	-	25557					SD	✓	262.1	8.4	60.2

VISION

1993 - 1994	w/ Rear Disc	27086					VD		281.8	22.4	52.0	27183					SD		270.1	10.4	46.4
	w/ Rear Drum	27086					VD		281.8	22.4	52.0	23094					RD		220.0	221.2	68.1
1995 - 1997	w/ Rear Disc	27202					VD		282.2	22.4	52.0	27183					SD		270.1	10.4	46.4
	w/ Rear Drum	27202					VD		282.2	22.4	52.0	23094					RD		220.0	221.2	68.1
1998	w/ 15" Stock Wheels	27114					VD		281.9	24.4	53.8	27183					SD		270.1	10.4	46.4
	w/ 16" Stock Wheels	27203					VD		297.2	24.4	53.8	27183					SD		270.1	10.4	46.4

2000 GTX 2WD (CANADA)

1989 - 1990	w/ SOHC Engine	25363				@	VD		266.0	22.4	45.0	21099					RD		203.0	205.0	73.0
	w/ DOHC Engine	25363				@	VD		266.0	22.4	45.0	25165				@	SD		265.0	8.4	49.0
1992	w/ Rear Disc	25364				@	VD	✓	256.0	22.4	45.1	25165				@	SD		265.0	8.4	49.0
	w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	21099					RD		203.0	205.0	73.0
1993		25364				@	VD	✓	256.0	22.4	45.1	21099					RD		203.0	205.0	73.0

2000 GTX 4WD (CANADA)

1990		25363				@	VD		266.0	22.4	45.0	25165				@	SD		265.0	8.4	49.0
1991 - 1992		25364				@	VD	✓	256.0	22.4	45.1	25165				@	SD		265.0	8.4	49.0

FERRARI:

308 GT4, GTB, GTS, 4 Valve

1974 - 1985		25230				@	VD		259.0	21.0	34.0	25229				@	VD		277.0	18.0	73.0
-------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	---	----	--	-------	------	------

328 GTB, GTS

1985 - 1989		25239				@	VD		282.0	20.0	55.5	25237				@	VD		280.0	20.0	74.0
-------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	---	----	--	-------	------	------

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
348 GTB, GTS																	
1989 - 1994		25261		PVT		VD	300.0	26.0	61.0	25263		PVT		VD	310.0	22.0	76.8
400																	
1976 - 1984		25231			@	VD	301.0	30.0	96.0	25232			@	VD	296.0	23.0	89.0
412																	
1985 - 1989		25218			@	VD	301.0	30.0	78.0	25232			@	VD	296.0	23.0	89.0
512 TR																	
1992 - 1995		25305	HC	PVT		VD	315.0	30.0	61.7	25304				VD	310.0	25.0	90.0
BERLINETTA, BOXER																	
1973 - 1984		25228			@	VD	288.0	30.0	76.0	25227			@	VD	296.0	20.0	75.0
MONDIAL																	
1982 - 1989		25238			@	VD	282.0	20.0	55.5	25237			@	VD	280.0	20.0	74.0
TESTAROSSA, GTO																	
1984 - 1987		25216			@	VD	309.0	30.0	52.2	25217			@	VD	310.0	27.0	89.0
TESTAROSSA																	
1988 - 1991		25248			@	VD	309.0	30.0	67.2	25249			@	VD	310.0	27.0	89.0
F 40																	
1988 - 1992		25266	HC			VD	332.0	30.0	34.5	25266	HC			VD	332.0	30.0	34.5
F355																	
1994 - 1995		25261		PVT		VD	300.0	26.0	61.0	25263		PVT		VD	310.0	22.0	76.8
1996 - 1999		25262	HC	PVT		VD	300.0	26.0	61.0	25264	HC	PVT		VD	310.0	22.0	76.8
360 MODENA																	
2000 - 2003		25041	HC			VD	330.2	26.0	41.5	25041	HC			VD	330.2	26.0	41.5
456																	
1993 - 1995		25306	HC	PVT		VD	315.0	30.0	61.7	25333	HC	PVT		VD	310.0	26.0	81.5
1996 - 1998	GT	25306	HC	PVT		VD	315.0	30.0	61.7	25333	HC	PVT		VD	310.0	26.0	81.5
	GTA	25438	HC	PVT		VD	330.0	30.0	60.7	25333	HC	PVT		VD	310.0	26.0	81.5
550 MARANELLO																	
1996 - 2002		25438	HC	PVT		VD	330.0	30.0	60.7	25334	HC	PVT		VD	310.0	26.0	80.5
FIAT:																	
124																	
1966 - 1982		25073				SD	227.0	9.0	45.8	25073				SD	227.0	9.0	45.8
128																	
1971 - 8/1976		25073				SD	227.0	9.0	45.8	21002				RD	185.3	186.8	53.1

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
9/1976 - 1980		25073				SD	227.0	9.0	45.8	21001				RD	185.3	186.8	53.1

131 BRAVA, SUPERBRAVA

1975 - 3/1977		25073				SD	227.0	9.0	45.8	21003				RD	228.4	230.0	75.5
4/1977 - 1982		25073				SD	227.0	9.0	45.8	21004				RD	228.4	230.0	75.5

850 COUPE, SPIDER

1969 - 1973	w/ Front Disc	25073				SD	227.0	9.0	45.8	NYA				-	-	-	-
-------------	---------------	-------	--	--	--	----	-------	-----	------	-----	--	--	--	---	---	---	---

850 SEDAN, COUPE, SPIDER

1968 - 1973	w/ Front Drum	21002				FD	185.3	186.8	53.1	21002				RD	185.3	186.8	53.1
-------------	---------------	-------	--	--	--	----	-------	-------	------	-------	--	--	--	----	-------	-------	------

SPIDER 2000

1979 - 1985		25073				SD	227.0	9.0	45.8	25073				SD	227.0	9.0	45.8
-------------	--	-------	--	--	--	----	-------	-----	------	-------	--	--	--	----	-------	-----	------

STRADA

1979 - 1982		25073				SD	227.0	9.0	45.8	21001				RD	185.3	186.8	53.1
-------------	--	-------	--	--	--	----	-------	-----	------	-------	--	--	--	----	-------	-------	------

PININFARINA

1975 - 6/1985		25073				SD	227.0	9.0	45.8	25073				SD	227.0	9.0	45.8
---------------	--	-------	--	--	--	----	-------	-----	------	-------	--	--	--	----	-------	-----	------

X 1/9, BERTONE

1974 - 1988		25073				SD	227.0	9.0	45.8	25073				SD	227.0	9.0	45.8
-------------	--	-------	--	--	--	----	-------	-----	------	-------	--	--	--	----	-------	-----	------

FORD:

ASPIRE

1994 - 1997	w/ Automatic Transmission	25348				@ VD	235.0	20.0	45.0	21124				RD	200.0	201.5	65.0
	w/ Manual Transmission	25407				@ VD	235.0	16.0	45.0	21124				RD	200.0	201.5	65.0

CONTOUR

1995 - 11/1996	w/ out ABS	27002				VD	260.0	22.2	47.0	23003				RD	203.0	204.5	63.5
	w/ ABS	27002				VD	260.0	22.2	47.0	27003				VD	253.0	18.0	43.7
12/1996 - 1997	w/ out ABS; w/ 8" Rear Drum	27002				VD	260.0	22.2	47.0	23003				RD	203.0	204.5	63.5
	w/ out ABS; w/ 9" Rear Drum	27002				VD	260.0	22.2	47.0	23087				RD	228.7	230.1	66.5
	w/ ABS	27002				VD	260.0	22.2	47.0	27003				VD	253.0	18.0	43.7
1998 - 2000	w/ out ABS; w/ 8" Rear Drum	27002				VD	260.0	22.2	47.0	23003				RD	203.0	204.5	63.5
	w/ out ABS; w/ 9" Rear Drum	27002				VD	260.0	22.2	47.0	23087				RD	228.7	230.1	66.5
	w/ ABS; Excludes SVT	27002				VD	260.0	22.2	47.0	27003				VD	253.0	18.0	43.7
	SVT	27205				VD	278.0	22.2	47.0	27003				VD	253.0	18.0	43.7

CORTINA

1967 - 1970		25017				SD	244.0	11.4	27.0	NYA				-	-	-	-
-------------	--	-------	--	--	--	----	-------	------	------	-----	--	--	--	---	---	---	---

CROWN VICTORIA

5/1981 - 1989	10" Rear Drum; Excludes Police, Taxi, & Wagon	27026				HR	281.5	24.7	134.3	NYA				-	-	-	-
	11" Rear Drum Police	27026				HR	281.5	24.7	134.3	NYA				-	-	-	-
	11" Rear Drum Taxi & Wagon	27026				HR	281.5	24.7	134.3	NYA				-	-	-	-
1990 - 1991	Excludes Police, HD, & Wagon; w/ ABS	27027				HR	281.5	24.7	134.3	NYA				-	-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
	Excludes Police, HD, & Wagon; w/ ABS	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-	
	Police & Heavy Duty; w/ ABS	27027					HR		281.5	24.7	134.3	NYA					-		-	-	-	
	Police & Heavy Duty; w/ out ABS	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-	
	Wagon; w/ ABS	27027					HR		281.5	24.7	134.3	NYA					-		-	-	-	
	Wagon; w/ Out ABS	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-	
1992 - 1994	Excludes Police & Wagon	27084					VD		281.4	24.7	82.6	27085					@	SD	290.1	11.3	58.7	
	Police & Wagon	27084					VD		281.4	24.7	82.6	27085					@	SD	290.1	11.3	58.7	
1995	Excludes Police & Wagon; O.E. Replacement Rotor	27113					VD		290.9	24.7	65.9	27085					@	SD	290.1	11.3	58.7	
	Police & Wagon; O.E. Replacement Rotor	27113					VD		290.9	24.7	65.9	27085					@	SD	290.1	11.3	58.7	
1996 - 1997	Excludes Police & Wagon; O.E. Replacement Rotor	27113					VD		290.9	24.7	65.9	27154						SD	✓	284.9	11.0	55.5
	Police & Wagon; O.E. Replacement Rotor	27113					VD		290.9	24.7	65.9	27154						SD	✓	284.9	11.0	55.5
1998 - 2002		27164					VD	✓	316.0	25.8	65.8	27154						SD	✓	284.9	11.0	55.5
2003 - 2004	Includes Police	27221					VD	✓	305.2	26.3	45.0	27222						VD	✓	295.0	18.0	55.6

ESCORT

1981 - 2/1985	Coupe	27098					VD		235.7	22.4	56.4	NYA					-		-	-	-	
	Sedan	27098					VD		235.7	22.4	56.4	NYA					-		-	-	-	
1985 - 1990		27098					VD		235.7	22.4	56.4	23040						RD	203.2	204.7	66.5	
1991 - 1992	DOHC 1.8L Engine	25437				@	VD	✓	257.0	20.0	45.0	25187					@	SD	✓	250.0	8.0	34.5
	SOHC 1.9L Engine	25509					VD		235.0	20.0	45.0	21092						RD	228.6	231.0	55.0	
1993 - 1996	DOHC 1.8L Engine w/ Front Caliper Casting #22-14	25437				@	VD	✓	257.0	20.0	45.0	25187					@	SD	✓	250.0	8.0	34.5
	SOHC 1.9L Engine w/ Front Caliper Casting #22-13	25509					VD		235.0	20.0	45.0	21105						RD	200.0	201.5		
	SOHC 1.9L Engine w/ Front Caliper Casting #22.14	25437				@	VD	✓	257.0	20.0	45.0	21105						RD	200.0	201.5		
1997 - 2003	Rear Drum Brakes	25437				@	VD	✓	257.0	20.0	45.0	21098						RD	-	-	-	
	Rear Disc Brakes	25437				@	VD	✓	257.0	20.0	45.0	25187					@	SD	✓	250.0	8.0	34.5

EXP

1982 - 2/1985		27098					VD		235.7	22.4	56.4	NYA					-		-	-	-
3/1985 - 1985		27098					VD		235.7	22.4	56.4	23040						RD	203.2	204.7	66.5

FAIRLANE

1963 - 1970	w/ Front Drum	23036					FD		254.0	255.5	95.8	23038						RD	254.0	256.3	81.5
-------------	---------------	-------	--	--	--	--	----	--	-------	-------	------	-------	--	--	--	--	--	----	-------	-------	------

FAIRMONT, FUTURA

1978 - 1983	w/ 9" Rear Drum	27017					HR		256.0	20.6	84.0	23039						RD	228.6	230.1	69.1
	w/ 10" Rear Drum	27017					HR		256.0	20.6	84.0	NYA						-	-	-	-

FALCON

1960 - 1964	w/ 9" Front Drum; w/ 1.5" Rear Shoes	23045					FD		228.6	230.1	79.8	23047						RD	228.6	230.1	58.4
	w/ 9" Front Drum; w/ 2.25" Rear Shoes	23045					FD		228.6	230.1	79.8	23045						RD	228.6	230.1	79.8
	w/ 10" Front Drum	23036					FD		254.0	255.5	95.8	23038						RD	254.0	256.3	81.5
1966 - 1968	Sedan w/ 6 Cylinder Engine; w/ Front Drum	NYA					-		-	-	-	23047						RD	228.6	230.1	58.4
	Sedan w/ 8 Cylinder Engine; w/ Front Drum	23036					FD		254.0	255.5	95.8	23038						RD	254.0	256.3	81.5
	Sedan w/ Front Disc	NYA					-		-	-	-	23038						RD	254.0	256.3	81.5

FESTIVA

1987 - 1993		25174				@	SD		219.0	11.0	37.0	21059						RD	170.0	171.5	70.0
-------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	--	--	----	-------	-------	------

FIESTA

1978 - 1980		25071				SK	SD		221.0	8.7	42.0	21009						RD	177.8	179.3	73.0
-------------	--	-------	--	--	--	----	----	--	-------	-----	------	-------	--	--	--	--	--	----	-------	-------	------

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	--------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	--------	-----------------------	--------------------------------	-------------------------

FOCUS

1998 - 2001	w/ Rear Disc	27149					VD	✓	258.0	20.0	43.5	27204					SD		252.5	8.9	33.0
	w/ Rear Drum	27149					VD	✓	258.0	20.0	43.5	23073					RD		203.0	204.3	81.0
2002 - 2004	w/ Rear Disc; Excludes SVT Model	27149					VD	✓	258.0	20.0	43.5	27204					SD		252.5	8.9	33.0
	w/ Rear Drum	27149					VD	✓	258.0	20.0	43.5	23073					RD		203.0	204.3	81.0
	SVT Model	NYA					-		-	-	-	NYA					-		-	-	-

GRANADA

1981 - 1983	Excludes 8 Cylinder	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	8 Cylinder	27017					HR		256.0	20.6	84.0	NYA					-		-	-	-

LTD, COUNTRY SQUIRE (Full Size A-Body)

1960 - 1968	w/ Front Drum; Excluding 390 & 428 Engines	23046					FD		280.2	281.7	93.7	23046					RD		280.2	281.7	93.7
	w/ Front Drum; w/ 390 & 428 Engines	NYA					-		-	-	-	23046					RD		280.2	281.7	93.7
	w/ Front Disc	NYA					-		-	-	-	23046					RD		280.2	281.7	93.7
1969 - 1978	NYA						-		-	-	-	NYA					-		-	-	-
1979 - 4/1981		27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
5/1981 - 1989	w/ 10" Rear Drum; Excludes Police, Taxi, & Wagon	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
	w/ 11" Rear Drum; Taxi & Wagon	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
	Police	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
1990 - 1991	w/ out ABS	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
	w/ ABS	27027					HR		281.5	24.7	134.3	NYA					-		-	-	-

LTD II, LTD MID-SIZE

1977 - 1979	Excludes Police, Taxi, & Wagon	27099					HR		272.3	28.4	122.6	NYA					-		-	-	-
	Police & Taxi	NYA					-		-	-	-	NYA					-		-	-	-
	Wagon	27099					HR		272.3	28.4	122.6	NYA					-		-	-	-
1982 - 1986	Excludes Wagon	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	Wagon	27017					HR		256.0	20.6	84.0	NYA					-		-	-	-

MAVERICK

1969 - 1970		NYA					-		-	-	-	23047					RD		228.6	230.1	58.4
1971 - 1973	170 & 200 6 Cylinder	NYA					-		-	-	-	23047					RD		228.6	230.1	58.4
	250 6 Cylinder & 302 8 Cylinder	23036					FD		254.0	255.5	95.8	23038					RD		254.0	256.3	81.5

MUSTANG

1964 - 1966	6 Cylinder w/ Front Drum; Hard Top	23045					FD		228.6	230.1	79.8	23047					RD		228.6	230.1	58.4
	6 Cylinder w/ Front Drum; Convertible	23045					FD		228.6	230.1	79.8	23045					RD		228.6	230.1	79.8
	8 Cylinder w/ Front Drum	23036					FD		254.0	255.5	95.8	23038					RD		254.0	256.3	81.5
1967 - 1968	6 Cylinder	NYA					-		-	-	-	23047					RD		228.6	230.1	58.4
	w/ 289, 302, or 390 Engine	23036					FD		254.0	255.5	95.8	23038					RD		254.0	256.3	81.5
1969 - 1978	NYA						-		-	-	-	NYA					-		-	-	-
1979	8 Cylinder	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	Excludes 8 Cylinder	NYA					-		-	-	-	23039					RD		228.6	230.1	69.1
1980 - 1981	w/ 9" Rear Drum	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	w/ 10" Rear Drum	27017					HR		256.0	20.6	84.0	NYA					-		-	-	-
1982 - 11/1982	w/ 9" Rear Drum	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	w/ 10" Rear Drum	27017					HR		256.0	20.6	84.0	NYA					-		-	-	-
12/1982 - 1983		27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1984 - 1986	Excludes SVO	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	SVO w/ Rear Disc	NYA					-		-	-	-	27101					VD		287.3	22.7	59.9
1987 - 1992	w/ 4 Cylinder Engine	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	w/ 8 Cylinder Engine	27103					HR		277.8	24.7	94.9	23039					RD		228.6	230.1	69.1
1993	w/ 4 Cylinder Engine	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	w/ 8 Cylinder Engine; W/ Rear Drum	27103					HR		277.8	24.7	94.9	23039					RD		228.6	230.1	69.1
	w/ 8 Cylinder Engine; w/ Rear Disc	27103					HR		277.8	24.7	94.9	NYA					-		-	-	-
	Cobra	27162					HR		277.4	24.7	95.0	NYA					-		-	-	-
1994 - 2003	Excludes Cobra	27110					VD	✓	277.4	24.7	94.9	27111					SD	✓	267.1	12.8	50.0
	Cobra	27005					VD	✓	330.0	26.4	43.7	27192					VD	✓	296.2	16.8	51.1
2004	Base & GT	27110					VD	✓	277.4	24.7	94.9	27111					SD	✓	267.1	12.8	50.0
	Cobra & Mach; SVT Cobra 10th Anniversary Ed.	27005					VD	✓	330.0	26.4	43.7	27192					VD	✓	296.2	16.8	51.1

PROBE

1988 - 1992	w/ Rear Disc	25313					@	VD	264.0	22.0	46.5	25184					@	SD	258.5	8.0	58.0
	w/ Rear Drum	25313					@	VD	264.0	22.0	46.5	21073						RD	228.6	230.1	72.0
1993 - 1997	w/ Rear Disc	25349					@	VD	258.0	22.0	48.5	25207					@	SD	261.0	8.0	40.2
	w/ Rear Drum	25349					@	VD	258.0	22.0	48.5	NYA					-		-	-	-

TAURUS (Excluding SHO)

1986 - 1988	Sedan w/ Rear Drum; Excludes Police	27100						VD	258.0	22.8	48.8	23035						RD	225.0	226.6	69.1
	Police Sedan & Wagon; w/ Rear Drum	27100						VD	258.0	22.8	48.8	23034						RD	250.1	251.5	68.6
	w/ Rear Disc	27102						VD	258.0	24.7	50.0	27102						VD	258.0	24.7	50.0
1989 - 1990	Sedan w/ Rear Drum; Excludes Police	27102						VD	258.0	24.7	50.0	23035						RD	225.0	226.6	69.1
	Police Sedan & Wagon; w/ Rear Drum	27102						VD	258.0	24.7	50.0	23034						RD	250.1	251.5	68.6
	w/ Rear Disc	27102						VD	258.0	24.7	50.0	27152						VD	256.5	22.8	47.0
1991 - 1993	Sedan w/ Rear Drum; Excludes Police	27108						VD	258.0	24.7	46.0	23035						RD	225.0	226.6	69.1
	Police Sedan & Wagon; w/ Rear Drum	27108						VD	258.0	24.7	46.0	23034						RD	250.1	251.5	68.6
	w/ Rear Disc	27108						VD	258.0	24.7	46.0	27152						VD	256.5	22.8	47.0
1994 - 2000	Sedan w/ Rear Drum	27043						VD	✓	275.8	24.8	46.8	23035					RD	225.0	226.6	69.1
	Wagon w/ Rear Drum	27043						VD	✓	275.8	24.8	46.8	23034					RD	250.1	251.5	68.6
	w/ Rear Disc	27043						VD	✓	275.8	24.8	46.8	27109					SD	256.4	12.8	39.3
2001-2004	w/ Rear Disc	27067					VD		294.1	24.8	46.5	27109					SD	256.4	12.8	39.3	

TAURUS SHO

1989		27102						VD	258.0	24.7	50.0	27100						VD	258.0	22.8	48.8
1990 - 1992		27102						VD	258.0	24.7	50.0	NYA						-	-	-	-
1993		27102						VD	258.0	24.7	50.0	27109						SD	256.4	12.8	39.3
1994 - 1995		27043						VD	✓	275.8	24.8	46.8	27109					SD	256.4	12.8	39.3
1996 - 1999		27067						VD		294.1	24.7	46.5	27109					SD	256.4	12.8	39.3

TEMPO

1984 - 1994		27098						VD	235.7	22.4	56.4	23040						RD	203.2	204.7	66.5
-------------	--	-------	--	--	--	--	--	----	-------	------	------	-------	--	--	--	--	--	----	-------	-------	------

THUNDERBIRD

1958 - 1960	1959 - Rear Only	23046						FD	280.2	281.7	93.7	23046						RD	280.2	281.7	93.7
1961 - 1967		NYA						-	-	-	-	NYA						-	-	-	-
1968		NYA						-	-	-	-	23046						RD	280.2	281.7	93.7
1969 - 1976		NYA						-	-	-	-	NYA						-	-	-	-
1977 - 1979		27099						HR	272.3	28.4	122.6	NYA						-	-	-	-

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type			SFOKRT	Disc / Drum	HC	PVT	Screw	Ground				Type
1980	3" High	27017					HR	256.0	20.6	84.0	23039					RD	228.6	230.1	69.1
	3.5" High	27017					HR	256.0	20.6	84.0	NYA					-	-	-	-
1981 - 1982	w/ 9" Rear Drum	27017					HR	256.0	20.6	84.0	23039					RD	228.6	230.1	69.1
	w/ 10" Rear Drum	27017					HR	256.0	20.6	84.0	NYA					-	-	-	-
1983 - 1986	w/ 9" Rear Drum	27017					HR	256.0	20.6	84.0	23039					RD	228.6	230.1	69.1
	w/ 10" Rear Drum	27017					HR	256.0	20.6	84.0	NYA					-	-	-	-
1987 - 1988	w/ 9" Rear Drum	27017					HR	256.0	20.6	84.0	23039					RD	228.6	230.1	69.1
	w/ 10" Rear Drum	27017					HR	256.0	20.6	84.0	NYA					-	-	-	-
1989 - 1990	w/ Rear Disc	27104					VD	275.8	23.7	50.8	27100					VD	258.0	22.8	48.8
	w/ Rear Drum	27104					VD	275.8	23.7	50.8	23034					RD	250.1	251.5	68.6
1991 - 1992	w/ Rear Disc	27105					VD	275.8	24.7	46.4	27100					VD	258.0	22.8	48.8
	w/ Rear Drum	27105					VD	275.8	24.7	46.4	23034					RD	250.1	251.5	68.6
1993 - 1995	w/ Rear Disc	27043					VD	✓ 275.8	24.8	46.8	27175					VD	258.1	16.7	45.5
	w/ Rear Drum	27043					VD	✓ 275.8	24.8	46.8	23034					RD	250.1	251.5	68.6
1996 - 1997	w/ Rear Drum	27043					VD	✓ 275.8	24.8	46.8	23034					RD	250.1	251.5	68.6
	w/ Rear Disc; Excludes Sport Package	27043					VD	✓ 275.8	24.8	46.8	27175					VD	258.1	16.7	45.5
	w/ Rear Disc; w/ Sport Package	27067					VD	294.1	24.7	46.5	27175					VD	258.1	16.7	45.5
2002 - 2004		25525					@ VD	300.0	28.0	43.0	25526				@ VD	288.0	18.5	32.5	

TORINO

1968	w/ Front Disc; w/ 1.75" Rear Shoes	NYA					-	-	-	-	23038					RD	254.0	256.3	81.5
1969 - 1971	All w/ Front Drum	23036					FD	254.0	255.5	95.8	NYA					-	-	-	-
1972 - 1973		NYA					-	-	-	-	NYA					-	-	-	-
1974 - 1976		27099					HR	272.3	28.4	122.6	NYA					-	-	-	-

FORD TRUCK / VAN / SUV:

AEROSTAR

1986 - 1989	w/ 9" Rear Drum	27032					HR	261.3	20.6	104.7	23019					RD	228.6	230.1	72.0
	w/ 10" Rear Drum	27032					HR	261.3	20.6	104.7	23018					RD	254.0	281.7	88.5
1990 - 1991	2WD	27032					HR	261.3	20.6	104.7	23018					RD	254.0	281.7	88.5
	4WD	27211					VD	261.1	20.6	65.0	23018					RD	254.0	281.7	88.5
1992 - 1998	2WD (Right Side)	27068					HR	261.1	20.6	105.2	23048					RD	254.0	256.3	88.6
	2WD (Left Side)	27069					HR	261.1	20.6	105.2	23048					RD	254.0	256.3	88.6
	4WD (Left Side)	27184					VD	261.4	20.6	65.2	23048					RD	254.0	256.3	88.6
	4WD (Right Side)	27185					VD	261.4	20.6	65.2	23048					RD	254.0	256.3	88.6

BRONCO

1976 - 1986		27022					VD	297.8	28.5	68.7	23011					RD	280.2	282.4	89.7
1987 - 4/1988	w/ Automatic Locking Hubs	27022					VD	297.8	28.5	68.7	23011					RD	280.2	282.4	89.7
	w/ Manual Locking Hubs	27158					HR	297.7	28.5	75.6	23012					RD	280.2	282.4	91.4
5/1988 - 1992		27022					VD	297.8	28.5	68.7	23012					RD	280.2	282.4	91.4
1993	Rotor Only	27022					VD	297.8	28.5	68.7	23012					RD	280.2	282.4	91.4
	Hub & Rotor	NYA					-	-	-	-	23012					RD	280.2	282.4	91.4
1994 - 1996	Rotor Only	27070					VD	297.7	24.4	64.7	23012					RD	280.2	282.4	91.4
	Hub & Rotor; w/ Out ABS - 1994-05/95	NYA					-	-	-	-	23012					RD	280.2	282.4	91.4
	Hub & Rotor; w/ Out ABS - 05/95-1996	NYA					-	-	-	-	23012					RD	280.2	282.4	91.4
	Hub & Rotor; w/ ABS - 1994-05/95	27257					HR	297.7	24.4	176.3	23012					RD	280.2	282.4	91.4
	Hub & Rotor; w/ ABS - 05/95-1996	NYA					-	-	-	-	23012					RD	280.2	282.4	91.4

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
BRONCO II																				
1983 - 1985		27033					HR	276.3	20.6	55.4	23019				RD		228.6	230.1	72.0	
1986 - 1990	2WD	27034					HR	261.3	20.6	105.5	23019				RD		228.6	230.1	72.0	
	4WD	27033					HR	276.3	20.6	55.4	23019				RD		228.6	230.1	72.0	
COURIER																				
1972 - 1976		21014					FD	260.0	262.0	62.0	21014				RD		260.0	262.0	62.0	
1977 - 1983		25033				@	SD	256.0	11.0	35.8	21014				RD		260.0	262.0	62.0	
ESCAPE																				
2001 - 2004		27273					VD	278.0	22.0	46.9	NYA				-		-	-	-	
EXCURSION																				
To 12/1999	2WD	27266					HR	331.0	36.0	143.5	27107				VD		325.9	28.0	98.3	
	4WD	27245					VD		36.0		27107				VD		325.9	28.0	98.3	
1/2000 - 2002	2WD	27266					HR	331.0	36.0	143.5	27107				VD		325.9	28.0	98.3	
	4WD	27245					VD		36.0		27107				VD		325.9	28.0	98.3	
2003 - 2004	2WD; Rear Wheel ABS	27106					VD	331.0	36.0	143.5	27107				VD		325.9	28.0	98.3	
	2WD; 4 Wheel ABS	27266					HR	331.0	36.0	143.5	27107				VD		325.9	28.0	98.3	
	2WD; Monobeam Front Axle	27271					VD	369.1	36.0	97.8	27107				VD		325.9	28.0	98.3	
	4WD	27245					VD		36.0		27107				VD		325.9	28.0	98.3	
EXPEDITION																				
1997 - 03/18/02	2WD - 1997-11/1999 - 12mm Studs	27077					HR	✓	307.6	27.7	90.8	27168				SD	✓	334.0	12.0	56.1
	2WD - 12/1999-2002 - 14mm Studs	27199					HR		308.1	27.7	102.9	27145				SD		334.0	12.0	56.1
	4WD - M14 Studs	NYA					-		-	-	27145				SD		334.0	12.0	56.1	
	4WD - M12 Studs	27011				PVT	@	VD	✓	308.0	27.7	47.0	27145			SD		334.0	12.0	56.1
03/19/02 - 2004	2WD	27241					VD				27242				VD					
	4WD	27241					VD				27242				VD					
EXPLORER - Excludes SPORT & SPORT-TRAC from 2001																				
1991 - 1992	2WD w/out ABS	27034				@	HR		261.3	20.6	105.5	23020				RD		254.0	281.7	88.5
	2WD w/ ABS	27046				@	HR		261.1	20.6	133.2	23020				RD		254.0	281.7	88.5
	4WD - 2.2" Tall	27033				@	HR		276.3	20.6	55.4	23020				RD		254.0	281.7	88.5
	4WD - 2.5" Tall	27036				@	HR		276.3	20.6	63.1	23020				RD		254.0	281.7	88.5
1993 - 1994	2WD	27046				@	HR		261.1	20.6	133.2	23020				RD		254.0	281.7	88.5
	4WD	27040				@	HR		276.3	20.6	63.1	23020				RD		254.0	281.7	88.5
1995 - 2001	2WD	27075				@	HR	✓	286.5	24.5	108.0	27045			@	SD	✓	285.0	11.0	
	4WD	27010				@	VD	✓	286.0	24.5	66.0	27045			@	SD	✓	285.0	11.0	
2002 - 2004		27235					VD		305.3	24.5	56.0	27237				SD		301.0	11.0	52.0
EXPLORER SPORT & SPORT-TRAC																				
2001 - 2002	2WD - SPORT; Rear Disc Brakes	27236					VD		304.8	24.5	108.0	27045			@	SD	✓	285.0	11.0	
	4WD - SPORT; Rear Disc Brakes	27238					VD		-	24.5	-	27045			@	SD	✓	285.0	11.0	
	2WD - SPORT-TRAC; Rear Drum Brakes	27236					VD		304.8	24.5	108.0	NYA			-		-	-	-	
	4WD - SPORT-TRAC; Rear Drum Brakes	27238					VD		-	24.5	-	NYA			-		-	-	-	
2003 - 2004	2WD - SPORT, SPORT-TRAC; Rear Disc Brakes	27236					VD		304.8	24.5	108.0	NYA			-		-	-	-	
	4WD - SPORT, SPORT-TRAC; Rear Disc Brakes	27238					VD		-	24.5	-	NYA			-		-	-	-	

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
FREESTAR																			
2004		NYA				-		-	-	-	NYA				-		-	-	-
RANCHERO																			
1960 - 1965	6 Cylinder Engine	23045				FD		228.6	230.1	79.8	23045				RD		228.6	230.1	79.8
	8 Cylinder Engine w/ Front Drum	23036				FD		254.0	255.5	95.8	23038				RD		254.0	256.3	81.5
1965 - 1971	All Models w/ Front Drum	23036				FD		254.0	255.5	95.8	NYA				-		-	-	-
	8 Cylinder Engine w/ Front Disc up to 1969	NYA				-		-	-	-	23036				RD		254.0	255.5	95.8
1972 - 1973		NYA				-		-	-	-	NYA				-		-	-	-
1974 - 1979		27099				HR		272.3	28.4	122.6	NYA				-		-	-	-
RANGER (2WD)																			
1983 - 1994	w/ 9" Rear Drum	27032				HR		261.3	20.6	104.7	23019				RD		228.6	230.1	72.0
	w/ 10" Rear Drum	27032				HR		261.3	20.6	104.7	23018				RD		254.0	281.7	88.5
1995 - 1997	w/ Rear Wheel ABS; w/ 9" Rear Drum	27073				HR		261.1	24.5	108.0	23019				RD		228.6	230.1	72.0
	w/ Rear Wheel ABS; w/ 10" Rear Drum	27073				HR		261.1	24.5	108.0	23018				RD		254.0	281.7	88.5
	w/ 4 Wheel ABS; w/ 9" Rear Drum	27072				HR	✓	261.1	24.5	108.0	23019				RD		228.6	230.1	72.0
	w/ 4 Wheel ABS; w/ 10" Rear Drum	27072				HR	✓	261.1	24.5	108.0	23018				RD		254.0	281.7	88.5
1998 - 2000	9" Rear Drum; Coil Spring Front Suspension; 4 Wheel ABS	27160			@	HR		261.0	24.5	107.8	NYA				-		-	-	-
	9" Rear Drum; Coil Spring Front Suspension; Rear Wheel ABS	27079				HR		261.1	24.5	108.0	NYA				-		-	-	-
	10" Rear Drum; Coil Spring Front Suspension; 4 Wheel ABS	27160			@	HR		261.0	24.5	107.8	23020				RD		254.0	281.7	88.5
	10" Rear Drum; Coil Spring Front Suspension; Rear Wheel ABS	27079				HR		261.1	24.5	108.0	23020				RD		254.0	281.7	88.5
	9" Rear Drum Brakes; Torsion Bar Front Suspension	27075			@	HR	✓	286.5	24.5	108.0	NYA				-		-	-	-
	10" Rear Drum Brakes; Torsion Bar Front Suspension	27075			@	HR	✓	286.5	24.5	108.0	23020				RD		254.0	281.7	88.5
	Rear Disc Brakes; Electric Motor	27075			@	HR	✓	286.5	24.5	108.0	27045			@	SD	✓	285.0	11.0	-
2001 - 2004	9" Rear Drum Brakes	27075			@	HR	✓	286.5	24.5	108.0	NYA				-		-	-	-
	10" Rear Drum Brakes	27075			@	HR	✓	286.5	24.5	108.0	23020				RD		254.0	281.7	88.5
	Rear Disc Brakes; Electric Motor	27075			@	HR	✓	286.5	24.5	108.0	27045			@	SD	✓	285.0	11.0	-
RANGER (4WD)																			
1983 - 1989	w/ 9" Rear Drum	27033				HR		276.3	20.6	55.4	23019				RD		228.6	230.1	72.0
	w/ 10" Rear Drum	27033				HR		276.3	20.6	55.4	23018				RD		254.0	281.7	88.5
1990 - 1994	w/ 9" Rear Drum; Excludes 3.45 Axle Ratio	27036				HR		276.3	20.6	63.1	23019				RD		228.6	230.1	72.0
	w/ 10" Rear Drum; Excludes 3.45 Axle Ratio	27036				HR		276.3	20.6	63.1	23018				RD		254.0	281.7	88.5
	w/ 9" Rear Drum; w/ 3.45 Axle Ratio	27033				HR		276.3	20.6	55.4	23019				RD		228.6	230.1	72.0
	w/ 10" Rear Drum; w/ 3.45 Axle Ratio	27033				HR		276.3	20.6	55.4	23018				RD		254.0	281.7	88.5
1995 - 1997	w/ 9" Rear Drum; Excludes 3.45 Axle Ratio	27074				HR	✓	285.8	24.5	57.7	23019				RD		228.6	230.1	72.0
	w/ 10" Rear Drum; Excludes 3.45 Axle Ratio	27074				HR	✓	285.8	24.5	57.7	23018				RD		254.0	281.7	88.5
	w/ 9" Rear Drum; w/ 3.45 Axle Ratio	27033				HR		276.3	20.6	55.4	23019				RD		228.6	230.1	72.0
	w/ 10" Rear Drum; w/ 3.45 Axle Ratio	27033				HR		276.3	20.6	55.4	23018				RD		254.0	281.7	88.5
1998 - 2002	9" Rear Drum Brakes	27010			@	VD	✓	286.0	24.5	66.0	NYA				-		-	-	-
	10" Rear Drum Brakes	27010			@	VD	✓	286.0	24.5	66.0	23020				RD		254.0	281.7	88.5
2003 - 2004	9" Rear Drum Brakes	27238				VD		-	24.5	-	NYA				-		-	-	-
	10" Rear Drum Brakes	27238				VD		-	24.5	-	23020				RD		254.0	281.7	88.5
WINDSTAR																			
1995 - 1998	Rear Drum Brakes	27043			@	VD	✓	275.8	24.8	46.8	23086				RD		250.1	251.6	76.5
	Rear Disc Brakes	27043			@	VD	✓	275.8	24.8	46.8	27215				SD		284.0	10.4	61.6
1999 - 2003	Rear Drum Brakes	27094				VD		281.4	24.7	46.5	23086				RD		250.1	251.6	76.5
	Rear Disc Brakes	27094				VD		281.4	24.7	46.5	27215				SD		284.0	10.4	61.6

Make Model, Year (s)	Notes	Front					Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground					Disc / Drum	HC	PVT	Screw	Ground			

1/2 TON E-100/150 SERIES VAN

1975 - 1979		27025					HR	297.7	28.5	137.1	23012				RD	280.2	282.4	91.4
1980 - 1986		27025					HR	297.7	28.5	137.1	23011				RD	280.2	282.4	89.7
1987 - 1993		27025					HR	297.7	28.5	137.1	23012				RD	280.2	282.4	91.4
1994 - 12/16/99	w/ 4 Wheel ABS	27120					HR	297.7	24.5	133.4	23012				RD	280.2	282.4	91.4
	w/ Rear Wheel ABS	27030					HR	297.7	24.5	133.1	23012				RD	280.2	282.4	91.4
12/16/99 - 2001	w/ 4 Wheel ABS; Rear Drum To 01/19/00	27120					HR	297.7	24.5	133.4	23012				RD	280.2	282.4	91.4
	w/ Rear Wheel ABS; Rear Drum Fron 01/19/00	27030					HR	297.7	24.5	133.1	NYA			-	-	-	-	
2002 - 2003		27120					HR	297.7	24.5	133.4	NYA			-	-	-	-	
2004		NYA					-	-	-	-	NYA			-	-	-	-	

1/2 TON F-100/150 SERIES PICK-UP (2WD)

1968 - 1972		23050					FD	280.2	281.7	99.3	NYA				-	-	-	-	
1973 - 1974		27025					HR	297.7	28.5	137.1	NYA				-	-	-	-	
1975 - 1979		27025					HR	297.7	28.5	137.1	23011				RD	280.2	282.4	89.7	
1980 - 1986		27025					HR	297.7	28.5	137.1	23011				RD	280.2	282.4	89.7	
1987 - 1993		27025					HR	297.7	28.5	137.1	23012				RD	280.2	282.4	91.4	
1994 - 1996	w/ Rear Wheel ABS	27030					HR	297.7	24.5	133.1	23012				RD	280.2	282.4	91.4	
	w/ 4 Wheel ABS	27120					HR	297.7	24.5	133.4	23012				RD	280.2	282.4	91.4	
1997 - 12/01/98	w/ Rear Wheel ABS; w/ Rear Drum	27076					HR	✓	308.0	24.7	97.0	23032			RD	323.6	282.4	91.4	
	w/ 4 Wheel ABS; w/ Rear Drum	27200					HR		308.1	24.7	104.1	23032			RD	323.6	282.4	91.4	
	Rear Disc - Lightning	27077					HR	✓	307.6	27.7	90.8	27168			SD	✓	334.0	12.0	56.1
12/02/98 - 11/99	w/ Rear Wheel ABS; w/ Rear Drum	27076					HR	✓	308.0	24.7	97.0	23032			RD	323.6	282.4	91.4	
	w/ 4 Wheel ABS; w/ Rear Drum	27200					HR		308.1	24.7	104.1	23032			RD	323.6	282.4	91.4	
	Rear Disc Excludes Lightning	27200					HR		308.1	24.7	104.1	27168			SD	✓	334.0	12.0	56.1
	Lightening & NASCAR Edition; 12mm Studs	27077					HR	✓	307.6	27.7	90.8	27168			SD	✓	334.0	12.0	56.1
12/99 - 12/13/01	Rear Drum Brakes; (5 Lug)	27201					VD	✓	308.1	24.7	104.1	NYA			-	-	-	-	
	Rear Drum Brakes; Rear Wheel ABS; (7 Lug)	27261					HR		308.1	27.7	90.9	NYA			-	-	-	-	
	Rear Drum Brakes; 4 Wheel ABS; (7 Lug)	27260					HR		308.1	27.7	90.9	NYA			-	-	-	-	
	Rear Disc Brakes; (5 Lug); Excludes Lightning	27201					VD	✓	308.1	24.7	104.1	27145			SD	334.0	12.0	56.1	
	Rear Disc Brakes; (5 Lug); Lightning	27199					VD		308.1	27.7	102.9	27145			SD	334.0	12.0	56.1	
	Rear Disc Brakes; Rear Wheel ABS; (7 Lug)	27261					HR		308.1	27.7	90.9	NYA			-	-	-	-	
	Rear Disc Brakes; 4 Wheel ABS; (7 Lug)	27260					HR		308.1	27.7	90.9	NYA			-	-	-	-	
	7700 GVW.; (8 Lug)	27071					HR	✓	331.0	28.0	67.1	27270			VD	326.0	28.0	110.7	
12/14/01 - 2003	Rear Drum Brakes; (5 Lug)	27201					VD	✓	308.1	24.7	104.1	NYA			-	-	-	-	
	Rear Drum Brakes; (7 Lug)	27260					HR		308.1	27.7	90.9	NYA			-	-	-	-	
	Rear Disc Brakes; (5 Lug); Excludes Lightning	27201					VD	✓	308.1	24.7	104.1	27145			SD	334.0	12.0	56.1	
	Rear Disc Brakes; (5 Lug); Lightning	27199					VD		308.1	27.7	102.9	27145			SD	334.0	12.0	56.1	
	Rear Disc Brakes; (7 Lug)	27260					HR		308.1	27.7	90.9	NYA			-	-	-	-	
2004	Rear Disc Brakes (8 Lug)	27071					HR	✓	331.0	28.0	67.1	27270			VD	326.0	28.0	110.7	
	HERITAGE; Rear Drum Brakes (5 Lug)	27201					VD	✓	308.1	24.7	104.1	NYA			-	-	-	-	
	HERITAGE; Rear Drum Brakes (7 Lug)	27260					HR		308.1	27.7	90.9	NYA			-	-	-	-	
	HERITAGE; Rear Disc Brakes (5 Lug) Exc. Lightning	27201					VD	✓	308.1	24.7	104.1	27145			SD	334.0	12.0	56.1	
	HERITAGE; Rear Disc Brakes (5 Lug) Lightning	27199					VD		308.1	27.7	102.9	27145			SD	334.0	12.0	56.1	
	HERITAGE; Rear Disc Brakes (7 Lug)	27260					HR		308.1	27.7	90.9	NYA			-	-	-	-	

1/2 TON F-100/150 SERIES PICK-UP (4WD)

1973 - 1979		27022					VD	297.8	28.5	68.7	23011				RD	280.2	282.4	89.7
-------------	--	-------	--	--	--	--	----	-------	------	------	-------	--	--	--	----	-------	-------	------

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type			SFOUR	Disc / Drum	HC	PVT	Screw	Ground				Type
1980	Excludes 3.50 Manual Locking Hubs	27022					VD	297.8	28.5	68.7					RD	280.2	282.4	89.7	
1981 - 1982	Excludes 3.50 Manual Locking Hubs	27022					VD	297.8	28.5	68.7					RD	280.2	282.4	89.7	
	w/ 3.50 Manual Locking Hubs	27055					VD	319.1	30.0	81.4					RD	280.2	282.4	89.7	
1983		NYA					-	-	-	-					-	-	-	-	
1984 - 1985		27022					VD	297.8	28.5	68.7					RD	280.2	282.4	89.7	
1986		27022					VD	297.8	28.5	68.7					RD	280.2	282.4	89.7	
1987 - 4/1988	w/ Automatic Locking Hubs	27022					VD	297.8	28.5	68.7					RD	280.2	282.4	91.4	
	w/ Manual Locking Hubs	27158					HR	297.7	28.5	75.6					RD	280.2	282.4	91.4	
5/1988 - 1993		27022					VD	297.8	28.5	68.7					RD	280.2	282.4	91.4	
1994 - 05/95	Rotor Only	27070													RD	280.2	282.4	91.4	
	Hub & Rotor w/ ABS	27257													RD	280.2	282.4	91.4	
	Hub & Rotor w/out ABS	NYA					-	-	-	-					RD	280.2	282.4	91.4	
05/95 - 1996	Rotor Only	27070													RD	280.2	282.4	91.4	
	Hub & Rotor w/ ABS	NYA					-	-	-	-					RD	280.2	282.4	91.4	
	Hub & Rotor w/out ABS	NYA					-	-	-	-					RD	280.2	282.4	91.4	
1997 - 12/01/98	Rotor Only	27015				VD	✓	308.0	24.5	52.0				RD	316.7	282.4	91.4		
12/02/98 - 11/99	Rear Drum Brakes - Rotor Only	27015					VD	✓	308.0	24.5	52.0				RD	316.7	282.4	91.4	
	Rear Disc Brakes - Rotor Only	27015					VD	✓	308.0	24.5	52.0				SD	✓	334.0	12.0	56.1
12/99 - 2003	Rear Drum Brakes (5 Lug) - Rotor Only	27015					VD	✓	308.0	24.5	52.0					-	-	-	
	Rear Drum Brakes (7 Lug) - Rotor Only	27078				@	VD		307.9	27.7	47.0					-	-	-	
	Rear Disc Brakes (5 Lug) - Rotor Only	27015					VD	✓	308.0	24.5	52.0				SD		334.0	12.0	56.1
	Rear Disc Brakes (7 Lug) - Rotor Only	27078				@	VD		307.9	27.7	47.0					-	-	-	
2004	HERITAGE; Rear Drum Brakes (5 Lug)	27015					VD	✓	308.0	24.5	52.0					-	-	-	
	HERITAGE; Rear Drum Brakes (7 Lug)	27078				@	VD		307.9	27.7	47.0					-	-	-	
	HERITAGE; Rear Disc Brakes (5 Lug)	27015					VD	✓	308.0	24.5	52.0				SD		334.0	12.0	56.1
	HERITAGE; Rear Disc Brakes (7 Lug)	27078				@	VD		307.9	27.7	47.0				SD		334.0	12.0	56.1

3/4 TON E-200/250 VAN

1975 - 1980		NYA					-	-	-	-					RD	304.8	307.1	125.7
1981 - 1983		NYA					-	-	-	-					-	-	-	-
1984 - 1985	w/ 12 x 3" Rear Brakes	NYA					-	-	-	-					RD	304.8	306.3	125.7
1986	w/ 12 x 3" Rear Brakes	27056					HR		319.1	30.0	142.9				RD	304.8	306.3	125.7
	w/ 12 x 2.5" Rear Brakes	27056					HR		319.1	30.0	142.9				RD	304.8	307.1	119.4
1987 - 1989	w/ 7.5 Ring Gear; 12 x 2.5" Rear Brakes	27056					HR		319.1	30.0	142.9				-	-	-	-
	w/ 8.8 Ring Gear; 12 x 2.5" Rear Brakes	27056					HR		319.1	30.0	142.9				RD	304.8	307.1	119.4
	w/ 12 x 3" Rear Brakes	27056					HR		319.1	30.0	142.9				RD	304.8	307.1	134.9
1990 - 1991	w/ 12 x 2.5" Rear Brakes	27056					HR		319.1	30.0	142.9				RD	304.8	307.1	119.4
	w/ 12 x 3" Rear Brakes	27056					HR		319.1	30.0	142.9				RD	304.8	307.1	134.9
1992 - 1993		27118					HR		319.1	30.0	142.9				-	-	-	-
1994	w/ 4 Wheel ABS	27213					HR		319.0	30.0	142.9				-	-	-	-
	w/ Rear Wheel ABS	27214					HR		319.0	30.0	142.9				-	-	-	-
1995 - 1998	SRW w/ 4 Wheel ABS	27123					HR		331.0	28.0	143.3				RD	304.8	307.1	124.7
	SRW w/ Rear Wheel ABS	27071					HR	✓	331.0	28.0	67.1				RD	304.8	307.1	124.7
1999 - 01/10/00	SRW w/ 4 Wheel ABS; Rear Drum	27123					VD		331.0	28.0	143.3				RD	304.8	307.1	124.7
	SRW w/ Rear Wheel ABS; Rear Drum	27071					HR	✓	331.0	28.0	67.1				RD	304.8	307.1	124.7
	SRW w/ 4 Wheel ABS; Rear Disc	27123					VD		331.0	28.0	143.3				VD	325.9	28.0	98.3
	SRW w/ Rear Wheel ABS; Rear Disc	27071					HR	✓	331.0	28.0	67.1				VD	325.9	28.0	98.3
01/10/00 - 2003	Rear Drum Brakes	27123					VD		331.0	28.0	143.3				RD	304.8	307.1	124.7
	Rear Disc brakes	27123					VD		331.0	28.0	143.3				VD	325.9	28.0	98.3
2004	Rear Disc brakes	27123					VD		331.0	28.0	143.3				VD	325.9	28.0	98.3

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------

3/4 TON F-250 SERIES (2WD) (Excluding Super Duty)

1968 - 1979	w/ 12 x 2.5" Rear Brakes	NYA					-		-	-	-	23043					RD		304.8	307.1	125.7
1980- 1983	w/ Heavy Duty Brakes	NYA					-		-	-	-	23049					RD		304.8	306.3	125.7
	w/ Semi-Float Brakes	NYA					-		-	-	-	23042					RD		304.8	306.3	179.1
1984		NYA					-		-	-	-	23049					RD		304.8	306.3	125.7
1985	w/ 12 x 3" Brakes; Excludes 10.25 Ring Gear	NYA					-		-	-	-	23049					RD		304.8	306.3	125.7
	w/ 12 x 3" Brakes; w/ 10.25 Ring Gear	NYA					-		-	-	-	23033					RD		304.8	307.1	134.9
1986 - 1989	w/ 12 x 2.5" Brakes; w/ 8.8 Ring Gear	27056					HR		319.1	30.0	142.9	23051					RD		304.8	307.1	119.4
	w/ 12 x 3" Brakes; Excludes 10.25 Ring Gear	27056					HR		319.1	30.0	142.9	23049					RD		304.8	306.3	125.7
	w/ 12 x 3" Brakes; w/ 10.25 Ring Gear	27056					HR		319.1	30.0	142.9	23033					RD		304.8	307.1	134.9
1990 - 1994	w/ 12 x 2.5" Brakes; w/ 8.8 Ring Gear	27056					HR		319.1	30.0	142.9	23051					RD		304.8	307.1	119.4
	w/ 12 x 3" Brakes; w/ 10.25 Ring Gear	27056					HR		319.1	30.0	142.9	23033					RD		304.8	307.1	134.9
1995 - 1996	w/ 12 x 2.5" Brakes; w/ 8.8 Ring Gear	27071					HR	✓	331.0	28.0	67.1	23051					RD		304.8	307.1	119.4
	w/ 12 x 3" Brakes; w/ 10.25 Ring Gear	27071					HR	✓	331.0	28.0	67.1	23033					RD		304.8	307.1	134.9
1997-1998	Rear Drum Brakes; 4 Wheel ABS	27260					HR		308.1	27.7	90.9	NYA					-		-	-	-
	Rear Drum Brakes; Rear Wheel ABS	27261					HR		308.1	27.7	90.9	NYA					-		-	-	-
	Rear Disc Brakes; 4 Wheel ABS	27260					HR		308.1	27.7	90.9	NYA					-		-	-	-
	Rear Disc Brakes; Rear Wheel ABS	27261					HR		308.1	27.7	90.9	NYA					-		-	-	-

3/4 TON F-250 SERIES SUPER DUTY PICK-UP (2WD)

1999 - 2002	Rear Wheel ABS	NYA					-		-	-	-	27106					HR		331.0	36.0	143.5
	4 Wheel ABS	27266					HR		331.0	36.0	143.5	27106					HR		331.0	36.0	143.5
2003 - 2004		NYA					-		-	-	-	27106					HR		331.0	36.0	143.5

3/4 TON F-250 SERIES PICK-UP (4WD) - Excludes Super Duty

1968 - 1976	w/ 12 x 2.5" Rear Brakes	NYA					-		-	-	-	23043					RD		304.8	307.1	125.7
1977 - 1979		27055					VD		319.1	30.0	81.4	23043					RD		304.8	307.1	125.7
1980 - 1983	w/ Heavy Duty Brakes	27055					VD		319.1	30.0	81.4	23049					RD		304.8	306.3	125.7
	w/ Semi-Float Brakes	27055					VD		319.1	30.0	81.4	23042					RD		304.8	306.3	179.1
1984		27055					VD		319.1	30.0	81.4	23049					RD		304.8	306.3	125.7
1985	w/ 12 x 3" Brakes; Excludes 10.25 Ring Gear	27055					VD		319.1	30.0	81.4	23049					RD		304.8	306.3	125.7
	w/ 12 x 3" Brakes; w/ 10.25 Ring Gear	27055					VD		319.1	30.0	81.4	23033					RD		304.8	307.1	134.9
1986 - 1989	w/ 12 x 2.5" Brakes; w/ 8.8 Ring Gear	27055					VD		319.1	30.0	81.4	23051					RD		304.8	307.1	119.4
	w/ 12 x 3" Brakes; Excludes 10.25 Ring Gear	27055					VD		319.1	30.0	81.4	23049					RD		304.8	306.3	125.7
	w/ 12 x 3" Brakes; w/ 10.25 Ring Gear	27055					VD		319.1	30.0	81.4	23033					RD		304.8	307.1	134.9
1990 - 1994	w/ 12 x 2.5" Brakes; w/ 8.8 Ring Gear	27055					VD		319.1	30.0	81.4	23051					RD		304.8	307.1	119.4
	w/ 12 x 3" Brakes; w/ 10.25 Ring Gear	27055					VD		319.1	30.0	81.4	23033					RD		304.8	307.1	134.9
1995 - 1996	w/ 12 x 2.5" Brakes; w/ 8.8 Ring Gear	27125					VD		329.0	28.5	78.6	23051					RD		304.8	307.1	119.4
	w/ 12 x 3" Brakes; w/ 10.25 Ring Gear	27125					VD		329.0	28.5	78.6	23033					RD		304.8	307.1	134.9
1997 - 1999	Rear Drum Brakes	27078				@	VD		307.9	27.7	47.0	NYA					-		-	-	-
	Rear Disc Brakes	27078				@	VD		307.9	27.7	47.0	NYA					-		-	-	-

3/4 TON F-250 SERIES SUPER DUTY PICK-UP (4WD)

1999 - 03/22/99		27239					VD		-	36.0	-	27107					VD		325.9	28.0	98.3
03/22/99 - 2004		27245					VD		-	36.0	-	27107					VD		325.9	28.0	98.3

1 TON E-300/350 SERIES VAN

1973 - 1974	w/ SRW	NYA					-		-	-	-	23043					RD		304.8	307.1	125.7
	w/ DRW	NYA					-		-	-	-	23042					RD		304.8	306.3	179.1

Make Model, Year (s)	Notes	Front							Overall			Rear							Overall		
		Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Height (mm.)	Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Height (mm.)
1975	w/ SRW	NYA						-	-	-						RD		304.8	306.3	125.7	
	w/ DRW	NYA						-	-	-						RD		304.8	306.3	179.1	
1976 - 1979	w/ SRW	NYA						-	-	-						RD		304.8	306.3	125.7	
	w/ DRW	27151					VD	319.0	30.0	93.1						RD		304.8	306.3	179.1	
1980	w/ SRW	NYA						-	-	-						RD		304.8	306.3	125.7	
	w/ DRW	27151					VD	319.0	30.0	93.1						-		-	-	-	
1981 - 1986	w/ SRW	NYA						-	-	-						RD		304.8	306.3	125.7	
	w/ DRW	27151					VD	319.0	30.0	93.1						RD		304.8	306.3	179.1	
1987 - 1989	w/ SRW	27056					HR	319.1	30.0	142.9						RD		304.8	307.1	134.9	
	w/ DRW; w/ 3" Rear Shoes	27151					VD	319.0	30.0	93.1						RD		304.8	306.3	179.1	
	w/ DRW; w/ 3.5" Rear Shoes	27151					VD	319.0	30.0	93.1						RD		308.0	310.1	175.3	
1990 - 1991	w/ SRW	27056					HR	319.1	30.0	142.9						RD		304.8	307.1	134.9	
	DRW w/ 3" Rear Shoes	27151					VD	319.0	30.0	93.1						RD		304.8	306.3	179.1	
	DRW w/ 3.5" Rear Shoes	27151					VD	319.0	30.0	93.1						RD		308.0	310.1	175.3	
1992 - 1993	SRW; Rear Drum 5.75" Tall	27118					VD	292.1	18.4	63.9						RD		308.0	310.1	146.1	
	SRW; Rear Drum 6.88" Tall	27118					VD	292.1	18.4	63.9						RD		308.0	310.1	175.3	
	DRW w/ 3" Rear Shoes	27151					VD	319.0	30.0	93.1						RD		304.8	306.3	179.1	
	DRW w/ 3.5" Rear Shoes	27151					VD	319.0	30.0	93.1						RD		308.0	310.1	175.3	
1994	w/ SRW; w/ Rear Wheel ABS & Dana 60 Axle	27214					HR	319.0	30.0	142.9						RD		308.0	310.1	146.1	
	w/ SRW; w/ Rear Wheel ABS & Dana 70 Axle	27214					HR	319.0	30.0	142.9						RD		308.0	310.1	175.3	
	w/ SRW; w/ 4 Wheel ABS & Dana 60 Axle	27213					HR	319.0	30.0	142.9						RD		308.0	310.1	146.1	
	w/ SRW; w/ 4 Wheel ABS & Dana 70 Axle	27213					HR	319.0	30.0	142.9						RD		308.0	310.1	175.3	
	w/ DRW; w/ Rear Wheel ABS	27167					HR	331.0	28.0	200.7						RD		308.0	310.1	175.3	
	w/ DRW; w/ 4 Wheel ABS	27167					HR	331.0	28.0	200.7						RD		308.0	310.1	175.3	
1995 - 1998	w/ SRW; w/ Rear Wheel ABS & Dana 60 Axle	27071					HR	✓ 331.0	28.0	67.1						RD		308.0	310.1	146.1	
	w/ SRW; w/ Rear Wheel ABS & Dana 70 Axle	27071					HR	✓ 331.0	28.0	67.1						RD		308.0	310.1	175.3	
	w/ SRW; w/ 4 Wheel ABS & Dana 60 Axle	27123					HR	331.0	28.0	143.3						RD		308.0	310.1	146.1	
	w/ SRW; w/ 4 Wheel ABS & Dana 70 Axle	27123					HR	331.0	28.0	143.3						RD		308.0	310.1	175.3	
	w/ DRW; w/ Rear Wheel ABS	27167					HR	331.0	28.0	200.7						RD		308.0	310.1	175.3	
	w/ DRW; w/ 4 Wheel ABS	27121					HR	331.0	28.0	205.0						RD		308.0	310.1	175.3	
1999-2000	SRW; 4 Wheel ABS; TO 11/16/99	27123					HR	331.0	28.0	143.3						VD		325.9	28.0	98.3	
	SRW; 4 Wheel ABS; FROM 11/16/99	27123					HR	331.0	28.0	143.3						VD		326.0	28.0	110.7	
	SRW; Rear Wheel ABS; TO 11/16/99	27071					HR	✓ 331.0	28.0	67.1						VD		325.9	28.0	98.3	
	SRW; Rear Wheel ABS; FROM 11/16/99	27071					HR	✓ 331.0	28.0	67.1						VD		326.0	28.0	110.7	
	DRW; Rear Wheel ABS	27167					HR	331.0	28.0	200.7						VD		326.0	28.0	110.7	
	DRW; 4 Wheel ABS	27121					HR	331.0	28.0	205.0						VD		326.0	28.0	110.7	
2001-2004	SRW	27123					VD	331.0	28.0	143.3						VD		326.0	28.0	110.7	
	DRW	27121					VD	331.0	28.0	205.0						VD		326.0	28.0	110.7	

1 TON F-350 (2WD) - Including Super Duty

1967 - 1973		NYA						-	-	-						RD		304.8	306.3	179.1
1974 - 1975	Excludes Super Cab	NYA						-	-	-						RD		304.8	306.3	179.1
	Super Cab	NYA						-	-	-						RD		304.8	306.3	179.1
1976 - 1979	w/ SRW	NYA						-	-	-						RD		304.8	306.3	179.1
	w/ DRW	27151					VD	319.0	30.0	93.1						RD		304.8	306.3	125.7
1980 - 1983	w/ SRW	NYA						-	-	-						RD		304.8	306.3	125.7
	w/ DRW	27151					VD	319.0	30.0	93.1						RD		304.8	306.3	179.1
1984 - 1986	w/ SRW; w/ 5.4" Hub Hole	NYA						-	-	-						RD		304.8	306.3	125.7
	w/ SRW; w/ 5" Hub Hole	NYA						-	-	-						RD		304.8	307.1	134.9
	w/ DRW; 7.125" Tall	27151					VD	319.0	30.0	93.1						RD		304.8	306.3	179.1
	w/ DRW; 6.25" Tall	27151					VD	319.0	30.0	93.1						-		-	-	-

Make Model, Year (s)	Notes	Front					SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground					Type	Disc / Drum	HC	PVT	Screw				Ground
1987 - 1989	w/ SRW; w/ 5.4" Hub Hole	27056					HR	319.1	30.0	142.9	23049					RD	304.8	306.3	125.7
	w/ SRW; w/ 5" Hub Hole	27056					HR	319.1	30.0	142.9	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3" Rear Shoes; 7.125" Tall	27151					VD	319.0	30.0	93.1	23042					RD	304.8	306.3	179.1
	w/ DRW; w/ 3" Rear Shoes; 6.25" Tall	27151					VD	319.0	30.0	93.1	NYA					-	-	-	-
	w/ DRW; w/ 3.5" Rear Shoes	27151					VD	319.0	30.0	93.1	23013					RD	308.0	310.1	175.3
1990 - 1994	w/ SRW	27056					HR	319.1	30.0	142.9	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3" Rear Shoes	27151					VD	319.0	30.0	93.1	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3.5" Rear Shoes	27151					VD	319.0	30.0	93.1	23013					RD	308.0	310.1	175.3
1995 - 1998	w/ SRW	27071					HR	331.0	28.0	67.1	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3" Rear Shoes	27159					HR	331.0	28.0	207.0	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3.5" Rear Shoes	27159					HR	331.0	28.0	207.0	23013					RD	308.0	310.1	175.3
1999 - 2002	SRW; Rear Wheel ABS	NYA					-	-	-	-	27107					VD	325.9	28.0	98.3
	SRW; 4 Wheel ABS	27266					HR	331.0	36.0	143.5	27107					VD	325.9	28.0	98.3
	DRW	27265					HR	331.0	36.0	143.5	27116					VD	326.0	28.0	112.8
2003 - 2004	SRW	NYA					-	-	-	-	27107					VD	325.9	28.0	98.3
	DRW	27265					HR	331.0	36.0	143.5	27116					VD	326.0	28.0	112.8

1 TON F-350 (4WD) Including Super Duty

1979		27055					VD	319.1	30.0	81.4	23043					RD	304.8	307.1	125.7
1980 - 1983	w/ SRW	27055					VD	319.1	30.0	81.4	23049					RD	304.8	306.3	125.7
	w/ DRW	27055					VD	319.1	30.0	81.4	23042					RD	304.8	306.3	179.1
1984 - 1986	w/ SRW; w/ 5.4" Hub Hole	27055					VD	319.1	30.0	81.4	23049					RD	304.8	306.3	125.7
	w/ SRW; w/ 5" Hub Hole	27055					VD	319.1	30.0	81.4	23033					RD	304.8	307.1	134.9
	w/ DRW; 7.125" Tall	27055					VD	319.1	30.0	81.4	23042					RD	304.8	306.3	179.1
	w/ DRW; 6.25" Tall	27055					VD	319.1	30.0	81.4	NYA					-	-	-	
1987 - 1989	w/ SRW; w/ 5.4" Hub Hole	27055					VD	319.1	30.0	81.4	23049					RD	304.8	306.3	125.7
	w/ SRW; w/ 5" Hub Hole	27055					VD	319.1	30.0	81.4	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3" Rear Shoes; 7.125" Tall	NYA					-	-	-	-	23042					RD	304.8	306.3	179.1
	w/ DRW; w/ 3" Rear Shoes; 6.25" Tall	NYA					-	-	-	-	NYA					-	-	-	
	w/ DRW; w/ 3.5" Rear Shoes	NYA					-	-	-	-	23013					RD	308.0	310.1	175.3
1990 - 1994	w/ SRW	27055					VD	319.1	30.0	81.4	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3" Rear Shoes	27055					VD	319.1	30.0	81.4	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3.5" Rear Shoes	27055					VD	319.1	30.0	81.4	23013					RD	308.0	310.1	175.3
1995 - 1998	w/ SRW	27125					VD	329.0	28.5	78.6	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3" Rear Shoes	27125					VD	329.0	28.5	78.6	23033					RD	304.8	307.1	134.9
	w/ DRW; w/ 3.5" Rear Shoes	27125					VD	329.0	28.5	78.6	23013					RD	308.0	310.1	175.3
1999 - 03/22/99	SRW	27239					VD	-	36.0	-	27107					VD	325.9	28.0	98.3
	DRW	27245					VD	-	36.0	-	27116					VD	326.0	28.0	112.8
03/22/99 - 2004	SRW	27239					VD	-	36.0	-	27107					VD	325.9	28.0	98.3
	DRW	27245					VD	-	36.0	-	27116					VD	326.0	28.0	112.8

1 TON E-450 / 47 SUPER DUTY VAN

1996 - 2001	w/ Rear Wheel ABS	27167					HR	331.0	28.0	200.7	27262					VD		36.3	
	w/ 4 Wheel ABS	27121					HR	331.0	28.0	205.0	27262					VD		36.3	
2002-2004		27121					HR	331.0	28.0	205.0	27262					VD		36.3	

1 TON F-450 / F47 2WD SUPER DUTY

1988-1998	Rotor Only	27115					VD	327.8	36.3	47.6	27115					VD	327.8	36.3	47.6
1999-2001		27271					VD	369.1	36.0	97.8	27264					VD	395.0	36.0	123.7
2002 - 2004	Non-ABS	27271					VD	369.1	36.0	97.8	27264					VD	395.0	36.0	123.7

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	ABS	27271					VD		369.1	36.0	97.8	NYA					-		-	-	-

1 TON F-450 / F47 4WD SUPER DUTY

1999-03/22/99		NYA					-		-	-	-	27264					VD		395.0	36.0	123.7
03/23/99-2001		27271					VD		369.1	36.0	97.8	27264					VD		395.0	36.0	123.7
2002 - 2004	Non-ABS	27271					VD		369.1	36.0	97.8	27264					VD		395.0	36.0	123.7
	ABS	27271					VD		369.1	36.0	97.8	NYA					-		-	-	-

1 TON F53/59 RV, Motorhome, Stripped Chassis

1988 - 1998	Rotor Only	27115					VD		327.8	36.3	47.6	27115					VD		327.8	36.3	47.6
1999 - 2001		27264					VD		395.0	36.0	123.7	27264					VD		395.0	36.0	123.7
2002 - 2004	Non-ABS	27271					VD		369.1	36.0	97.8	27264					VD		395.0	36.0	123.7
	ABS	27271					VD		369.1	36.0	97.8	NYA					-		-	-	-

1 TON F550 2WD SUPER DUTY

1988 - 1998	Rotor Only	27115					VD		327.8	36.3	47.6	27115					VD		327.8	36.3	47.6
1999 - 2001		27271					VD		369.1	36.0	97.8	27264					VD		395.0	36.0	123.7
2002 - 2004	Non-ABS	27271					VD		369.1	36.0	97.8	27264					VD		395.0	36.0	123.7
	ABS	27271					VD		369.1	36.0	97.8	NYA					-		-	-	-

1 TON F550 4WD SUPER DUTY

1999-03/22/99		NYA					-		-	-	-	27264					VD		395.0	36.0	123.7
03/23/99-2001		27271					VD		369.1	36.0	97.8	27264					VD		395.0	36.0	123.7
2002 - 2004	Non-ABS	27271					VD		369.1	36.0	97.8	27264					VD		395.0	36.0	123.7
	ABS	27271					VD		369.1	36.0	97.8	NYA					-		-	-	-

E550

2002 - 2004		27271					VD		369.1	36.0	97.8	27264					VD		395.0	36.0	123.7
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	------	-------

GEO:

METRO

1990 - 1991	USA - Convertible	25403				@	VD		231.0	15.0	50.0	21096					RD		180.0	182.0	74.0
	USA - Excludes Convertible	25123				@	SD		215.0	8.0	33.0	21095					RD		180.0	182.0	65.5
	Canada	25403				@	VD		231.0	15.0	50.0	21096					RD		180.0	182.0	74.0
1992 - 1993	USA - Convertible	25403				@	VD		231.0	15.0	50.0	21096					RD		180.0	182.0	74.0
	USA - Excludes Convertible	25123				@	SD		215.0	8.0	33.0	21095					RD		180.0	182.0	65.5
	Canada 1.0L & 4 Door 1.3L	25403				@	VD		231.0	15.0	50.0	NYA					-		-	-	-
	Canada 2 Door 1.3L	25403				@	VD		231.0	15.0	50.0	21096					RD		180.0	182.0	74.0
	USA	25123				@	SD		215.0	8.0	33.0	21095					RD		180.0	182.0	65.5
1994	Canada 1.0L & 4 Door 1.3L	25403				@	VD		231.0	15.0	50.0	NYA					-		-	-	-
	Canada 2 Door 1.3L	25403				@	VD		231.0	15.0	50.0	21096					RD		180.0	182.0	74.0
	USA	25123				@	SD		215.0	8.0	33.0	21095					RD		180.0	182.0	65.5
1995 - 1998	2 Door w/ ABS	25403				@	VD		231.0	15.0	50.0	21097					RD		180.0	182.0	51.0
	2 Door w/out ABS	25403				@	VD		231.0	15.0	50.0	21096					RD		180.0	182.0	74.0
	4 Door	25403				@	VD		231.0	15.0	50.0	NYA					-		-	-	-

PRIZM

1989		25510					VD		238.0	17.0	48.2	21076					RD		200.0	201.0	65.5
1990 - 1992	Excludes GSI 16 Valve	25510					VD		238.0	17.0	48.2	21076					RD		200.0	201.0	65.5
	GSI 16 Valve	25580				@	VD		258.0	21.0	48.0	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1993 - 1997		25388				@	VD		255.0	20.0	48.2	21070					RD		200.0	201.0	65.5

SPECTRUM

1989	Excludes Turbo	25126				@	SD		227.0	9.6	42.0	NYA					-		-	-	-
	Turbo	25459				@	VD		230.0	16.6	43.0	NYA					-		-	-	-

STORM

1990 - 1993		25460					VD		248.0	20.6	45.0	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

SUNFIRE - Canada

1993		25460					VD		248.0	20.6	45.0	NYA					-		-	-	-
------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

GEO TRUCK / SUV:

TRACKER

1989 - 1995		25136				@	SD		289.0	8.0	45.7	NYA					-		-	-	-
1996 - 1997	2 Door	25136				@	SD		289.0	8.0	45.7	NYA					-		-	-	-
	4 Door	25453				@	VD		287.0	15.0	46.0	NYA					-		-	-	-

GMC TRUCK / VAN / SUV:

CABALLERO, SPRINT

1964 - 1965	w/ 9.5" Drum	23079					FD		241.3	242.8	91.2	23064					RD		241.3	242.8	74.4
	w/ 11.5" Drum	23063					FD		279.4	280.9	74.4	23063					RD		279.4	280.9	74.4
1966 - 1969	w/ 9.5" Rear Drum	23079					FD		241.3	242.8	91.2	23064					RD		241.3	242.8	74.4
	w/ 11.5" Rear Drum	23068					FD		241.3	242.8	86.6	23063					RD		279.4	280.9	74.4
1970 - 1972	w/ Front Drum	23068					FD		241.3	242.8	86.6	23064					RD		241.3	242.8	74.4
	w/ Front Disc	27127					HR		279.8	24.5	102.0	23064					RD		241.3	242.8	74.4
1973 - 1975	w/ 9.5" Rear Drum	27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
	w/ 11" Rear Drum	27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1976 - 1977		27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1978		NYA					-		-	-	-	23052					RD		254.0	255.5	99.6
1979 - 1981		27130					HR		266.7	24.3	109.5	23052					RD		254.0	255.5	99.6
1982 - 1987		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1988		27028					HR		266.7	24.5	109.3	NYA					-		-	-	-

CANYON

2004	Sport, Z71	NYA					-		-	-	-	NYA					-		-	-	-
	Z85 - 2WD	NYA					-		-	-	-	NYA					-		-	-	-
	Z85 - 4WD	NYA					-		-	-	-	NYA					-		-	-	-

DENALI - See YUKON

ENVOY

1998 - 2001		27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
2002 - 2004	5 Passenger; Excludes XL, XUV	27251					VD		-	27.5	-	27283					VD		-	18.5	-
	7 Passenger; XL, XUV	27279					VD		325.0	27.5	54.3	27283					VD		-	18.5	-

JIMMY FULL SIZE (2WD)

1969 - 1970		23059					FD		279.4	280.9	74.2	23059					RD		279.4	280.9	74.2
-------------	--	-------	--	--	--	--	----	--	-------	-------	------	-------	--	--	--	--	----	--	-------	-------	------

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1971 - 1975		27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
1976 - 1982	w/ 2.75" Rear Shoes	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
	w/ 2" Rear Shoes	NYA					-		-	-	-	23014					RD		279.4	282.4	94.0
1983 - 1984	w/ 2.75" Rear Shoes	NYA					-		-	-	-	23058					RD		283.2	284.7	98.8
	w/ 2" Rear Shoes	NYA					-		-	-	-	23014					RD		279.4	282.4	94.0
1995 - 1997		27028					HR		266.7	24.5	109.3	23053					RD		254.0	256.3	88.6
1998 - 2001		27009					VD	✓	274.0	27.5	54.5	NYA					-		-	-	-

JIMMY FULL SIZE (4WD)

1969 - 1970		NYA					-		-	-	-	23059					RD		279.4	280.9	74.2
1971 - 1973		27054					VD		301.2	30.9	58.3	NYA					-		-	-	-
1974 - 1989		27054					VD		301.2	30.9	58.3	23069					RD		283.2	284.7	125.0
1990 - 1991		27054					VD		301.2	30.9	58.3	23091					RD		282.2	284.7	101.3
1995 - 1997		27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
1998 - 2001		27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1

JIMMY MID SIZE SUV (2WD)

1982-1988		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1989-1990		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	w/ 4 Wheel ABS	27243					HR	✓	266.7	24.5	109.6	23052					RD		254.0	255.5	99.6
1992-1995	w/ Out 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	w/ 4 Wheel ABS	27243					HR	✓	266.7	24.5	109.6	23078					RD		241.3	243.6	79.5
1996-1997	w/ Out 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23078					RD		241.3	243.6	79.5
		27243					HR	✓	266.7	24.5	109.6	23078					RD		241.3	243.6	79.5
1998-2002		27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9

JIMMY MID SIZE SUV (4WD)

1989-1991		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1992-1996		27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
1997	Rear Drum Brakes	27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
	Rear Disc Brakes	27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
1998-2002		27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1

LLV POSTAL VAN

1987 - 1988		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1989 - 1995		27028					HR		266.7	24.5	109.3	23078					RD		241.3	243.6	79.5

SAFARI Van

1985 - 1989		27021					HR		301.5	24.5	77.3	23060					RD		241.3	243.6	79.5
1990 - 1995	2WD; Rear Wheel ABS	27021					HR		301.5	24.5	77.3	23060					RD		241.3	243.6	79.5
	2WD; 4 Wheel ABS	27144					HR		301.2	24.5	118.3	23060					RD		241.3	243.6	79.5
1996 - 2002	2WD	27144					HR		301.2	24.5	118.3	23060					RD		241.3	243.6	79.5
	4WD	27080					VD		294.9	30.9	78.0	23060					RD		241.3	243.6	79.5
2003 - 2004		27161					VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0

SAVANA 1/2 TON VAN

1996 - 2002		27042					HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
2003 - 2004		27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

SAVANA 3/4 TON VAN

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1996 - 2000	6 Lug; 7300 lb. GVW	27179					HR		294.9	30.9	114.6	23071					RD		241.3	243.6	79.5
	GAS ENGINE - 8 Lug; 7700-8600 lb. GVW	27081				@	HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1
	DIESEL ENGINE - 8 Lug; 7700-8600 lb. GVW	27081				@	HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
2001 - 2002	6 Lug; 7300 lb. GVW	27179					HR		294.9	30.9	114.6	23071					RD		241.3	243.6	79.5
	GAS ENGINE - 8 Lug; 7700-8600 lb. GVW	27081				@	HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1
	DIESEL ENGINE - 8 Lug; 7700-8600 lb. GVW	27281					HR		316.7	37.2	125.9	23062					RD		330.2	332.5	160.0
2003 - 2004	7300 lb. GVW	27161				@	VD	✓	304.7	27.2	58.2	NYA					-		-	-	-
	8500 lb. GVW "Panel"; 8600 lb. GVW "Passenger"	27220					VD	✓	325.0	36.5	89.2	27049			@	VD	✓	330.1	26.5	86.7	

SAVANA 1 TON VAN

1996 - 2000	SRW	27081				@	HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	DRW	27170					HR		317.5	37.2	207.9	23055					RD		330.2	332.5	193.0
2001	SRW - G315 Cab & Chassis w/ 139" Wheelbase	27081				@	HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	SRW - Excludes G315 Cab & Chassis w/ 139" Wheelbase	27281					HR		316.7	37.2	125.9	23062					RD		330.2	332.5	160.0
	DRW	27170					HR		317.5	37.2	207.9	23055					RD		330.2	332.5	193.0
2002	SRW	27281					HR		316.7	37.2	125.9	23062					RD		330.2	332.5	160.0
	DRW	27170					HR		317.5	37.2	207.9	23055					RD		330.2	332.5	193.0
2003 - 2004	SRW	27220					VD	✓	325.0	36.5	89.2	27048			@	VD			330.0	27.0	92.9
	DRW	27220					VD	✓	325.0	36.5	89.2	27234					VD		-	28.5	-

SIERRA 1500 - 2WD

1999 - 2000		27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
2001	2 Door	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	4 Door - Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049			@	VD	✓	330.1	26.5	86.7
2002	2 Door; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	2 Door - Extended Cab; 4 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4
	4 Door - Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049			@	VD	✓	330.1	26.5	86.7
2003	2 Door; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	2 Door - Extended Cab; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	2 Door - Extended Cab; 4 Wheel Steering; 330mm Rear Disc	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4
	2 Door - Extended Cab; 4 Wheel Steering; 325mm Rear Disc	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	4 Door - Heavy Duty; 2 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27049			@	VD	✓	330.1	26.5	86.7
2004	4 Door - Heavy Duty; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27047			@	VD	✓	325.0	18.5	79.0
	Regular Cab	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	Crew Cab	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4
	Extended Cab; Standard Duty; 2 Wheel Steering; exc. Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	Extended Cab; Standard Duty; 4 Wheel Steering; exc. Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4
	Extended Cab; Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	Extended Cab; Heavy Duty; w/ 9.5 Ring Gear	27220					VD	✓	325.0	36.5	89.2	27049			@	VD	✓	330.1	26.5	86.7
	Extended Cab; Heavy Duty; w/ 10.5, 11.5 Ring Gear	27220					VD	✓	325.0	36.5	89.2	27048			@	VD	✓	330.0	27.0	92.9

SIERRA 1500 - 4WD

1999 - 2000		27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
2001	2 Door - Regular Cab	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	2 Door - Extended Cab; C3	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4
	4 Door - Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049			@	VD	✓	330.1	26.5	86.7
2002	2 Door; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0
	2 Door - Extended Cab; 4 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27050				VD	✓	330.0	28.5	89.4
	4 Door - Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049			@	VD	✓	330.1	26.5	86.7
2003	2 Door; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047			@	VD	✓	325.0	18.5	79.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK1	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK1	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	2 Door - Extended Cab; 2 Wheel Steering	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	2 Door - Extended Cab; 4 Wheel Steering; 330mm Rear Disc	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	2 Door - Extended Cab; 4 Wheel Steering; 325mm Rear Disc	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	4 Door - Heavy Duty; 2 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	4 Door - Heavy Duty; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27047				@	VD	✓	325.0	18.5	79.0
2004	Regular Cab	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	Crew Cab	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	Extended Cab; Standard Duty; 2 Wheel Steering; exc. Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	Extended Cab; Standard Duty; 4 Wheel Steering; exc. Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	Extended Cab; Hybrid Electric	27161				@	VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	Extended Cab; Heavy Duty; w/ 9.5 Ring Gear	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	Extended Cab; Heavy Duty; w/ 10.5, 11.5 Ring Gear	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Extended Cab; SS- 6.0L V8	27161				@	VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

SIERRA 2500 2WD

1999 - 2000	6.0 w/ 5 Speed	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Exc. 6.0 w/ 5 Speed	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
2001 - 2003	A/T - Excludes Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	M/T - Excludes Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
2004	A/T - Excludes Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	M/T - Excludes Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty - 2 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty - 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	NYA					-	✓	-	-	-

SIERRA 2500 4WD

1999 - 2000	6.0 w/ 5 Speed	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Exc. 6.0 w/ 5 Speed	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
2001 - 2003	A/T - Excludes Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	M/T - Excludes Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
2004	A/T - Excludes Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	M/T - Excludes Heavy Duty	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty - 2 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	Heavy Duty - 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	NYA					-	✓	-	-	-

SIERRA 3500 2WD

2001 - 2004		27220					VD	✓	325.0	36.5	89.2	27234					VD	✓	-	28.5	-
-------------	--	-------	--	--	--	--	----	---	-------	------	------	-------	--	--	--	--	----	---	---	------	---

SIERRA 3500 4WD

2001 - 2003		27220					VD	✓	325.0	36.5	89.2	27234					VD	✓	-	28.5	-
2004	SRW	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	DRW	27220					VD	✓	325.0	36.5	89.2	27234					VD	✓	-	28.5	-

SUBURBAN 1/2 TON 1500 2WD

1971 - 1973		27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
1974 - 1980	w/ 2" Rear Shoes	27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
	w/ 2.75" Rear Shoes	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1981 - 1989		27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1990 - 1991		27016					HR		300.6	30.9	125.7	23074					RD		283.2	284.7	101.3

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1992 - 1993		27042					@ HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
1994 - 1996	11" Rear Drum	27042					@ HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
	13" Rear Drum w/ 4.6" Hub Hole	27081					@ HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1
	13" Rear Drum w/ 4.8" Hub Hole	27081					@ HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
1997 - 2000	11" Rear Drum	27042					@ HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
	13" Rear Drum	27081					@ HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1

SUBURBAN 1/2 TON 1500 4WD

1971 - 1989		27054					VD		301.2	30.9	58.3	23069					RD		283.2	284.7	125.0
1990 - 1991		27054					VD		301.2	30.9	58.3	23091					RD		228.6	230.0	104.9
1992 - 1993		27142					@ VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8
1994 - 1997	6 Lug	27142					@ VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8
	8 Lug	27044					VD	✓	317.5	30.9	70.2	23067					RD		330.2	332.5	166.1
1998 - 1999	6 Lug	27142					@ VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8
	8 Lug	27044					VD	✓	317.5	30.9	70.2	23067					RD		330.2	332.5	166.1
2000	6 Lug	27142					@ VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8
	8 Lug	27044					VD	✓	317.5	30.9	70.2	23067					RD		330.2	332.5	166.1
	w/ Rear Disc	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

SUBURBAN 3/4 TON 2500 2WD

1971- 1972		27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
1973 - 1980	w/ 11" Rear Drum	27057					HR		317.5	30.9	121.4	23076					RD		283.2	284.7	125.0
	w/ 13" Rear Drum	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
1981 - 1982		27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
1983 - 1986	w/ 13" Brakes; 9.5 Ring Gear	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
	w/ 13" Brakes; 10.5 Ring Gear	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
1985 - 1987	w/ 11" Rear Drum	27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
	w/ 13" Rear Drum; 5.25" Tall	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	w/ 13" Rear Drum; 6.375" Tall	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
1988 - 1991	Floating Axle	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	Non-Floating Axle	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
1992 - 1996	13 x 2.5" Rear Shoes; Floating Axle	27081					@ HR	✓	317.5	30.9	126.6	23070					RD		330.2	332.5	131.8
	13 x 2.5" Rear Shoes; Non-Floating Axle	27081					@ HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1
	13 x 3.5" Rear Shoes; 4.6" Hub Hole	27081					@ HR	✓	317.5	30.9	126.6	NYA					-		-	-	
	13 x 3.5" Rear Shoes; 4.8" Hub Hole	27081					@ HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
1997 - 2000	13 x 2.5" Rear Shoes	27081					@ HR	✓	317.5	30.9	126.6	23067					RD		330.2	332.5	166.1
	13 x 3.5" Rear Shoes; 4.6" Hub Hole	27081					@ HR	✓	317.5	30.9	126.6	NYA					-		-	-	
	13 x 3.5" Rear Shoes; 4.8" Hub Hole	27081					@ HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0

SUBURBAN 3/4 TON 2500 4WD

1974 - 1980	w/ 11" Rear Drum	27139					VD		317.5	30.9	71.0	23076					RD		283.2	284.7	125.0
	w/ 13" Rear Drum	27139					VD		317.5	30.9	71.0	23070					RD		330.2	332.5	131.8
1981 - 1988	w/ 11" Rear Drum	27139					VD		317.5	30.9	71.0	NYA					-		-	-	-
	w/ 13" Rear Drum	27139					VD		317.5	30.9	71.0	23067					RD		330.2	332.5	166.1
1989 - 1991		27139					VD		317.5	30.9	71.0	23067					RD		330.2	332.5	166.1
1992 - 1996	w/ 13 x 2.5" Rear Shoes; Floating Axle	27044					VD	✓	317.5	30.9	70.2	23070					RD		330.2	332.5	131.8
	w/ 13 x 2.5" Rear Shoes; Non-Floating Axle	27044					VD	✓	317.5	30.9	70.2	23067					RD		330.2	332.5	166.1
	13 x 3.5" Rear Shoes; 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	NYA					-		-	-	
	w/ 13 x 3.5" Rear Shoes; 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	23062					RD		330.2	332.5	160.0
1997 - 2000	13 x 2.5" Rear Shoes	27044					VD	✓	317.5	30.9	70.2	23067					RD		330.2	332.5	166.1

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	13 x 3.5" Rear Shoes; 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	NYA					-		-	-	-
	13 x 3.5" Rear Shoes; 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	23062					RD		330.2	332.5	160.0

S-15 PICK-UP 2WD

1989 - 1990		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
-------------	--	-------	--	--	--	--	----	--	-------	------	-------	-------	--	--	--	--	----	--	-------	-------	------

S-15 SONOMA PICK-UP (2WD)

1991	w/ out 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	w/ 4 Wheel ABS	27243					HR	✓	266.7	24.3	109.6	23052					RD		254.0	255.5	99.6
1992 - 1995	w/ out 4 Wheel ABS	27028					HR		266.7	24.5	109.3	23078					RD		241.3	243.6	79.5
	w/ 4 Wheel ABS	27243					HR	✓	266.7	24.3	109.6	23078					RD		241.3	243.6	79.5
1996-2003		27243					HR	✓	266.7	24.3	109.6	23078					RD		241.3	243.6	79.5
2004		27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9

SYCLONE

1991 - 1992		27020				@	VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
-------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

T-15 SONOMA (4WD)

1982		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1983		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1984		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1985 - 1988		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1989 - 1991		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1992 - 1994	w/ 4.3L V6 Engine	27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
	w/ out 4.3L V6 Engine	27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
1995 - 1996		27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
1997	w/ Rear Drum	27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
	w/ Rear Disc	27009					VD	✓	274.0	27.5	54.5	NYA					-		-	-	-
1998-2003		27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
2004	2.2L Engine	27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
	4.3L Engine	27009					VD	✓	274.0	27.5	54.5	27277					VD		294.9	18.5	72.9

TYPHOON

1992 - 1993		27020				@	VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
-------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

YUKON 2WD - except YUKON XL

1995 - 1997		27042				@	HR	✓	295.5	30.9	115.2	23053					RD		254.0	256.3	88.6
1998 - 1999	10" Rear Drum Brakes; Excludes PERFORMANCE pkg.	27042				@	HR	✓	295.5	30.9	115.2	23053					RD		254.0	256.3	88.6
	11" Rear Drum Brakes; PERFORMANCE pkg.	27042				@	HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
2000	10" Rear Drum Brakes; Excludes PERFORMANCE pkg.	27042				@	HR	✓	295.5	30.9	115.2	23053					RD		254.0	256.3	88.6
	11" Rear Drum Brakes; PERFORMANCE pkg.	27042				@	HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
	Rear Disc Brakes	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
2001 - 2004		27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

YUKON 4WD - except YUKON XL

1992 - 1994		27142		PVT		@	VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
1995 - 1999	10" Rear Drum Brakes; 2 Door	27142		PVT		@	VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
	11" Rear Drum Brakes; 4 Door	27142		PVT		@	VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8
2000	10" Rear Drum Brakes; 2 Door	27142		PVT		@	VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
	11" Rear Drum Brakes; 4 Door	27142		PVT		@	VD	✓	295.0	30.9	66.4	23057					RD		283.2	284.7	99.8

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	Rear Disc Brakes w/ Limited Slip Axle	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	Rear Disc Brakes w/out Limited Slip Axle	27161					VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
2001 - 2002	w/ Limited Slip Axle	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	w/out Limited Slip Axle	27161					VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
2003 - 2004		27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

YUKON XL 1/2 TON

2000 - 2002	2WD w/ Limited Slip Axle	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	4WD w/ Limited Slip Axle	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	2WD w/out Limited Slip Axle	27161					VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
	4WD w/out Limited Slip Axle	27161					VD	✓	304.7	27.2	58.2	27047				@	VD	✓	325.0	18.5	79.0
2003 - 2004	2WD	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4
	4WD	27161					VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

YUKON XL 3/4 TON

2000 - 2002	2WD; 4.63" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	2WD; 4.83" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	2WD; 4.63" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	2WD; 4.83" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
2003	2WD; 2 Wheel Steering; 4.63" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	2WD; 2 Wheel Steering; 4.83" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	4WD; 2 Wheel Steering; 4.63" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	4WD; 2 Wheel Steering; 4.83" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	2WD; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27047				@	VD	✓	325.0	18.5	79.0
	4WD; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	27047				@	VD	✓	325.0	18.5	79.0
2004	2WD; 2 Wheel Steering; 4.63" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	2WD; 2 Wheel Steering; 4.83" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	4WD; 2 Wheel Steering; 4.63" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27049				@	VD	✓	330.1	26.5	86.7
	4WD; 2 Wheel Steering; 4.83" Hub Hole	27220					VD	✓	325.0	36.5	89.2	27048				@	VD	✓	330.0	27.0	92.9
	2WD; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	NYA				-	-	-	-	-	-
	4WD; 4 Wheel Steering	27220					VD	✓	325.0	36.5	89.2	NYA				-	-	-	-	-	-

1/2 TON C-15/1500 SERIES PICK-UP (2WD)

1973		27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
1974 - 1980	4.9, 5.2, & 5.6M GVW	27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
	Heavy Duty & GVW over 6000 lbs.	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1981 - 1984	JB1, JB3	27021					HR		301.5	24.5	77.3	23014					RD		279.4	282.4	94.0
	JD3	27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
	JB5, JD5	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1985 - 1986	JB1, JB3	27021					HR		301.5	24.5	77.3	23014					RD		279.4	282.4	94.0
	JD3	27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
	JB5, JD5	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1987		NYA					-		-	-	-	NYA					-		-	-	-
1988 - 1991	Standard Cab; Standard Chassis	27059					HR		283.4	24.7	106.4	23053					RD		254.0	256.3	88.6
	w/ Pwr Brakes; Standard Cab - Heavy Duty Chassis; Ext. Cab	27065					HR		295.3	30.9	115.5	23053					RD		254.0	256.3	88.6
1992 - 1994		27065					HR		295.3	30.9	115.5	23053					RD		254.0	256.3	88.6
1995 - 1999		27042					HR	✓	295.5	30.9	115.2	23053					RD		254.0	256.3	88.6

1/2 TON G1500 SERIES, SAVANA VAN

1971	Front Drum w/ 2400 lb. Axle	23063					FD		279.4	280.9	74.4	23064					RD		241.3	242.8	74.4
------	-----------------------------	-------	--	--	--	--	----	--	-------	-------	------	-------	--	--	--	--	----	--	-------	-------	------

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	Front Drum w/ 3000 lb. Axle	23063					FD		279.4	280.9	74.4	23063					RD		279.4	280.9	74.4
	Front Disc w/ 2400 lb. Axle	27128					HR		279.8	24.5	117.9	23064					RD		241.3	242.8	74.4
	Front Disc w/ 3000 lb. Axle	27128					HR		279.8	24.5	117.9	23063					RD		279.4	280.9	74.4
1972 - 1973		27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1974 - 1980	All Models	27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
1981 - 1989	w/ 2" Rear Shoes	27016					HR		300.6	30.9	125.7	23014					RD		279.4	282.4	94.0
	w/ 2.75" Rear Shoes	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1990 - 1992		27016					HR		300.6	30.9	125.7	23074					RD		283.2	284.7	101.3
1993 - 1995	w/ 4 Wheel ABS & Vacuum Booster	27153					HR		301.2	30.9	125.7	23074					RD		283.2	284.7	101.3
	w/ 4 Wheel ABS & Hydraulic Booster	27117					HR		301.2	32.6	125.3	23074					RD		283.2	284.7	101.3
	w/ Rear Wheel ABS	27016					HR		300.6	30.9	125.7	23074					RD		283.2	284.7	101.3
1996 - 2002		27042					@ HR	✓	295.5	30.9	115.2	23061					RD		283.2	284.7	99.8
2003 - 2004		27161					@ VD	✓	304.7	27.2	58.2	27050					VD	✓	330.0	28.5	89.4

1/2 TON P-100/1000 SERIES FORWARD CONTROL

1971 - 1980		27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	-------	-----	--	--	--	--	---	--	---	---	---

1/2 TON R15, 1500 SERIES (2WD)

1987	w/ 2" Rear Shoes	27021					HR		301.5	24.5	77.3	23014					RD		279.4	282.4	94.0
	w/ 2.75" Rear Shoes	27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1988 - 1989		27016					HR		300.6	30.9	125.7	23058					RD		283.2	284.7	98.8
1990 - 1991		27016					HR		300.6	30.9	125.7	23074					RD		283.2	284.7	101.3

1/2 TON K15/1500 SERIES (4WD)

1971 - 1973		27054					VD		301.2	30.9	58.3	NYA					-		-	-	-
1974 - 1986		27054					VD		301.2	30.9	58.3	23069					RD		283.2	284.7	125.0
1987		NYA					-		-	-	-	NYA					-		-	-	-
1988 - 1991	w/ 10" Rear Drum	27058					VD		283.4	24.4	56.4	23065					RD		254.0	256.3	88.1
	w/ 10" Rear Drum; Extended Cab	27142					PVT @ VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
	w/ 11" Rear Drum	27142					PVT @ VD	✓	295.0	30.9	66.4	23071					RD		241.3	243.6	79.5
1992 - 1999	w/ 10" Rear Drum	27142					PVT @ VD	✓	295.0	30.9	66.4	23065					RD		254.0	256.3	88.1
	w/ 11" Rear Drum	27142					PVT @ VD	✓	295.0	30.9	66.4	23071					RD		241.3	243.6	79.5

1/2 TON V15, 1500 SERIES PICKUP 4WD

1987 - 1991		27054					VD		301.2	30.9	58.3	23091					RD		228.6	230.0	104.9
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	-------

3/4 TON C25, 2500 SERIES PICK-UP (2WD)

1960 - 1970		23072					FD		283.2	284.7	95.5	23072					RD		283.2	284.7	95.5
1981 - 1984	w/ 11" Rear Drum	27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
	w/ 13" Rear Drum; 9.5" Ring Gear	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
	13" Rear Drum; 10.5" Ring Gear	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
1985 - 1986	w/ 11" Rear Drum	27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
	w/ 13" Rear Drum; 5.25" Tall	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	w/ 13" Rear Drum; 6.375" Tall	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
1988 - 1989	w/ 11" Rear Drum	27163					HR		294.9	30.9	114.6	23071					RD		241.3	243.6	79.5
	w/ 13" Rear Drum	27143					HR		317.5	30.9	125.8	23067					RD		330.2	332.5	166.1
1990 - 1991	11" Rear Drum; 7200 lb. GVW	27163					HR		294.9	30.9	114.6	23071					RD		241.3	243.6	79.5
	13" Rear Drum; 8600 lb. GVW; Floating Axle	27143					HR		317.5	30.9	125.8	NYA					-		-	-	-
	13" Rear Drum; 8600 lb. GVW; Non-Floating Axle	27143					HR		317.5	30.9	125.8	23067					RD		330.2	332.5	166.1
1992 - 1993	11" Rear Drum; 7200 lb. GVW	27163					HR		294.9	30.9	114.6	23071					RD		241.3	243.6	79.5

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground	Type				Disc / Drum	HC	PVT	Screw	Ground	Type			
	13" Rear Drum; 8600 lb. GVW; Rear Wheel ABS; Floating Axle	27143					HR	317.5	30.9	125.8	23079					RD	241.3	242.8	91.2
	13" Rear Drum; 8600 lb. GVW; Rear Wheel ABS; Non-Floating Axle	27143					HR	317.5	30.9	125.8	23067					RD	330.2	332.5	166.1
	13" Rear Drum; 8600 lb. GVW; 4 Wheel ABS; Floating Axle	27081				@	HR	✓	317.5	30.9	126.6	23079				RD	241.3	242.8	91.2
	13" Rear Drum; 8600 lb. GVW; 4 Wheel ABS; Non-Floating Axle	27081				@	HR	✓	317.5	30.9	126.6	23067				RD	330.2	332.5	166.1
1994 - 1996	11" Rear Drum; 7200 lb. GVW; Rear Wheel ABS	27163					HR	294.9	30.9	114.6	23071					RD	241.3	243.6	79.5
	11" Rear Drum; 7200 lb. GVW; 4 Wheel ABS	27179					HR	294.9	30.9	114.6	23071					RD	241.3	243.6	79.5
	13" Rear Drum; 8600 lb. GVW; Rear Wheel ABS; Floating Axle	27143					HR	317.5	30.9	125.8	23070					RD	330.2	332.5	131.8
	13" Rear Drum; 8600 lb. GVW; Rear Wheel ABS; Non-Floating Axle	27143					HR	317.5	30.9	125.8	23070					RD	330.2	332.5	131.8
	13" Rear Drum; 8600 lb. GVW; 4 Wheel ABS; Floating Axle	27081				@	HR	✓	317.5	30.9	126.6	23067				RD	330.2	332.5	166.1
	13" Rear Drum; 8600 lb. GVW; 4 Wheel ABS; Non-Floating Axle	27081				@	HR	✓	317.5	30.9	126.6	23067				RD	330.2	332.5	166.1
	11" Rear Drum; 7200 lb. GVW	27179					HR	294.9	30.9	114.6	23071					RD	241.3	243.6	79.5
1997 - 1998	13" Rear Drum; 8600 lb. GVW; Floating Axle	27081				@	HR	✓	317.5	30.9	126.6	23070				RD	330.2	332.5	131.8
	13" Rear Drum; 8600 lb. GVW; Non-Floating Axle	27081				@	HR	✓	317.5	30.9	126.6	23067				RD	330.2	332.5	166.1
	13" Rear Drum; 8600 lb. GVW; Floating Axle	27081				@	HR	✓	317.5	30.9	126.6	23070				RD	330.2	332.5	131.8
1999 - 2000	13" Rear Drum; 8600 lb. GVW; Non-Floating Axle	27081				@	HR	✓	317.5	30.9	126.6	23067				RD	330.2	332.5	166.1
	13" Rear Drum; 8600 lb. GVW; Floating Axle	27081				@	HR	✓	317.5	30.9	126.6	23070				RD	330.2	332.5	131.8

3/4 TON G2500 SERIES, SAVANA VAN

1967 - 1972		NYA					-	-	-	-	23014					RD	279.4	282.4	94.0
1973 - 1989		27016					HR	300.6	30.9	125.7	23058					RD	283.2	284.7	98.8
1990-1992	Gas	27016					HR	300.6	30.9	125.7	23074					RD	283.2	284.7	101.3
	Diesel	NYA					-	-	-	-	23074					RD	283.2	284.7	101.3
1993-1995	w/ Rear Wheel ABS	27016					HR	300.6	30.9	125.7	23074					RD	283.2	284.7	101.3
	w/ 4 Wheel ABS; Vacuum Booster	27153					HR	301.2	30.9	125.7	23074					RD	283.2	284.7	101.3
	w/ 4 Wheel ABS; Hydraulic Booster	27117					HR	301.2	30.9	125.3	23074					RD	283.2	284.7	101.3
1996-2002	6 Lug; 7300 lb. GVW	27179					HR	294.9	30.9	114.6	23071					RD	241.3	243.6	79.5
	8 Lug; 7700-8600 lb. GVW; Gas	27081					HR	✓	317.5	30.9	126.6	23067				RD	330.2	332.5	166.1
	8 Lug; 7700-8600 lb. GVW; Diesel	27081					HR	✓	317.5	30.9	126.6	23062				RD	330.2	332.5	160.0
2003 - 2004	7300 lb. GVW	27161					VD	✓	304.7	27.2	58.2	NYA				-	-	-	
	8500 lb. GVW Panel; 8600 lb. GVW Passenger	27220					VD	✓	325.0	36.5	89.2	27049			@	VD	✓	330.1	26.5

3/4 TON K25, 2500 SERIES PICK-UP (4WD)

1972 - 1980	w/ 11" Rear Drum	27139					VD	317.5	30.9	71.0	23076					RD	283.2	284.7	125.0	
	w/ 13" Rear Drum	27139					VD	317.5	30.9	71.0	23070					RD	330.2	332.5	131.8	
1981- 1986	w/ 11" Rear Drum	27139					VD	317.5	30.9	71.0	NYA					-	-	-		
	w/ 13" Rear Drum	27139					VD	317.5	30.9	71.0	23067					RD	330.2	332.5	166.1	
1987		NYA					-	-	-	-	NYA					-	-	-		
1988		27142				PVT	@	VD	✓	295.0	30.9	66.4	23071				RD	241.3	243.6	79.5
1989	w/ 11" Rear Drum	27142				PVT	@	VD	✓	295.0	30.9	66.4	23071				RD	241.3	243.6	79.5
	w/ 13" Rear Drum; 6.375" Tall	27044					VD	✓	317.5	30.9	70.2	23067				RD	330.2	332.5	166.1	
1990 - 1991	11" Rear Drum; 7200 lb. GVW	27142				PVT	@	VD	✓	295.0	30.9	66.4	23071				RD	241.3	243.6	79.5
	13" Rear Drum; 8600 lb. GVW; Floating Axle; 4.63" Tall Drum	27044					VD	✓	317.5	30.9	70.2	NYA				-	-	-		
	13" Rear Drum; 8600 lb. GVW; Floating Axle; 5.25" Tall Drum	27044					VD	✓	317.5	30.9	70.2	23070				RD	330.2	332.5	131.8	
	13" Rear Drum; 8600 lb. GVW; Non-Floating Axle	27044					VD	✓	317.5	30.9	70.2	23067				RD	330.2	332.5	166.1	
1992 - 1998	11" Rear Drum; 7200 lb. GVW	27142				PVT	@	VD	✓	295.0	30.9	66.4	23071				RD	241.3	243.6	79.5
	13" Rear Drum; 8600 lb. GVW; Floating Axle	27044					VD	✓	317.5	30.9	70.2	23070				RD	330.2	332.5	131.8	
	13" Rear Drum; 8600 lb. GVW; Non-Floating Axle	27044					VD	✓	317.5	30.9	70.2	23067				RD	330.2	332.5	166.1	
1999 - 2000	13" Rear Drum; 8600 lb. GVW; Floating Axle	27044					VD	✓	317.5	30.9	70.2	23070				RD	330.2	332.5	131.8	
	13" Rear Drum; 8600 lb. GVW; Non-Floating Axle	27044					VD	✓	317.5	30.9	70.2	23067				RD	330.2	332.5	166.1	

3/4 TON R25, 2500 SERIES 2WD

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type			Disc / Drum	HC	PVT	Screw	Ground	Type				
1988 - 1991	5.25" High Rear Drum	27057					HR	317.5	30.9	121.4	23070					RD	330.2	332.5	131.8
	6.38" High Rear Drum	27057					HR	317.5	30.9	121.4	23067					RD	330.2	332.5	166.1

1 TON C35 SERIES PICK-UP (2WD)

1960 - 1970		23072					FD	283.2	284.7	95.5	23072					RD	283.2	284.7	95.5
1971 - 1973		27139					VD	317.5	30.9	71.0	NYA					-	-	-	-
1974 - 1980	JB7	27057					HR	317.5	30.9	121.4	23070					RD	330.2	332.5	131.8
	JB8	27140					HR	317.5	37.2	195.3	NYA					-	-	-	-
1981 - 1986	w/ SRW	NYA					-	-	-	-	NYA					-	-	-	-
	w/ DRW	27140					HR	317.5	37.2	195.3	23056					RD	330.2	332.5	185.4
1987		NYA					-	-	-	-	NYA					-	-	-	-
1988 - 1989	w/ SRW	27143					HR	317.5	30.9	125.8	23067					RD	330.2	332.5	166.1
	w/ DRW	NYA					-	-	-	-	23056					RD	330.2	332.5	185.4
1990 - 1991	w/ SRW; Excludes 9000 - 9200 lb. GVW	27143					HR	317.5	30.9	125.8	23070					RD	330.2	332.5	131.8
	w/ SRW; 9000 - 9200 lb. GVW	27178					VD	361.6	37.2	81.5	23062					RD	330.2	332.5	160.0
	w/ DRW; w/ Rear Drum	27165					VD	317.5	37.2	207.9	23055					RD	330.2	332.5	193.0
	w/ DRW; w/ Rear Disc	27178					VD	361.6	37.2	81.5	27173					VD	349.3	37.2	110.9
1992 - 1993	w/ 13 x 2.5" Rear Shoes; 5.25" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8	23070					RD	330.2	332.5	131.8
	w/ 13 x 2.5" Rear Shoes; 5.25" Tall; w/ ABS	27081					HR	317.5	30.9	126.6	23070					RD	330.2	332.5	131.8
	w/ SRW; w/ 13 x 2.5" Rear Shoes; 6.375" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8	23067					RD	330.2	332.5	166.1
	w/ SRW; w/ 13 x 2.5" Rear Shoes; 6.375" Tall; w/ ABS	27081					HR	317.5	30.9	126.6	23067					RD	330.2	332.5	166.1
	w/ SRW; w/ 13 x 3.5" Rear Shoes; w/ out ABS	27143					HR	317.5	30.9	125.8	23062					RD	330.2	332.5	160.0
	w/ SRW; w/ 13 x 3.5" Rear Shoes; w/ ABS	27081					HR	317.5	30.9	126.6	23062					RD	330.2	332.5	160.0
	w/ DRW w/ Rear Drum	27165					VD	317.5	37.2	207.9	23055					RD	330.2	332.5	193.0
	w/ DRW w/ Rear Disc	27178					VD	361.6	37.2	81.5	27173					VD	349.3	37.2	110.9
1994	w/ SRW; w/ 13 x 2.5" Rear Shoes; 5.25" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8	23070					RD	330.2	332.5	131.8
	w/ SRW; w/ 13 x 2.5" Rear Shoes; 5.25" Tall; w/ ABS	27081					HR	317.5	30.9	126.6	23070					RD	330.2	332.5	131.8
	w/ SRW; w/ 13 x 2.5" Rear Shoes; 6.375" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8	23067					RD	330.2	332.5	166.1
	w/ SRW; w/ 13 x 2.5" Rear Shoes; 6.375" Tall; w/ ABS	27081					HR	317.5	30.9	126.6	23067					RD	330.2	332.5	166.1
	w/ SRW; w/ 13 x 3.5" Rear Shoes; w/ out ABS	27143					HR	317.5	30.9	125.8	23062					RD	330.2	332.5	160.0
	w/ SRW; w/ 13 x 3.5" Rear Shoes; w/ ABS	27081					HR	317.5	30.9	126.6	23062					RD	330.2	332.5	160.0
	w/ DRW; w/ Rear Drum	27165					VD	317.5	37.2	207.9	23055					RD	330.2	332.5	193.0
	w/ DRW; w/ Rear Disc to VIN RJ107932	27165					VD	317.5	37.2	207.9	27173					VD	349.3	37.2	110.9
	w/ DRW; w/ Rear Disc from VIN RJ107933	27218					VD	351.8	34.7	74.5	27122					HR	344.9	34.7	110.9
	w/ SRW; w/ 13 x 2.5" Rear Shoes; 5.25" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8	23070					RD	330.2	332.5	131.8
1995 - 1996	w/ SRW; w/ 13 x 2.5" Rear Shoes; 5.25" Tall; w/ ABS	27081					HR	317.5	30.9	126.6	23070					RD	330.2	332.5	131.8
	w/ SRW; w/ 13 x 2.5" Rear Shoes; 6.375" Tall; w/ out ABS	27143					HR	317.5	30.9	125.8	23067					RD	330.2	332.5	166.1
	w/ SRW; w/ 13 x 2.5" Rear Shoes; 6.375" Tall; w/ ABS	27081					HR	317.5	30.9	126.6	23067					RD	330.2	332.5	166.1
	w/ SRW; w/ 13 x 3.5" Rear Shoes; w/ out ABS	27143					HR	317.5	30.9	125.8	23062					RD	330.2	332.5	160.0
	w/ SRW; w/ 13 x 3.5" Rear Shoes; w/ ABS	27081					HR	317.5	30.9	126.6	23062					RD	330.2	332.5	160.0
	w/ DRW; w/ Rear Drum	27165					VD	317.5	37.2	207.9	23055					RD	330.2	332.5	193.0
	w/ DRW; w/ Rear Drum	27170					HR	317.5	37.2	207.9	23055					RD	330.2	332.5	193.0
	w/ DRW; w/ Rear Disc	27218					VD	351.8	34.7	74.5	27122					HR	344.9	34.7	110.9
	w/ SRW; w/ out ABS; Excludes Extended Cab Pick-Up	27143					HR	317.5	30.9	125.8	23062					RD	330.2	332.5	160.0
	w/ SRW; w/ ABS; Excludes Extended Cab Pick-Up	27081					HR	317.5	30.9	126.6	23062					RD	330.2	332.5	160.0
1997 - 2000	w/ SRW; Extended Cab Pick-Up	NYA					-	-	-	-	23062					RD	330.2	332.5	160.0
	w/ DRW; w/ Rear Drum	27170					HR	317.5	37.2	207.9	23055					RD	330.2	332.5	193.0
	w/ DRW; w/ Rear Disc	27218					VD	351.8	34.7	74.5	27122					HR	344.9	34.7	110.9

1 TON G3500 SERIES, SAVANA VAN

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1970 - 1973		23072					FD		283.2	284.7	95.5	23072					RD		283.2	284.7	95.5
1974 - 1984	SRW	NYA					-		-	-	-	23076					RD		283.2	284.7	125.0
1990-1991	SRW; Floating Axle; 4 5/8" Tall Rear Drum	27057					HR		317.5	30.9	121.4	NYA					-		-	-	-
	SRW; Floating Axle; 5 1/4" Tall Rear Drum	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	SRW; Non-Floating Axle	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
	DRW	27140					HR		317.5	37.2	195.3	23056					RD		330.2	332.5	185.4
1992	SRW; 13 x 2 1/2" Rear Shoes; Floating Axle	27057					HR		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	SRW; 13 x 2 1/2" Rear Shoes; Non-Floating Axle	27057					HR		317.5	30.9	121.4	23067					RD		330.2	332.5	166.1
	SRW; 13 x 3 1/2" Rear Shoes	NYA					-		-	-	-	23062					RD		330.2	332.5	160.0
	DRW	27140					HR		317.5	37.2	195.3	23055					RD		330.2	332.5	193.0
1993-1995	SRW; 13 x 2 1/2" Rear Shoe; Floating Axle	27217					HR		317.5	30.9	121.3	23070					RD		330.2	332.5	131.8
	SRW; 13 x 2 1/2" Rear Shoe; Non-Floating Axle	27217					HR		317.5	30.9	121.3	23067					RD		330.2	332.5	166.1
	SRW; 13 x 3 1/2" Rear Shoes; w/ 2 Wheel ABS	NYA					-		-	-	-	23062					RD		330.2	332.5	160.0
	SRW; 13 x 3 1/2" Rear Shoes; w/ 4 Wheel ABS	27187					VD		317.5	37.1	131.3	23062					RD		330.2	332.5	160.0
	DRW	27119					VD		292.1	37.1	205.0	23055					RD		330.2	332.5	193.0
1996-2000	SRW	27081					HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	DRW	27170					HR		317.5	37.2	207.9	23055					RD		330.2	332.5	193.0
2001	SRW; G315 Cab & Chassis; w/ 139" Wheelbase	27081					HR	✓	317.5	30.9	126.6	23062					RD		330.2	332.5	160.0
	SRW; Exc. G315 Cab & Chassis; w/ 139" Wheelbase	27281					HR		316.7	37.2	125.9	23062					RD		330.2	332.5	160.0
	DRW	27170					HR		317.5	37.2	207.9	23055					RD		330.2	332.5	193.0
2002	SRW	27281					HR		316.7	37.2	125.9	23062					RD		330.2	332.5	160.0
	DRW	27170					HR		317.5	37.2	207.9	23055					RD		330.2	332.5	193.0
2003	SRW	27220					VD	✓	325.0	36.5	89.2	27048					@ VD		330.0	27.0	92.9
	DRW	27220					VD	✓	325.0	36.5	89.2	27234					VD			28.5	

1 TON K3500 SERIES PICK-UP (4WD)

1979 - 1986	w/ SRW	NYA					-		-	-	-	NYA					-		-	-	-
	w/ DRW	27275					VD		327.0	37.2	78.2	23056					RD		330.2	332.5	185.4
1987		NYA					-		-	-	-	NYA					-		-	-	-
1988 - 1989	w/ SRW	27044					VD	✓	317.5	30.9	70.2	23067					RD		330.2	332.5	166.1
	w/ DRW	27044					VD	✓	317.5	30.9	70.2	23056					RD		330.2	332.5	185.4
1990 - 1991	SRW; 4.63" Rear Drum	27044					VD	✓	317.5	30.9	70.2	NYA					-		-	-	-
	SRW; 5.25" Rear Drum	27044					VD	✓	317.5	30.9	70.2	23070					RD		330.2	332.5	131.8
	w/ DRW	27275					VD		327.0	37.2	78.2	23055					RD		330.2	332.5	193.0
1992 - 1996	w/ SRW; w/ 13 x 2.5" Rear Shoes	27044					VD	✓	317.5	30.9	70.2	23070					RD		330.2	332.5	131.8
	w/ SRW; w/ 13 x 3.5" Rear Shoes	27044					VD	✓	317.5	30.9	70.2	23062					RD		330.2	332.5	160.0
	w/ DRW (317mm Front Disc)	27013					@ VD		317.0	37.2	70.0	23055					RD		330.2	332.5	193.0
	w/ DRW (327mm Front Disc)	27275					VD		327.0	37.2	78.2	23055					RD		330.2	332.5	193.0
1997-2000	w/ SRW; Excludes Extended Cab Pick-Up; Rear Drum w/ 4.8" Hub Hole	27044					VD	✓	317.5	30.9	70.2	23062					RD		330.2	332.5	160.0
	w/ SRW; Excludes Extended Cab Pick-Up; Rear Drum w/ 4.6" Hub Hole	27044					VD	✓	317.5	30.9	70.2	NYA					-		-	-	-
	w/ SRW; Extended Cab Pick-Up; Rear Drum w/ 4.8" Hub Hole	27275					VD		327.0	37.2	78.2	23062					RD		330.2	332.5	160.0
	w/ SRW; Extended Cab Pick-Up; Rear Drum w/ 4.6" Hub Hole	27275					VD		327.0	37.2	78.2	NYA					-		-	-	-
	DRW (317mm Front Disc)	27013					@ VD		317.0	37.2	70.0	23055					RD		330.2	332.5	193.0
	DRW (327mm Front Disc)	27275					VD		327.0	37.2	78.2	23055					RD		330.2	332.5	193.0

1 TON P35, 3500 SERIES Step Van, Motorhome Chassis

1979 - 1984	w/ DRW; w/ 4 Wheel Disc	27178					VD		361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
1985-1989	DRW; w/ I-Beam Front Axle	27219					HR		317.5	37.2	195.2	NYA					-		-	-	-
	DRW; w/ 4 Wheel Disc	27178					VD		361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
1990	SRW; JB7 & JD7; 13 x 2 1/2" Rear Shoe	27057					VD		317.5	30.9	121.4	23070					RD		330.2	332.5	131.8

Make Model, Year (s)	Notes	Front						Overall			Rear			Overall						
		Disc / Drum	HC	PVT	Screw	Ground	Type	SPOR1	Di. (mm.)	Min. Thick./ Max Dia. (mm.)	Height (mm.)	Disc / Drum	HC	PVT	Screw	Ground	Type	SPOR1	Di. (mm.)	Min. Thick./ Max Dia. (mm.)
	SRW; JB8; 13 x 3 1/2" Rear Shoe	NYA						-	-	-	23062					RD		330.2	332.5	160.0
	DRW; Ind. Front Susp.; Rear Drum Brakes; JB8	27140					VD	317.5	37.2	195.3	23055					RD		330.2	332.5	193.0
	DRW; I-Beam Front Axle; Rear Drum Brakes; JB8	27219					HR	317.5	37.1	195.2	23055					RD		330.2	332.5	193.0
	DRW; Ind. Front Susp.; Rear Disc Brakes; JF9	27178					VD	361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
								Parking Brake Drum			23059					RD		279.4	280.9	74.2
	DRW; I-Beam Front Axle; Rear Disc Brakes; JF9	27178					VD	361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
								Parking Brake Drum			23059					RD		279.4	280.9	74.2
1991-1993	SRW; JB7 & JD7; 13 x 2 1/2" Rear Shoe	27057					VD	317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	SRW; JB8; 13 x 3 1/2" Rear Shoe; Drum w/4.6" Hub Hole										23067					RD		330.2	332.5	166.1
	SRW; JB8; 13 x 3 1/2" Rear Shoe; Drum w/4.8" Hub Hole										23062					RD		330.2	332.5	160.0
	DRW; I.F.S.; Rear Drum Brakes; JB8; Drum w/4.6" Hub Hole	27140					VD	317.5	37.2	195.3	23067					RD		330.2	332.5	166.1
	DRW; I.F.S.; Rear Drum Brakes; JB8; Drum w/4.8" Hub Hole	27140					VD	317.5	37.2	195.3	23062					RD		330.2	332.5	160.0
	DRW; I-Beam Axle; Rear Drum; JB8; Drum w/4.6" Hub Hole	27219					HR	317.5	37.1	195.2	23067					RD		330.2	332.5	166.1
	DRW; I-Beam Axle; Rear Drum; JB8; Drum w/4.8" Hub Hole	27219					HR	317.5	37.1	195.2	23062					RD		330.2	332.5	160.0
	DRW; Rear Disc Brakes; JF9	27178					VD	361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
								Parking Brake Drum			23059					RD		279.4	280.9	74.2
1994-1995	SRW; JB7 & JD7; 13 x 2 1/2" Rear Shoe	27057					VD	317.5	30.9	121.4	23070					RD		330.2	332.5	131.8
	SRW; JB8; 13 x 3 1/2" Rear Shoe	NYA					-	-	-	-	23067					RD		330.2	332.5	166.1
	DRW; Ind. Front Susp.; Rear Drum Brakes; JB8	27140					VD	317.5	37.2	195.3	23055					RD		330.2	332.5	193.0
	DRW; I-Beam Front Axle; Rear Drum Brakes; JB8	27219					HR	317.5	37.1	195.2	23055					RD		330.2	332.5	193.0
	DRW; Rear Disc Brakes; JF9	27178					VD	361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
1996	SRW; JB7; 13 x 2 1/2" Rear Shoe	NYA					-	-	-	-	23070					RD		330.2	332.5	131.8
	SRW; JB8; 13 x 3 1/2" Rear Shoe	NYA					-	-	-	-	23067					RD		330.2	332.5	166.1
	DRW; Ind. Front Susp.; JB8	27140					VD	317.5	37.2	195.3	23055					RD		330.2	332.5	193.0
	DRW; I-Beam Front Axle w/ Out ABS Ring; JB8	27219					HR	317.5	37.1	195.2	23055					RD		330.2	332.5	193.0
	DRW; I-Beam Front Axle & ABS Ring; JB8	27263					HR	317.5	37.1	195.2	23055					RD		330.2	332.5	193.0
	DRW; Rear Disc Brakes; JF9	27178					VD	361.6	37.2	81.5	27173					VD		349.3	37.2	110.9
1997-1999	SRW; Rear Wheel ABS; 2 1/2" Rear Shoe	NYA					-	-	-	-	23070					RD		330.2	332.5	131.8
	SRW; 4 Wheel ABS; 2 1/2" Rear Shoe	27187					VD	317.5	37.1	131.3	23070					RD		330.2	332.5	131.8
	SRW; Rear Wheel ABS; 3 1/2" Rear Shoe	NYA					-	-	-	-	23067					RD		330.2	332.5	131.8
	SRW; 4 Wheel ABS; 3 1/2" Rear Shoe	27187					VD	317.5	37.1	131.3	23067					RD		330.2	332.5	166.1
	DRW; Ind. Front Susp.; Rear Drum Brakes	27119					VD	292.1	37.1	205.0	23055					RD		330.2	332.5	193.0
	DRW; I-Beam Front Axle; Rear Drum Brakes	27263					HR	317.5	37.1	195.2	23055					RD		330.2	332.5	193.0
	Rear Disc Brakes	27218					VD	351.8	34.7	74.5	27122					VD		344.9	34.7	110.9

1 TON R35 SERIES (2WD)

1987 - 1991	DRW	27140					VD	317.5	37.2	195.3	23056					RD		330.2	332.5	185.4
-------------	-----	-------	--	--	--	--	----	-------	------	-------	-------	--	--	--	--	----	--	-------	-------	-------

1 TONV35 SERIES PICKUP 4WD

1987 - 1991	DRW	27275					VD	327.0	37.2	78.2	23056					RD		330.2	332.5	185.4
-------------	-----	-------	--	--	--	--	----	-------	------	------	-------	--	--	--	--	----	--	-------	-------	-------

HONDA:

ACCORD - Before 1990

1976 - 1981		25077					SD	231.0	10.5	41.0	21010					RD		180.0	181.0	71.5
1982 - 1983		25219					VD	231.0	15.0	49.6	21033					RD		200.0	201.0	72.0
1984 - 1985		25504					VD	242.0	17.0	49.6	21033					RD		200.0	201.0	72.0
1986 - 1987		25504					VD	242.0	17.0	49.6	21056					RD		200.0	201.0	59.0
1988	DX / LX Models	25504					VD	242.0	17.0	49.6	21056					RD		200.0	201.0	59.0
	LX-I / SE-I Models	25275					VD	262.0	19.0	51.2	21056					RD		200.0	201.0	59.0

Make Model, Year (s)	Notes	Front					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)			
		Disc / Drum	HC	PVT	Screw	Ground				Type	SFOKT	Disc / Drum	HC	PVT				Screw	Ground	Type
1989	DX / LX Models	25504				VD	✓	242.0	17.0	49.6	21056					RD		200.0	201.0	59.0
	LX-I Model	25275			SK	VD	✓	262.0	19.0	51.2	21056					RD		200.0	201.0	59.0
	SE-I Model	25275			SK	VD	✓	262.0	19.0	51.2	25199			SK		SD	✓	239.0	8.0	48.1

ACCORD COUPE

1990 - 1991		25320				VD	✓	259.0	21.0	34.0	21079					RD		220.0	221.0	60.0
1992	DX & LX; Rear Drum Brakes	25320				VD	✓	259.0	21.0	34.0	21079					RD		220.0	221.0	60.0
	EX; Rear Disc Brakes	25320				VD	✓	259.0	21.0	34.0	25179		SK		SD	✓	260.0	8.0	48.6	
1993	DX & LX; Rear Drum Brakes	25320				VD	✓	259.0	21.0	34.0	21079					RD		220.0	221.0	60.0
	EX & SE; Rear Disc Brakes	25320				VD	✓	259.0	21.0	34.0	25179		SK		SD	✓	260.0	8.0	48.6	
1994 - 1997	DX, LX - w/out ABS; Rear Drum Brakes	25320				VD	✓	259.0	21.0	34.0	21079					RD		220.0	221.0	60.0
	EX, SE, LX - w/ABS; Rear Disc Brakes	25320				VD	✓	259.0	21.0	34.0	25179		SK		SD	✓	260.0	8.0	48.6	
1998 - 2002	4 Cylinder; Rear Drum Brakes	25539			SK	VD	✓	259.8	21.5	47.0	21079					RD		220.0	221.0	60.0
	4 Cylinder; Rear Disc Brakes	25539			SK	VD	✓	259.8	21.5	47.0	25554		SK		SD	✓	259.7	8.0	48.3	
	V6	25549			SK	VD	✓	282.0	21.0	47.0	25550				SD	✓	259.7	8.0	48.3	
2003 - 2004	4 Cylinder - LX; Rear Drum Brakes	25549			SK	VD	✓	282.0	21.0	47.0	21102					RD		220.0	221.0	60.0
	4 Cylinder - EX; Rear Disc Brakes	25549			SK	VD	✓	282.0	21.0	47.0	NYA				-	-	-	-	-	
	V6 - EX; 6 Speed Manual Transmission	25548			SK	VD	✓	300.0	26.0	47.2	NYA				-	-	-	-	-	
	V6 - LX, EX; Automatic Transmission	25549			SK	VD	✓	282.0	21.0	47.0	NYA				-	-	-	-	-	

ACCORD SEDAN

1990 - 1993	Rear Drum Brakes	25320				VD	✓	259.0	21.0	34.0	21079					RD		220.0	221.0	60.0
	Rear Disc Brakes	25320				VD	✓	259.0	21.0	34.0	25179		SK		SD	✓	260.0	8.0	48.6	
1994	DX, LX - w/out ABS; Rear Drum Brakes	25320				VD	✓	259.0	21.0	34.0	21079					RD		220.0	221.0	60.0
	LX, EX - w/ABS; Rear Disc Brakes	25320				VD	✓	259.0	21.0	34.0	25179		SK		SD	✓	260.0	8.0	48.6	
1995	4 Cylinder - DX,LX; w/out ABS; Rear Drum Brakes	25320				VD	✓	259.0	21.0	34.0	21079					RD		220.0	221.0	60.0
	4 Cylinder - LX, EX; w/ ABS; Rear Disc Brakes	25320				VD	✓	259.0	21.0	34.0	25179		SK		SD	✓	260.0	8.0	48.6	
	V6; Rear Drum Brakes	25430				VD	✓	282.0	23.0	34.5	21079					RD		220.0	221.0	60.0
	V6; Rear Disc Brakes	25430				VD	✓	282.0	23.0	34.5	25179		SK		SD	✓	260.0	8.0	48.6	
1996 - 1997	4 Cylinder - DX,LX; w/out ABS; Rear Drum Brakes	25320				VD	✓	259.0	21.0	34.0	21079					RD		220.0	221.0	60.0
	4 Cylinder - LX, EX; w/ ABS; Rear Disc Brakes	25320				VD	✓	259.0	21.0	34.0	25179		SK		SD	✓	260.0	8.0	48.6	
	V6	25430				VD	✓	282.0	23.0	34.5	25179		SK		SD	✓	260.0	8.0	48.6	
1998 - 2002	4 Cylinder; Rear Drum Brakes	25539			SK	VD	✓	259.8	21.5	47.0	21079					RD		220.0	221.0	60.0
	4 Cylinder w/ ABS; Rear Disc Brakes	25539			SK	VD	✓	259.8	21.5	47.0	25554		SK		SD	✓	259.7	8.0	48.3	
	V6	25549			SK	VD	✓	282.0	21.0	47.0	25550				SD	✓	259.7	8.0	48.3	
2003 - 2004	4 Cylinder - DX, LX; Rear Drum Brakes	25549			SK	VD	✓	282.0	21.0	47.0	21102					RD		220.0	221.0	60.0
	4 Cylinder - EX; Rear Disc Brakes	25549			SK	VD	✓	282.0	21.0	47.0	NYA				-	-	-	-	-	
	V6	25549			SK	VD	✓	282.0	21.0	47.0	NYA				-	-	-	-	-	

ACCORD WAGON

1991 - 1997	LX w/out ABS; Rear Drum Brakes	25430				VD	✓	282.0	23.0	34.5	21079					RD		220.0	221.0	60.0
	LX w/ABS; EX; Rear Disc Brakes	25430				VD	✓	282.0	23.0	34.5	25179		SK		SD	✓	260.0	8.0	48.6	

CIVIC COUPE

1993	DX w/ Automatic Transmission	25507				VD	✓	240.0	19.0	44.7	21056					RD		200.0	201.0	59.0
	DX w/ Manual Transmission	25507				VD	✓	240.0	19.0	44.7	21057					RD		180.0	181.0	61.5
	EX	25331			SK	VD	✓	262.0	19.0	44.6	21056					RD		200.0	201.0	59.0
1994 - 1995	DX w/ Automatic Transmission	25507				VD	✓	240.0	19.0	44.7	21056					RD		200.0	201.0	59.0
	DX w/ Manual Transmission	25507				VD	✓	240.0	19.0	44.7	21057					RD		180.0	181.0	61.5
	EX w/ out ABS	25331			SK	VD	✓	262.0	19.0	44.6	21056					RD		200.0	201.0	59.0

Make Model, Year (s)	Notes	Front					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)		
		Disc / Drum	HC	PVT	Screw	Ground				Type	SFOK	Disc / Drum	HC	PVT				Screw	Ground
1996 - 1998	EX w/ ABS	25331			SK	VD	✓	262.0	19.0	44.6	25170			SK	SD	✓	239.0	8.0	47.6
	DX / HX Models	25507				VD	✓	240.0	19.0	44.7	21056				RD		200.0	201.0	59.0
1999 - 2000	EX	25331			SK	VD	✓	262.0	19.0	44.6	21056				RD		200.0	201.0	59.0
	DX / HX Models	25507				VD	✓	240.0	19.0	44.7	21056				RD		200.0	201.0	59.0
	EX	25331			SK	VD	✓	262.0	19.0	44.6	21056				RD		200.0	201.0	59.0
2001 - 2003	SI	25331			SK	VD	✓	262.0	19.0	44.6	25170			SK	SD	✓	239.0	8.0	47.6
	DX, HX, LX	25331			SK	VD	✓	262.0	19.0	44.6	NYA				-		-	-	-
2004	EX	25331			SK	VD	✓	262.0	19.0	44.6	NYA				-		-	-	-
	DX, HX	25331			SK	VD	✓	262.0	19.0	44.6	NYA				-		-	-	-
	LX, EX	25331			SK	VD	✓	262.0	19.0	44.6	NYA				-		-	-	-

CIVIC HATCHBACK

1975 - 1979		25067				SD		226.5	9.0	44.3	21011				RD		160.0	161.0	72.0
1980 - 1981		25089			SK	SD		215.0	8.0	46.0	21012				RD		180.0	181.0	72.0
1982	1500cc	25095			SK	SD		231.0	10.0	49.5	21012				RD		180.0	181.0	72.0
	1300cc w/ 4 Speed Manual Transmission	25089			SK	SD		215.0	8.0	46.0	21012				RD		180.0	181.0	72.0
1983	1300cc w/ 4 Speed Manual Transmission	25219			SK	VD		231.0	15.0	49.6	21012				RD		180.0	181.0	72.0
	1300cc w/ 5 Speed Manual Transmission	25095			SK	SD		231.0	10.0	49.5	21012				RD		180.0	181.0	72.0
	1500cc	25219			SK	VD		231.0	15.0	49.6	21012				RD		180.0	181.0	72.0
1984 - 1987	w/ Solid Front Disc	25155			SK	SD		231.0	10.0	44.0	21057				RD		180.0	181.0	61.5
	w/ Vented Front Disc	25220			SK	VD		231.0	15.0	43.8	21057				RD		180.0	181.0	61.5
1988 - 1989		25280			SK	VD	✓	242.0	17.0	44.0	21057				RD		180.0	181.0	61.5
1990 - 1991		25507				VD	✓	240.0	19.0	44.7	21057				RD		180.0	181.0	61.5
1992 - 1993	Excludes SI Model	25507				VD	✓	240.0	19.0	44.7	21057				RD		180.0	181.0	61.5
	SI	25507				VD	✓	240.0	19.0	44.7	25170			SK	SD	✓	239.0	8.0	47.6
1994 - 1995	Excludes SI Model	25507				VD	✓	240.0	19.0	44.7	21057				RD		180.0	181.0	61.5
	SI w/ out ABS	25507				VD	✓	240.0	19.0	44.7	25170			SK	SD	✓	239.0	8.0	47.6
	SI w/ ABS	25331			SK	VD	✓	262.0	19.0	44.6	25170			SK	SD	✓	239.0	8.0	47.6
1996 - 2000		25507				VD	✓	240.0	19.0	44.7	21056				RD		200.0	201.0	59.0
2002 - 2003	Si	25331			SK	VD	✓	262.0	19.0	44.6	NYA				-		-	-	-
2004	Si	NYA				-		-	-	-	25550				SD	✓	259.7	8.0	48.3

CIVIC SEDAN

1975 - 1979		25067				SD		226.5	9.0	44.3	21011				RD		160.0	161.0	72.0
1981 - 1982		25095			SK	SD		231.0	10.0	49.5	21012				RD		180.0	181.0	72.0
1983		25220			SK	VD		231.0	15.0	43.8	21012				RD		180.0	181.0	72.0
1984 - 1987		25220			SK	VD		231.0	15.0	43.8	21057				RD		180.0	181.0	61.5
1988 - 1989		25280			SK	VD	✓	242.0	17.0	44.0	21057				RD		180.0	181.0	61.5
1990 - 1991	DX / LX Models	25507				VD	✓	240.0	19.0	44.7	21057				RD		180.0	181.0	61.5
	EX	25331			SK	VD	✓	262.0	19.0	44.6	21057				RD		180.0	181.0	61.5
1992 - 1993	DX / LX Models w/ Automatic Transmission	25507				VD	✓	240.0	19.0	44.7	21056				RD		200.0	201.0	59.0
	DX / LX Models w/ Manual Transmission	25507				VD	✓	240.0	19.0	44.7	21057				RD		180.0	181.0	61.5
	EX	25331			SK	VD	✓	262.0	19.0	44.6	25170			SK	SD	✓	239.0	8.0	47.6
1994	DX / LX Models w/ Automatic Transmission; w/ out ABS	25507				VD	✓	240.0	19.0	44.7	21056				RD		200.0	201.0	59.0
	DX / LX Models w/ Manual Transmission; w/ out ABS	25507				VD	✓	240.0	19.0	44.7	21057				RD		180.0	181.0	61.5
	LX w/ Automatic Transmission; w/ ABS	25331			SK	VD	✓	262.0	19.0	44.6	21056				RD		200.0	201.0	59.0
	LX w/ Manual Transmission; w/ ABS	25331			SK	VD	✓	262.0	19.0	44.6	21057				RD		180.0	181.0	61.5
	EX	25331			SK	VD	✓	262.0	19.0	44.6	25170			SK	SD	✓	239.0	8.0	47.6
1995	DX w/ Automatic Transmission	25507				VD	✓	240.0	19.0	44.7	21056				RD		200.0	201.0	59.0
	DX w/ Manual Transmission	25507				VD	✓	240.0	19.0	44.7	21057				RD		180.0	181.0	61.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	LX w/ Automatic Transmission; w/ ABS	25331			SK		VD	✓	262.0	19.0	44.6	21056					RD		200.0	201.0	59.0
	LX w/ Manual Transmission; w/ ABS	25331			SK		VD	✓	262.0	19.0	44.6	21057					RD		180.0	181.0	61.5
	EX	25331			SK		VD	✓	262.0	19.0	44.6	NYA					-		-	-	-
1996 - 2000	Excludes EX	25507					VD	✓	240.0	19.0	44.7	21056					RD		200.0	201.0	59.0
	EX	25331			SK		VD	✓	262.0	19.0	44.6	21056					RD		200.0	201.0	59.0
2001-2002		25331			SK		VD	✓	262.0	19.0	44.6	NYA					-		-	-	-
2003 - 2004	Excludes Hybrid	25331			SK		VD	✓	262.0	19.0	44.6	NYA					-		-	-	-
	Hybrid	25331			SK		VD	✓	262.0	19.0	44.6	NYA					-		-	-	-

CIVIC WAGON / WAGOVAN

1975		25067					SD		226.5	9.0	44.3	NYA					-		-	-	-
1976 - 1979		NYA					-		-	-	-	NYA					-		-	-	-
1980		25095			SK		SD		231.0	10.0	49.5	NYA					-		-	-	-
1981 - 1982		25095			SK		SD		231.0	10.0	49.5	NYA					-		-	-	-
1983		25219			SK		VD		231.0	15.0	49.6	NYA					-		-	-	-
1984 - 1987	4WD	25220			SK		VD		231.0	15.0	43.8	21088					RD		200.0	201.0	61.5
1988 - 1989		25280			SK		VD	✓	242.0	17.0	44.0	21082					RD		200.0	201.0	57.0
1990 - 1991	2WD	25507					VD	✓	240.0	19.0	44.7	21082					RD		200.0	201.0	57.0
	4WD	25280			SK		VD	✓	242.0	17.0	44.0	21082					RD		200.0	201.0	57.0

CRX

1984	1300	NYA					-		-	-	-	21057					RD		180.0	181.0	61.5
	1500 DX	25220			SK		VD		231.0	15.0	43.8	21057					RD		180.0	181.0	61.5
1985 - 1987	HF	NYA					-		-	-	-	21057					RD		180.0	181.0	61.5
	DX / SI	25220			SK		VD		231.0	15.0	43.8	21057					RD		180.0	181.0	61.5
1988 - 1989	HF	25220			SK		VD		231.0	15.0	43.8	21057					RD		180.0	181.0	61.5
	DX / SI	25280			SK		VD	✓	242.0	17.0	44.0	21057					RD		180.0	181.0	61.5
1990 - 1991	DX	25507					VD	✓	240.0	19.0	44.7	21057					RD		180.0	181.0	61.5
	HF	25220			SK		VD		231.0	15.0	43.8	21057					RD		180.0	181.0	61.5
	SI	25280			SK		VD	✓	242.0	17.0	44.0	25199			SK		SD	✓	239.0	8.0	48.1

DEL SOL

1993	w/ Rear Drum	25507					VD	✓	240.0	19.0	44.7	21057					RD		180.0	181.0	61.5
	w/ Rear Disc	25507					VD	✓	240.0	19.0	44.7	25170			SK		SD	✓	239.0	8.0	47.6
1994 - 1997	w/ Rear Drum	25507					VD	✓	240.0	19.0	44.7	21057					RD		180.0	181.0	61.5
	w/ Rear Disc; Excludes VTEC	25507					VD	✓	240.0	19.0	44.7	25170			SK		SD	✓	239.0	8.0	47.6
	w/ Rear Disc; VTEC	25331			SK		VD	✓	262.0	19.0	44.6	25170			SK		SD	✓	239.0	8.0	47.6

INSIGHT

2000 - 2004		25220			SK		VD		231.0	15.0	43.8	NYA					-		-	-	-
-------------	--	-------	--	--	----	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

PRELUDE

1979 - 1982		25095			SK		SD		231.0	10.0	49.5	21013					RD		180.0	181.0	76.0
1983		25221			SK		VD		231.0	17.0	49.6	21033					RD		200.0	201.0	72.0
1984	Made in Canada	25221			SK		VD		231.0	17.0	49.6	21033					RD		200.0	201.0	72.0
	Made in USA	25221			SK		VD		231.0	17.0	49.6	25166					HR		239.0	8.0	72.0
1985 - 1987	DX	25221			SK		VD		231.0	17.0	49.6	25166					HR		239.0	8.0	72.0
	SI	25504					VD		242.0	17.0	49.6	25166					HR		239.0	8.0	72.0
	Canada Only	25221			SK		VD		231.0	17.0	49.6	21033					RD		200.0	201.0	72.0
1988 - 1990	S	25504					VD		242.0	17.0	49.6	25199			SK		SD	✓	239.0	8.0	48.1

Make Model, Year (s)	Notes	Front					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)		
		Disc / Drum	HC	PVT	Screw	Ground				Type	SFOK	Disc / Drum	HC	PVT				Screw	Ground
	SE / SI	25275			SK	VD	✓	262.0	19.0	51.2	25199			SK	SD	✓	239.0	8.0	48.1
1991		25275			SK	VD	✓	262.0	19.0	51.2	25199			SK	SD	✓	239.0	8.0	48.1
1992	Excludes VTEC	25435			SK	VD	✓	260.0	21.0	47.1	25592				SD		259.5	8.0	42.9
1993 - 1996	Excludes VTEC	25435			SK	VD	✓	260.0	21.0	47.1	25592				SD		259.5	8.0	42.9
	VTEC	25434			SK	VD		282.0	21.0	47.1	25592				SD		259.5	8.0	42.9
1997 - 2001		25464			SK	VD	✓	282.0	21.0	47.1	NYA				-		-	-	-

S2000

2000-2004		NYA					-	-	-	-	25650				SD		281.7	10.0	39.6
-----------	--	-----	--	--	--	--	---	---	---	---	-------	--	--	--	----	--	-------	------	------

HONDA TRUCK / VAN / SUV:

CR-V

1997 - 2001		25464			SK	VD	✓	282.0	21.0	47.1	21102				RD		220.0	221.0	60.0
2002 - 2004		25549			SK	VD	✓	282.0	21.0	47.0	NYA				-		-	-	-

ELEMENT

2003 - 2004		25549			SK	VD	✓	282.0	21.0	47.0	NYA				-		-	-	-
-------------	--	-------	--	--	----	----	---	-------	------	------	-----	--	--	--	---	--	---	---	---

ODYSSEY

1995 - 1998		25464			SK	VD	✓	282.0	21.0	47.1	25191			SK	SD	✓	282.0	7.5	61.1
1999 - 2004		25548				VD		300.0	26.0	47.2	NYA				-		-	-	-

PASSPORT

1994 - 1996	2.6L 4 Cylinder w/ Rear Drum	25346				@	VD	257.0	20.6	36.0	21045				RD		254.0	255.5	71.0
	3.2L 6 Cylinder w/ Rear Disc	25456				@	VD	280.0	24.6	36.0	25496			@	VD		313.0	16.6	80.2
1996 - 1997	w/ Rear Drum	25456				@	VD	280.0	24.6	36.0	21045				RD		254.0	255.5	71.0
	w/ Rear Disc	25457				@	VD	280.0	24.6	36.0	25496			@	VD		313.0	16.6	80.2
1998 - 2001		25457				@	VD	280.0	24.6	36.0	25496			@	VD		313.0	16.6	80.2
2002	2WD; Rear Drum Brakes	NYA				-		-	-	-	NYA				-		-	-	-
	4WD; Rear Disc Brakes	NYA				-		-	-	-	25496			@	VD		313.0	16.6	80.2

PILOT

2003 - 2004		25548					VD	300.0	26.0	47.2	NYA				-		-	-	-
-------------	--	-------	--	--	--	--	----	-------	------	------	-----	--	--	--	---	--	---	---	---

HUMMER:

H2

2003 - 2004		27220					VD	✓	325.0	36.5	89.2	27049			@	VD	✓	330.1	26.5	86.7
-------------	--	-------	--	--	--	--	----	---	-------	------	------	-------	--	--	---	----	---	-------	------	------

HYUNDAI:

ACCENT

1995-1999		25269				@	VD	242.0	17.7	40.5	NYA				-		-	-	-
-----------	--	-------	--	--	--	---	----	-------	------	------	-----	--	--	--	---	--	---	---	---

ELANTRA

1992 - 1993		25350				@	VD	257.0	20.0	34.0	NYA				-		-	-	-
1994 - 1996	w/ Rear Drum; w/ out ABS	25350				@	VD	257.0	20.0	34.0	NYA				-		-	-	-
	w/ Rear Disc; w/ ABS	25350				@	VD	257.0	20.0	34.0	NYA				-		-	-	-
1997 - 08/16/98	w/ Rear Drum; w/ out ABS	25350				@	VD	257.0	20.0	34.0	NYA				-		-	-	-

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear								
		Disc / Drum	HC	PVT	Screw	Ground	Type			Disc / Drum	HC	PVT	Screw	Ground	Type	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
08/16/98-2000	w/ Rear Disc; w/ ABS	25350				@	VD	257.0	20.0	34.0	25618				SD	258.0	8.0	40.4
	w/ Rear Drum; w/ out ABS	NYA				-	-	-	-	-	NYA				-	-	-	-
2001	w/ Rear Disc; w/ ABS	NYA				-	-	-	-	-	25618				SD	258.0	8.0	40.4
	GL; Rear Drum Brakes	NYA				-	-	-	-	-	NYA				-	-	-	-
	GLS; Rear Drum Brakes	NYA				-	-	-	-	-	NYA				-	-	-	-
2002-2004	GLS; Rear Disc Brakes	NYA				-	-	-	-	-	25618				SD	258.0	8.0	40.4
	Rear Drum Brakes	NYA				-	-	-	-	-	NYA				-	-	-	-
	Rear Disc Brakes	NYA				-	-	-	-	-	25618				SD	258.0	8.0	40.4

EXCEL

1986 - 2/1987	w/ Automatic Transmission	25118					SD	229.0	11.4	39.5	21048				RD	180.0	182.0	72.0
1986 - 8/1987	w/ Manual Transmission	25118					SD	229.0	11.4	39.5	21048				RD	180.0	182.0	72.0
3/1987 - 1988	w/ Automatic Transmission	25269				@	VD	242.0	17.7	40.5	21048				RD	180.0	182.0	72.0
9/1987 - 1988	w/ Manual Transmission	25269				@	VD	242.0	17.7	40.5	21048				RD	180.0	182.0	72.0
9/1988 - 7/1989		25269				@	VD	242.0	17.7	40.5	NYA				-	-	-	-
8/1989 - 6/25/1991		25269				@	VD	242.0	17.7	40.5	21104				RD	180.0	182.0	-
6/26/1991 - 7/1992		25269				@	VD	242.0	17.7	40.5	21104				RD	180.0	182.0	-
8/1992 - 1995		25269				@	VD	242.0	17.7	40.5	NYA				-	-	-	-

PONY (CANADA)

1983 - 1991		25076					SD	229.0	11.4	30.0	NYA				-	-	-	-
-------------	--	-------	--	--	--	--	----	-------	------	------	-----	--	--	--	---	---	---	---

SCOUPE

5/1990 - 12/1990		25269				@	VD	242.0	17.7	40.5	21104				RD	180.0	182.0	-
1/1991 - 7/1992		25269				@	VD	242.0	17.7	40.5	21104				RD	180.0	182.0	-
8/1992 - 1995		25269				@	VD	242.0	17.7	40.5	NYA				-	-	-	-

SONATA

1989 - 1990		25319				@	VD	257.0	20.0	45.0	NYA				-	-	-	-
1991 - 4/1991	w/ Rear Drum	25319				@	VD	257.0	20.0	45.0	NYA				-	-	-	-
	w/ Rear Disc	25319				@	VD	257.0	20.0	45.0	25635			SD	262.4	10.5	46.0	-
5/1991 - 1993	4 Cylinder w/ Rear Drum	25319				@	VD	257.0	20.0	45.0	NYA				-	-	-	-
	4 Cylinder w/ Rear Disc	25319				@	VD	257.0	20.0	45.0	25635			SD	262.4	10.5	46.0	-
	V6	25319				@	VD	257.0	20.0	45.0	25635			SD	262.4	10.5	46.0	-
1994	w/ Rear Drum	25319				@	VD	257.0	20.0	45.0	NYA				-	-	-	-
	w/ Rear Disc	25319				@	VD	257.0	20.0	45.0	25672			SD	-	10.5	-	-
1995 - 1998	w/ Rear Drum	25319				@	VD	257.0	20.0	45.0	NYA				-	-	-	-
	w/ Rear Disc	25319				@	VD	257.0	20.0	45.0	25672			SD	-	10.5	-	-
2002	4 Cylinder; Rear Drum Brakes	25643					VD	256.8	22.4	47.2	NYA				-	-	-	-
	V6; Rear Disc Brakes	25643					VD	256.8	22.4	47.2	NYA				-	-	-	-
2003 - 2004		25643					VD	256.8	22.4	47.2	NYA				-	-	-	-

STELLAR (CANADA)

1985 - 1986		25017					SD	244.0	11.4	27.0	NYA				-	-	-	-
-------------	--	-------	--	--	--	--	----	-------	------	------	-----	--	--	--	---	---	---	---

TIBURON

1997 - 1998	w/ Rear Drum	25350				@	VD	257.0	20.0	34.0	NYA				-	-	-	-
	w/ Rear Disc	25350				@	VD	257.0	20.0	34.0	25618			SD	258.0	8.0	40.4	-
1999 - 2001		25350				@	VD	257.0	20.0	34.0	25618			SD	258.0	8.0	40.4	-
2003 - 2004		NYA					-	-	-	-	NYA				-	-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-----------------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-----------------	------	-------	-----------------------	--------------------------------	-------------------------

HYUNDAI SUV:

SANTA FE

2000 - 2004		NYA				-		-	-	-	NYA				-		-	-	-
-------------	--	-----	--	--	--	---	--	---	---	---	-----	--	--	--	---	--	---	---	---

INFINITI:

G20

1991 - 1996		25511				VD		257.0	20.0	49.2	25152				SD		258.0	8.0	44.5
1997		25511				VD		257.0	20.0	49.2	25152				SD		258.0	8.0	44.5
1998		NYA				-		-	-	-	NYA				-		-	-	-
1999 - 2002		25315				VD	✓	280.0	20.0	49.2	25152				SD		258.0	8.0	44.5

G35

01/02 - 08/02	w/ out Dynamic Control System	25642				VD		295.9	22.0	49.1	NYA				-		-	-	-
	w/ Dynamic Control System	NYA				-		-	-	-	NYA				-		-	-	-

I30

1995 - 1999		25314				VD	✓	280.0	20.0	49.3	25542				SD	✓	277.9	8.0	44.6
2000 - 2001		25575		PVT		VD	✓	280.0	24.0	49.2	25542				SD	✓	277.9	8.0	44.6

I35

2002-2003		25642				VD		295.9	22.0	49.1	25542				SD	✓	277.9	8.0	44.6
-----------	--	-------	--	--	--	----	--	-------	------	------	-------	--	--	--	----	---	-------	-----	------

J30

1993 - 1997		25545				VD		279.5	25.9	53.6	25606				VD				
-------------	--	-------	--	--	--	----	--	-------	------	------	-------	--	--	--	----	--	--	--	--

M30

1990 - 1992		25599				VD		273.8	20.0	47.6	25598				SD		265.9	9.0	68.1
-------------	--	-------	--	--	--	----	--	-------	------	------	-------	--	--	--	----	--	-------	-----	------

M45

2003 - 2004		NYA				-		-	-	-	NYA				-		-	-	-
-------------	--	-----	--	--	--	---	--	---	---	---	-----	--	--	--	---	--	---	---	---

Q45

1990 - 1996		25545				VD		279.5	25.9	53.6	25540				SD		292.1	7.9	64.0
1997 - 2001		25638				VD		295.9	25.9	53.6	25606				VD				
2002 - 2004		NYA				-		-	-	-	NYA				-		-	-	-

INFINITI SUV:

FX35

2003 - 2004		NYA				-		-	-	-	NYA				-		-	-	-
-------------	--	-----	--	--	--	---	--	---	---	---	-----	--	--	--	---	--	---	---	---

FX45

2003 - 2004		NYA				-		-	-	-	NYA				-		-	-	-
-------------	--	-----	--	--	--	---	--	---	---	---	-----	--	--	--	---	--	---	---	---

QX4

1997		25512				VD		282.6	26.0	38.0	NYA				-		-	-	-
------	--	-------	--	--	--	----	--	-------	------	------	-----	--	--	--	---	--	---	---	---

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------

AXIOM

01/01 - 10/01	2WD; Rear Drum Brakes	25457				@	VD		280.0	24.6	36.0	NYA					-		-	-	-
	4WD; Rear Disc Brakes	25457				@	VD		280.0	24.6	36.0	25496				@	VD		313.0	16.6	80.2
11/01 - 2004	2WD; Rear Drum Brakes	NYA					-		-	-	-	NYA					-		-	-	-
	4WD; Rear Disc Brakes	NYA					-		-	-	-	25496				@	VD		313.0	16.6	80.2

HOMBRE

1996		27243					HR	✓	266.7	24.3	109.6	23078					RD		241.3	243.6	79.5
1997	2WD	27243					HR	✓	266.7	24.3	109.6	23078					RD		241.3	243.6	79.5
	4WD	27020				@	VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
1998 - 2000	2WD	27243					HR	✓	266.7	24.3	109.6	23078					RD		241.3	243.6	79.5
	4WD	27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1

OASIS

1996 - 1999		25464				SK	VD	✓	282.0	21.0	47.1	25191			SK	SD	✓		282.0	7.5	61.1
-------------	--	-------	--	--	--	----	----	---	-------	------	------	-------	--	--	----	----	---	--	-------	-----	------

PICK-UP, PUP

1981 - 1983		25204				@	SD		259.0	11.1	37.4	21045					RD		254.0	255.5	71.0
1984 - 11/1987		25378				@	VD		251.0	16.6	33.4	21045					RD		254.0	255.5	71.0
12/1987 - 8/1990	2WD w/ Rear Drum	25346				@	VD		257.0	20.6	36.0	21045					RD		254.0	255.5	71.0
	2WD w/ Rear Disc	25346				@	VD		257.0	20.6	36.0	25189			@	SD		265.0	10.6	47.6	
	4WD w/ Rear Disc	25346				@	VD		257.0	20.6	36.0	25189			@	SD		265.0	10.6	47.6	
9/1990 - 9/1992	2WD	25346				@	VD		257.0	20.6	36.0	21045					RD		254.0	255.5	71.0
	4WD	25346				@	VD		257.0	20.6	36.0	25189			@	SD		265.0	10.6	47.6	
10/1992 - 1995	2WD	25346				@	VD		257.0	20.6	36.0	21045					RD		254.0	255.5	71.0
	4WD	25346				@	VD		257.0	20.6	36.0	25189			@	SD		265.0	10.6	47.6	

RODEO

1991 - 10/1992		25346				@	VD		257.0	20.6	36.0	21045					RD		254.0	255.5	71.0
11/1992 - 11/1995	2.6L 4 Cylinder w/ Rear Drum	25346				@	VD		257.0	20.6	36.0	21045					RD		254.0	255.5	71.0
	3.2L V6 w/ Rear Disc	25456				@	VD		280.0	24.6	36.0	25496			@	VD		313.0	16.6	80.2	
12/1995 - 6/1997	2.6L 4 Cylinder w/ Rear Drum (Excludes 4EX-W Model)	25456				@	VD		280.0	24.6	36.0	21045					RD		254.0	255.5	71.0
	2.6L 4 Cylinder w/ Rear Drum (4EX-W Model)	25457				@	VD		280.0	24.6	36.0	21045					RD		254.0	255.5	71.0
	3.2L V6 w/ Rear Disc (Excludes 4EX-W Model)	25456				@	VD		280.0	24.6	36.0	25496			@	VD		313.0	16.6	80.2	
	3.2L V6 w/ Rear Disc (4EX-W Model)	25457				@	VD		280.0	24.6	36.0	25496			@	VD		313.0	16.6	80.2	
7/1997 - 1999	2WD w/ Rear Drum	25456				@	VD		280.0	24.6	36.0	NYA					-		-	-	-
	4WD w/ Rear Disc	25457				@	VD		280.0	24.6	36.0	25496			@	VD		313.0	16.6	80.2	
2000 - 06/01	2WD; Rear Drum Brakes	25456				@	VD		280.0	24.6	36.0	NYA					-		-	-	-
	4WD; Rear Disc Brakes	25456				@	VD		280.0	24.6	36.0	25496			@	VD		313.0	16.6	80.2	
07/01 - 2004	2WD; Rear Drum Brakes	NYA					-		-	-	-	NYA					-		-	-	-
	4WD; Rear Disc Brakes	NYA					-		-	-	-	25496			@	VD		313.0	16.6	80.2	

RODEO SPORT

2001 - 06/01	2WD; Rear Drum Brakes	25456				@	VD		280.0	24.6	36.0	NYA					-		-	-	-
	4WD; Rear Disc Brakes	25456				@	VD		280.0	24.6	36.0	25496			@	VD		313.0	16.6	80.2	
07/01 - 2003	2WD; Rear Drum Brakes	NYA					-		-	-	-	NYA					-		-	-	-
	4WD; Rear Disc Brakes	NYA					-		-	-	-	25496			@	VD		313.0	16.6	80.2	

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
TROOPER / TROOPER II																					
1984 - 1986		25378				@	VD		251.0	16.6	33.4	21045					RD		254.0	255.5	71.0
1987		25346				@	VD		257.0	20.6	36.0	21045					RD		254.0	255.5	71.0
1988 - 1991		25346				@	VD		257.0	20.6	36.0	25189				@	SD		265.0	10.6	47.6
1992 - 2002		25456				@	VD		280.0	24.6	36.0	25496				@	VD		313.0	16.6	80.2
VEHICROSS																					
1999 - 2001		25457				@	VD		280.0	24.6	36.0	25496				@	VD		313.0	16.6	80.2
IVECO:																					
EURO RANGE 230T																					
1987 - 1991		25223					VD		315.0	23.0	118.5	NYA					-		-	-	-
EURO TURBO RANGE 10-14, 12-14, 13-14, 15-14, 18-14, 18-16																					
1989 - 1991		25223					VD		315.0	23.0	118.5	NYA					-		-	-	-
ZETA 65.14-79.14																					
1982		25223					VD		315.0	23.0	118.5	NYA					-		-	-	-
JAGUAR:																					
S-TYPE (3.0L)																					
1999 - 2002		25525				@	VD		300.0	28.0	43.0	25526				@	VD		288.0	18.5	32.5
2003 - 2004	Standard Suspension	25525				@	VD		300.0	28.0	43.0	25526				@	VD		288.0	18.5	32.5
	Sport Suspension	NYA					-		-	-	-	25526				@	VD		288.0	18.5	32.5
S-TYPE (4.0L)																					
1999 - 2002		25525				@	VD		300.0	28.0	43.0	25526				@	VD		288.0	18.5	32.5
2003 - 2004	Standard Suspension	25525				@	VD		300.0	28.0	43.0	25526				@	VD		288.0	18.5	32.5
	Sport Suspension	NYA					-		-	-	-	25526				@	VD		288.0	18.5	32.5
S-TYPE "R"																					
2003 - 2004		NYA					-		-	-	-	NYA					-		-	-	-
X TYPE																					
2002 - 2004		NYA					-		-	-	-	NYA					-		-	-	-
XJ 6, XJ 12 (Including Sovereign & Vanden Plas)																					
1968 - 9/1973		25038				@	SD		284.0	11.4	60.3	25039				@	SD		264.0	11.4	25.5
10/1973 - 6/1976		25233				@	VD		284.0	22.9	60.3	25039				@	SD		264.0	11.4	25.5
7/1976 - 9/1986		25233				@	VD		284.0	22.9	60.3	25039				@	SD		264.0	11.4	25.5
10/1986 - 11/1987		25335				@	VD		295.0	21.0	66.6	25154				@	SD		278.0	8.8	67.8
12/1987 - 1/1989		25335				@	VD		295.0	21.0	66.6	25154				@	SD		278.0	8.8	67.8
2/1989 - 1989		25335				@	VD		295.0	21.0	66.6	25154				@	SD		278.0	8.8	67.8
1990 - 1992		25375				@	VD		291.0	27.0	66.8	25169				@	SD		294.5	8.8	67.8
1993		25375				@	VD		291.0	27.0	66.8	25169				@	SD		294.5	8.8	67.8
1994	6 Cylinder	25375				@	VD		291.0	27.0	66.8	25169				@	SD		294.5	8.8	67.8
	12 Cylinder	NYA					-		-	-	-	25169				@	SD		294.5	8.8	67.8
1995 - 1997	w/ Solid Rear Disc	25375				@	VD		291.0	27.0	66.8	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ Vented Rear Disc	25375				@	VD		291.0	27.0	66.8	25485				@	VD		305.0	18.5	67.8

XJR-S, XJ-S, XJ-SC

1976 - 1982		25233				@	VD		284.0	22.9	60.3	25039				@	SD		264.0	11.4	25.5
1983 - 12/1986	Excludes w/ Dana Axle	25233				@	VD		284.0	22.9	60.3	25039				@	SD		264.0	11.4	25.5
	w/ Dana Axle	25233				@	VD		284.0	22.9	60.3	25040				@	SD		264.0	11.4	25.5
1/1987 - 1992		25233				@	VD		284.0	22.9	60.3	25040				@	SD		264.0	11.4	25.5
1993 - 1994		25233				@	VD		284.0	22.9	60.3	25169				@	SD		294.5	8.8	67.8
1995 - 1997	w/ Solid Rear Disc	25233				@	VD		284.0	22.9	60.3	NYA				-			-	-	-
	w/ Vented Rear Disc	25518				@	VD		305.0	26.0	49.5	25485				@	VD		305.0	18.5	67.8

XK8, XJ8

1997 - 1999	w/ Solid Rear Disc	25518				@	VD		305.0	26.0	49.5	NYA				-			-	-	-
	w/ Vented Rear Disc	25518				@	VD		305.0	26.0	49.5	25485				@	VD		305.0	18.5	67.8

MK X (3.8L)

1961 - 1964		NYA				-			-	-	-	25039				@	SD		264.0	11.4	25.5
-------------	--	-----	--	--	--	---	--	--	---	---	---	-------	--	--	--	---	----	--	-------	------	------

MK X (4.2L)

1964 - 1966		NYA				-			-	-	-	25039				@	SD		264.0	11.4	25.5
-------------	--	-----	--	--	--	---	--	--	---	---	---	-------	--	--	--	---	----	--	-------	------	------

"S" 3.8L

1963 - 1968		NYA				-			-	-	-	25039				@	SD		264.0	11.4	25.5
-------------	--	-----	--	--	--	---	--	--	---	---	---	-------	--	--	--	---	----	--	-------	------	------

XK E

1965 - 1974		NYA				-			-	-	-	25039				@	SD		264.0	11.4	25.5
-------------	--	-----	--	--	--	---	--	--	---	---	---	-------	--	--	--	---	----	--	-------	------	------

420 G

1967 - 1970		NYA				-			-	-	-	25039				@	SD		264.0	11.4	25.5
-------------	--	-----	--	--	--	---	--	--	---	---	---	-------	--	--	--	---	----	--	-------	------	------

JEEP:

CHEROKEE, WAGONEER, GRAND WAGONEER (Full Size)

1981 - 1991	Rotor Only	27054					VD		301.2	30.9	58.3	23082					RD		279.4	280.9	84.3
-------------	------------	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

CHEROKEE, WAGONEER, BRIARWOOD (Mid Size XJ Series)

1984 - 1985	w/ 1.75" Wide Rear Shoes; w/ out Tow Package	27001				@	VD		280.0	20.7	76.8	23021					RD		254.0	255.5	99.6
	w/ 2.5" Wide Rear Shoes; w/ Tow Package	27001				@	VD		280.0	20.7	76.8	NYA					-		-	-	-
1986 - 1989	2WD w/ 1.75" Wide Rear Shoes; w/ out Tow Package	27146					HR		280.2	20.7	101.2	23021					RD		254.0	255.5	99.6
	2WD w/ 2.5" Wide Rear Shoes; w/ Tow Package	27146					HR		280.2	20.7	101.2	NYA					-		-	-	-
	4WD w/ 1.75" Wide Rear Shoes; w/ out Tow Package	27001				@	VD		280.0	20.7	76.8	23021					RD		254.0	255.5	99.6
	4WD w/ 2.5" Wide Rear Shoes; w/ Tow Package	27001				@	VD		280.0	20.7	76.8	NYA					-		-	-	-
1990 - 1991	2WD w/ 9" Rear Drum	27146					HR		280.2	20.7	101.2	23080					RD		228.6	230.0	92.5
	2WD w/ 10" Rear Drum & Police Package	27146					HR		280.2	20.7	101.2	23021					RD		254.0	255.5	99.6
	4WD w/ 9" Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	23080					RD		228.6	230.0	92.5
	4WD w/ 10" Rear Drum & Police Package	27041				@	VD	✓	280.0	22.7	81.5	23021					RD		254.0	255.5	99.6
1992 - 1/1992	2WD w/ 9" Rear Drum	27146					HR		280.2	20.7	101.2	23080					RD		228.6	230.0	92.5
	2WD w/ 10" Rear Drum	27146					HR		280.2	20.7	101.2	23081					RD		254.0	255.5	99.6
	4WD w/ 9" Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	23080					RD		228.6	230.0	92.5

Make Model, Year (s)	Notes	Front					Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground						Disc / Drum	HC	PVT	Screw	Ground				
2/1992 - 1994	4WD w/ 10" Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	23081					RD	254.0	255.5	99.6
	w/ 9" Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	23080					RD	228.6	230.0	92.5
	w/ 10" Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	23081					RD	254.0	255.5	99.6
1995 - 1996	w/ 9" Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	23080					RD	228.6	230.0	92.5
	w/ 10" Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	23081					RD	254.0	255.5	99.6
1997 - 1998		27041				@	VD	✓	280.0	22.7	81.5	23080					RD	228.6	230.0	92.5
1999 - 2001	Overall Height 3 1/16"	27124					VD		280.1	22.6	77.7	NYA					-	-	-	-

COMANCHE

1986 - 1987	Standard Duty 2WD / 4WD	27001				@	VD		280.0	20.7	76.8	23021					RD	254.0	255.5	99.6
	Heavy Duty 2WD / 4WD	27001				@	VD		280.0	20.7	76.8	NYA					-	-	-	-
1988 - 1989	Standard Duty 2WD	27146					HR		280.2	20.7	101.2	23021					RD	254.0	255.5	99.6
	Standard Duty 4WD	27001				@	VD		280.0	20.7	76.8	23021					RD	254.0	255.5	99.6
	Heavy Duty 2WD	27146					HR		280.2	20.7	101.2	NYA					-	-	-	-
	Heavy Duty 4WD	27001				@	VD		280.0	20.7	76.8	NYA					-	-	-	-
1990 - 1992	2WD w/ 9" Rear Drum	27146					HR		280.2	20.7	101.2	23080					RD	228.6	230.0	92.5
	2WD w/ 10" Rear Drum	27146					HR		280.2	20.7	101.2	NYA					-	-	-	-
	4WD w/ 9" Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	23080					RD	228.6	230.0	92.5
	4WD w/ 10" Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	NYA					-	-	-	-

GRAND CHEROKEE

1993 - 1994	w/ Rear Drum	27041				@	VD	✓	280.0	22.7	81.5	23081					RD	254.0	255.5	99.6	
	w/ Rear Disc	27041				@	VD	✓	280.0	22.7	81.5	27147					SD	✓	285.0	9.5	59.1
1995 - 1998		27041				@	VD	✓	280.0	22.7	81.5	27147					SD	✓	285.0	9.5	59.1
1999-2004		27180					VD		304.8	24.5	56.6	27182					SD		304.8	8.5	75.2

J10 SERIES PICK-UP (1/2 TON)

1977 - 1990		27054					VD		301.2	30.9	58.3	23082					RD	279.4	280.9	84.3
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	-------	-------	------

J20 SERIES PICK-UP (3/4 TON)

1974 - 1990		27139					VD		317.5	30.9	71.0	NYA					-	-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	---	---	---

LIBERTY

2002		27284					PVT		288.0	26.0	65.0	NYA					-	-	-	-
2003 - 2004		27284					PVT		288.0	26.0	65.0	NYA					-	-	-	-

WRANGLER

1987 - 1989		27001				@	VD		280.0	20.7	76.8	23021					RD	254.0	255.5	99.6
1990 - 1998		27041				@	VD	✓	280.0	22.7	81.5	23080					RD	228.6	230.0	92.5
1999 - 2000	Overall Height 3 3/16"	27041				@	VD	✓	280.0	22.7	81.5	23080					RD	228.6	230.0	92.5
1999 - 2000	Overall Height 3 1/16"	27124					VD		280.1	22.6	77.7	23080					RD	228.6	230.0	92.5
2001 - 2002		27124					VD		280.1	22.6	77.7	23080					RD	228.6	230.0	92.5
2003 - 2004	Rear Drum Brakes	27124					VD		280.1	22.6	77.7	23080					RD	228.6	230.0	92.5
	Rear Disc Brakes; RUBICON	27124					VD		280.1	22.6	77.7	NYA					-	-	-	-

KIA:

OPTIMA

2001-7/2002	Rear Drum Brakes	25643					VD		256.8	22.4	47.2	NYA					-	-	-	-
	Rear Disc Brakes	25643					VD		256.8	22.4	47.2	NYA					-	-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
RIO																					
2000-2002		25348				@	VD		235.0	20.0	45.0	NYA					-		-	-	-
SEPHIA																					
1993 - 7/1994		25477				@	VD		243.0	18.0	42.5	NYA					-		-	-	-
8/1994 - 2000	w/ Rear Drum; w/ out ABS	25477				@	VD		243.0	18.0	42.5	NYA					-		-	-	-
	w/ Rear Disc; w/ ABS	25477				@	VD		243.0	18.0	42.5	NYA					-		-	-	-
SPECTRA																					
2000-2001	Rear Drum Brakes	25477				@	VD		243.0	18.0	42.5	NYA					-		-	-	-
	Rear Disc Brakes	25477				@	VD		243.0	18.0	42.5	NYA					-		-	-	-
KIA TRUCK / VAN / SUV:																					
SPORTAGE																					
1995 - 2002		25607					VD		284.0	22.4	51.1	NYA					-		-	-	-
LAMBORGHINI:																					
DIABLO																					
1990 - 1992		25281		PVT			VD		328.0	30.0	80.9	NYA					-		-	-	-
1993 - 1997	Excludes VT	25281		PVT			VD		328.0	30.0	80.9	NYA					-		-	-	-
	VT (4WD)	25326		PVT			VD		320.0	30.0	81.0	25327		PVT		VD		310.0	26.0		79.0
LANCIA:																					
BETA, COUPE & SEDAN, ZAGATO																					
1976 - 1982		25044			SK		SD		251.0	11.5	65.8	25045			SK	SD		251.0	9.0		65.2
SCORPION																					
1976 - 1979		25073					SD		227.0	9.0	45.8	25073				SD		227.0	9.0		45.8
LAND ROVER:																					
DEFENDER 90																					
1994 - 1997		25329					VD		298.0	22.0	70.0	25140				SD		290.0	11.7		61.5
DEFENDER 110																					
1993		25142					SD		298.0	13.0	70.0	NYA					-		-	-	-
DISCOVERY																					
1994 - 1999		25142					SD		298.0	13.0	70.0	25140				SD		290.0	11.7		61.5
DISCOVERY II																					
1999 - 2005		NYA					-		-	-	-	25186				SD		304.0	11.7		62.7
FREELANDER																					
2002 - 2004		NYA					-		-	-	-	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
RANGE ROVER																			
1974 - 1986		25142				SD		298.0	13.0	70.0	25140				SD		290.0	11.7	61.5
1987 - 1989		25142				SD		298.0	13.0	70.0	25140				SD		290.0	11.7	61.5
1990 - 1991	County Series	25329				VD		298.0	22.0	70.0	25140				SD		290.0	11.7	61.5
1992 - 1993	County Series; Imperial Caliper 7/16" Mounting Bolts	25329				VD		298.0	22.0	70.0	25140				SD		290.0	11.7	61.5
1993 - 1995	County Series; Metric Caliper 12mm Mounting Bolts	25329				VD		298.0	22.0	70.0	25140				SD		290.0	11.7	61.5
	4.0 SE	25444				VD		297.0	22.0	64.6	25186				SD		304.0	11.7	62.7
1996	4.0 SE	25444				VD		297.0	22.0	64.6	25186				SD		304.0	11.7	62.7
1997 - 2002	4.0 SE; 4.6 HSE	25444				VD		297.0	22.0	64.6	25186				SD		304.0	11.7	62.7
2003 - 2004	HSE	NYA				-		-	-	-	NYA				-		-	-	-

LEXUS:

ES250																			
1990 - 1991		25356				@ VD		277.0	24.0	48.2	25160				@ SD		269.0	9.0	64.5

ES300																			
1992 - 1996		25358				@ VD	✓	275.0	26.0	49.2	25552				SD		287.8	9.0	64.8
1997 - 2001		25358				@ VD	✓	275.0	26.0	49.2	25161			@	SD	✓	269.0	9.0	64.7
2002		NYA				-		-	-	-	NYA				-		-	-	-
2003		25533				@ VD		295.8	26.0	49.3	NYA				-		-	-	-

ES330																			
2004		25533				@ VD		295.8	26.0	49.3	NYA				-		-	-	-

GS300																			
1993 - 1997		25555				@ VD	✓	296.0	30.0	50.5	25538				VD		306.8	15.0	67.2
1998 - 2004		25603				@ VD		296.0	30.0	50.8	25583				SD	✓	306.8	10.5	63.6

GS400																			
1998 - 2000		25555				@ VD	✓	296.0	30.0	50.5	25583				SD	✓	306.8	10.5	63.6

GS430																			
2001 - 2004		25555				@ VD	✓	296.0	30.0	50.5	25583				SD	✓	306.8	10.5	63.6

IS300																			
2000 - 2004		25555				@ VD	✓	296.0	30.0	50.5	25583				SD	✓	306.8	10.5	63.6

LS400																			
1990		25468				@ VD		275.0	23.0	47.5	25605				VD		292.1		
1991 - 1992		25591				VD		275.0	26.0	51.1	25605				VD		292.1		
1993 - 1994		25555				@ VD	✓	296.0	30.0	50.5	25538				VD		306.8	15.0	67.2
1995 - 2000		25602				@ VD		315.0	26.0	53.5	25538				VD		306.8	15.0	67.2

LS430																			
2001 - 2003		NYA				-		-	-	-	NYA				-		-	-	-

SC300																			
1992 - 1998		NYA				-		-	-	-	NYA				-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1999 - 2000		25555			@	VD	✓		296.0	30.0	50.5	25538					VD		306.8	15.0	67.2

SC400

1992 - 2000		25555			@	VD	✓		296.0	30.0	50.5	25538					VD		306.8	15.0	67.2
-------------	--	-------	--	--	---	----	---	--	-------	------	------	-------	--	--	--	--	----	--	-------	------	------

SC430

2002 - 2004		25555			@	VD	✓		296.0	30.0	50.5	25583					SD	✓	306.8	10.5	63.6
-------------	--	-------	--	--	---	----	---	--	-------	------	------	-------	--	--	--	--	----	---	-------	------	------

LEXUS TRUCK / VAN / SUV:

GX470

2003 - 2004		NYA					-		-	-	-	NYA					-		-	-	-
-------------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

LX450

1996 - 1997		25410		PVT	@	VD			311.0	30.0	58.0	NYA					-		-	-	-
-------------	--	-------	--	-----	---	----	--	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

LX470

1998 - 2004		25674					VD			30.0		25658					VD			16.0	
-------------	--	-------	--	--	--	--	----	--	--	------	--	-------	--	--	--	--	----	--	--	------	--

RX300

1998 - 2003	2WD	25533					VD		295.8	26.0	49.3	25552					SD		287.8	9.0	64.8
	AWD	25533					VD		295.8	26.0	49.3	NYA					-		-	-	-

RX330

2004	2WD	NYA					-		-	-	-	NYA					-		-	-	-
	AWD	NYA					-		-	-	-	NYA					-		-	-	-

LINCOLN:

CONTINENTAL

1980 - 1981	w/ 10" Rear Drum	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
1982 - 1983		NYA					-		-	-	-	27101					VD		287.3	22.7	59.9
1984	w/ ABS	27150					HR		277.4	24.7	95.0	27101					VD		287.3	22.7	59.9
1985 - 2/14/1987	w/ ABS	27150					HR		277.4	24.7	95.0	27101					VD		287.3	22.7	59.9
2/15/1987 - 12/1987	w/ ABS	27177					VD		278.2	24.7	92.1	27101					VD		287.3	22.7	59.9
1988 - 1989	2WD	NYA					-		-	-	-	27101					VD		287.3	22.7	59.9
	4WD	27102					VD		258.0	24.7	50.0	27100					VD		258.0	22.8	48.8
1990 - 1/1991		27102					VD		25.0	24.7	50.0	27152					VD		256.5	22.8	47.0
2/1991 - 1992		27108					VD		258.0	24.7	46.0	27152					VD		256.5	22.8	47.0
1993 - 1994		27043					VD	✓	275.8	24.8	46.8	27109					SD		256.4	12.8	39.3
1995 - 2002		27067					VD		294.1	24.7	46.5	27109					SD		256.4	12.8	39.3

LS

2000 - 2004		25525			@	VD			300.0	28.0	43.0	25526				@	VD		288.0	18.5	32.5
-------------	--	-------	--	--	---	----	--	--	-------	------	------	-------	--	--	--	---	----	--	-------	------	------

MARK VI, VII, VIII

1968	w/ Non-Flared Drum	NYA					-		-	-	-	23046					RD		280.2	281.7	93.7
1980 - 5/11/1981	w/ 10" Rear Drum	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
	w/ 11" Rear Drum	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
5/12/1981 - 1983	w/ 10" Rear Drum	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ 11" Rear Drum	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
1984 - 1987	w/ ABS	27150					HR		277.4	24.7	95.0	27101					VD		287.3	22.7	59.9
1988 - 1990		27177					VD		278.2	24.7	92.1	27101					VD		287.3	22.7	59.9
1991 - 1992		27177					VD		278.2	24.7	92.1	27189					VD		267.5	22.7	57.0
1993 - 1995		27166					VD		293.6	24.7	46.5	27175					VD		258.1	16.7	45.5
1996 - 1998		27067					VD		294.1	24.7	46.5	27175					VD		258.1	16.7	45.5

TOWN CAR

1982 - 1989	w/ 10" Rear Drum	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
	w/ 11" Rear Drum	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
1990	w/ 10" Rear Drum; w/ ABS	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
	w/ 11" Rear Drum; w/ ABS	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
	w/ Rear Disc; w/ ABS	27026					HR		281.5	24.7	134.3	27152					VD		256.5	22.8	47.0
1991 - 1994		27084					VD		281.4	24.7	82.6	27085				@	SD		290.1	11.3	58.7
1995		27113					VD		290.9	24.7	65.9	27085				@	SD		290.1	11.3	58.7
1996 - 1997		27113					VD		290.9	24.7	65.9	27154					SD	✓	284.9	11.0	55.5
1998 - 2002		27164					VD	✓	316.0	25.8	65.8	27154					SD	✓	284.9	11.0	55.5
2003 - 2004	Excludes Limo	27221					VD	✓	-	26.4	-	NYA					-		-	-	-
	Limo; Rear Drum Brakes	27221					VD	✓	-	26.4	-	NYA					-		-	-	-
	Limo; Rear Disc Brakes	27221					VD	✓	-	26.4	-	NYA					-		-	-	-

LINCOLN TRUCK / VAN / SUV:

AVIATOR

2003 - 2004		NYA					-		-	-	-	NYA					-		-	-	-
-------------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

BLACKWOOD

2002		27201					HR	✓	308.1	24.7	104.1	27145					SD		334.0	12.0	56.1
------	--	-------	--	--	--	--	----	---	-------	------	-------	-------	--	--	--	--	----	--	-------	------	------

NAVIGATOR

1997 - 05/24/01	2WD; To 11/29/99; 12mm Stud	27077				@	HR	✓	307.6	27.7	90.8	27168					SD	✓	334.0	12.0	56.1
	2WD; From 11/30/99; 14mm Stud	27199					HR		308.1	27.7	102.9	27145					SD		334.0	12.0	56.1
	4WD; To 11/29/99	27011		PVT		@	VD	✓	308.0	27.7	47.0	27168					SD	✓	334.0	12.0	56.1
	4WD; From 11/30/99	NYA					-		-	-	-	27145					SD		334.0	12.0	56.1
05/24/01 - 03/18/02	2WD	27199					HR		308.1	27.7	102.9	27145					SD		334.0	12.0	56.1
	4WD	NYA					-		-	-	-	27145					SD		334.0	12.0	56.1
03/18/02 - 2004		27241					VD		-	27.0	-	27242					VD		-	19.0	-

MASERATI:

BITURBO, ZAGATO SPIDER 425, 428, 430

1982 - 1988	w/ Solid Front Disc	25092					SD		282.0	11.4	58.7	25091					SD		272.0	9.0	61.5
	w/ Vented Front Disc	25254		PVT			VD		284.0	20.4	46.0	25091					SD		272.0	9.0	61.5
1989 - 1990		25254		PVT			VD		284.0	20.4	46.0	25091					SD		272.0	9.0	61.5

SHAMAL

1990 - 1996		25296		PVT			VD		300.0	20.4	46.0	NYA					-		-	-	-
-------------	--	-------	--	-----	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

GHIBLI

1994 - 1995		25401	HC	PVT			VD		307.0	28.0	50.0	25402	HC	PVT			VD		316.0	18.0	80.0
-------------	--	-------	----	-----	--	--	----	--	-------	------	------	-------	----	-----	--	--	----	--	-------	------	------

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-----------------	------	--------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-----------------	------	--------	-----------------------	--------------------------------	-------------------------

MAZDA:

GLC (Excluding Wagon)

1977 - 1980		25084				SD		207.5	12.0	95.5	NYA				-		-	-	-
1981 - 1985		25096				SD		227.0	10.0	31.0	21034				RD		180.0	181.0	66.0

GLC WAGON

1977 - 1980		25057				SD		229.5	12.0	95.5	NYA				-		-	-	-
1981 - 1983		25057				SD		229.5	12.0	95.5	21035				RD		200.0	201.0	73.5
1984 - 1985		25096				SD		227.0	10.0	31.0	21035				RD		200.0	201.0	73.5

MIATA MX-5

1989 - 1993		25406			@	VD	✓	235.0	16.0	45.0	25208			@	SD	✓	231.0	8.0	34.5
1994 - 1997		25497			@	VD	✓	255.0	18.0	45.0	25187			@	SD	✓	250.0	8.0	34.5
1999 - 2000		25497			@	VD	✓	255.0	18.0	45.0	25187			@	SD	✓	250.0	8.0	34.5
2001 - 2003	Normal Suspension	25497			@	VD	✓	255.0	18.0	45.0	25187			@	SD	✓	250.0	8.0	34.5
	Sport / Hard Suspension	NYA			-	-	-	-	-	-	NYA			-	-	-	-	-	-
2004	Normal Suspension	25497			@	VD	✓	255.0	18.0	45.0	25187			@	SD	✓	250.0	8.0	34.5
	Sport / Hard Suspension w/out Turbo	NYA			-	-	-	-	-	-	NYA			-	-	-	-	-	-
	MAZDASPEED MX-5; Turbo	NYA			-	-	-	-	-	-	NYA			-	-	-	-	-	-

MILLENNIA

1995 - 2000		25454			@	VD		274.0	26.0	51.0	25201			@	SD		286.0	7.5	56.5
2001 - 2002		NYA			-	-	-	-	-	-	25201			@	SD		286.0	7.5	56.5

MX-3

1992 - 1993	4 Cylinder	25437			@	VD	✓	257.0	20.0	45.0	21105				RD		200.0	201.5	
	V6	25437			@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5
1994 - 1995	4 Cylinder w/ Rear Drum	25437			@	VD	✓	257.0	20.0	45.0	21105				RD		200.0	201.5	
	4 Cylinder w/ Rear Disc & ABS	25437			@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5
	V6	25437			@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5

MX-6

1988	Rear Drum Brakes	25313			@	VD		264.0	22.0	46.5	21073				RD		228.6	230.1	72.0
	GT; Rear Disc Brakes	25313			@	VD		264.0	22.0	46.5	25184			@	SD		258.5	8.0	58.0
1989 - 12/90	Rear Drum Brakes	25313			@	VD		264.0	22.0	46.5	21073				RD		228.6	230.1	72.0
	GT - 2 Wheel Steering; Rear Disc Brakes	25313			@	VD		264.0	22.0	46.5	25184			@	SD		258.5	8.0	58.0
	GT - 4 Wheel Steering; Rear Disc Brakes	25313			@	VD		264.0	22.0	46.5	NYA			-	-	-	-	-	
01/91 - 1992	Rear Drum Brakes	25313			@	VD		264.0	22.0	46.5	21073				RD		228.6	230.1	72.0
	GT; Rear Disc Brakes	25313			@	VD		264.0	22.0	46.5	25184			@	SD		258.5	8.0	58.0
1993 - 1997	Rear Drum Brakes	25349			@	VD		258.0	22.0	48.5	NYA			-	-	-	-	-	
	GT; Rear Disc Brakes	25349			@	VD		258.0	22.0	48.5	25207			@	SD		261.0	8.0	40.2

PROTÉGÉ

1990 - 1991	w/ SOHC Engine	25509				VD		235.0	20.0	45.0	21092				RD		228.6	231.0	55.0
	w/ DOHC Engine	25437			@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5
1992 - 1998	w/ SOHC Engine	25509				VD		235.0	20.0	45.0	21105				RD		200.0	201.5	-
	w/ DOHC Engine	25437			@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5
1999 - 2000	1.6L Engine	25509				VD		235.0	20.0	45.0	21105				RD		200.0	201.5	-

Make Model, Year (s)	Notes	Front					Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground						Disc / Drum	HC	PVT	Screw	Ground				Type
2001	1.8L Engine	25574				@	VD	✓	257.0	22.0	47.0	21105					RD	200.0	201.5	-
	1.6L Engine; Rear Drum Brakes	25509					VD		235.0	20.0	45.0	21105					RD	200.0	201.5	-
	2.0L Engine - LX; Rear Drum Brakes	25574				@	VD	✓	257.0	22.0	47.0	21105					RD	200.0	201.5	-
	2.0L Engine - ES, MP3; Rear Disc Brakes	25349				@	VD		258.0	22.0	48.5	25207			@	SD	261.0	8.0	40.2	
2002	DX, LX; Rear Drum Brakes	25574				@	VD	✓	257.0	22.0	47.0	21105					RD	200.0	201.5	-
	ES; Rear Disc Brakes	25349				@	VD		258.0	22.0	48.5	25207			@	SD	261.0	8.0	40.2	
	Protégé 5; Rear Disc Brakes	25349				@	VD		258.0	22.0	48.5	25207			@	SD	261.0	8.0	40.2	
2003	DX, LX; Rear Drum Brakes	25574				@	VD	✓	257.0	22.0	47.0	21105					RD	200.0	201.5	-
	ES; Rear Disc Brakes	25349				@	VD		258.0	22.0	48.5	25207			@	SD	261.0	8.0	40.2	
	Protégé 5; Rear Disc Brakes	25349				@	VD		258.0	22.0	48.5	25207			@	SD	261.0	8.0	40.2	
	MAZDASPEED Protégé	25601					VD		273.8	22.5	47.5	NYA					-	-	-	

RX-2

1971 - 1975		25031					SD		230.0	10.8	34.3	NYA					-	-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	---	---	---

RX-4

1974 - 1978		25031					SD		230.0	10.8	34.3	NYA					-	-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	---	---	---

RX-7 w/ Rear Drum

1978 - 1980		25240					HR		227.5	17.0	100.5	NYA					-	-	-	-
1981 - 1983		25240					HR		227.5	17.0	100.5	21035					RD	200.0	201.0	73.5
1984 - 1985		25361				PVT	VD		227.5	17.0	90.3	21035					RD	200.0	201.0	73.5

RX-7 w/ Rear Disc

1981 - 1983		25240					HR		227.5	17.0	100.5	NYA					-	-	-	-	
1984 - 1985	12A Engine (GSL)	25361				PVT	VD		227.5	17.0	90.3	NYA					-	-	-	-	
1986 - 1988	5 Lug; Excludes Turbo	25362				@	VD		276.0	20.0	65.0	25621					VD	273.0	18.0	53.0	
	5 Lug; Turbo	25362				@	VD		276.0	20.0	65.0	25621					VD	273.0	18.0	53.0	
1989 - 1992	w/ Solid Rear Disc	25362				@	VD		276.0	20.0	65.0	NYA					-	-	-	-	
	w/ Vented Rear Disc	25362				@	VD		276.0	20.0	65.0	25621					VD	273.0	18.0	53.0	
1993 - 1995		25452				@	VD	✓	294.0	20.0	67.0	25563					VD	✓	293.9	18.0	45.1

RX-8

2004	Normal Suspension; Automatic Transmission	NYA					-		-	-	-	NYA					-	-	-	-
	Sport Suspension; Automatic Transmission	NYA					-		-	-	-	NYA					-	-	-	-
	Sport Suspension; 6 Speed Manual Transmission	NYA					-		-	-	-	NYA					-	-	-	-

3

2004	2.0L Engine	NYA					-		-	-	-	NYA					-	-	-	-
	2.3L Engine	NYA					-		-	-	-	NYA					-	-	-	-

6

2003 - 2004		NYA					-		-	-	-	NYA					-	-	-	-
-------------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	---	---	---

323 (2WD) (Excluding Van & Wagon)

1986 - 1987	w/ Rear Drum	25290				@	VD		238.0	16.0	31.0	21074					RD	200.0	201.0	65.5
	w/ Rear Disc	25290				@	VD		238.0	16.0	31.0	NYA					-	-	-	-
1988 - 1989	w/ Rear Drum	25290				@	VD		238.0	16.0	31.0	21074					RD	200.0	201.0	65.5
	w/ Rear Disc	25448				PVT	VD		260.0	16.0	30.8	NYA					-	-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1990 - 1991		25509					VD		235.0	20.0	45.0	21092					RD		228.6	231.0	55.0
1992 - 1995		25509					VD		235.0	20.0	45.0	21105					RD		200.0	201.5	

323 GTX 4WD

1988 - 1989		25448		PVT		@	VD		260.0	16.0	30.8	NYA					-		-	-	-
-------------	--	-------	--	-----	--	---	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

323 VAN & WAGON

1987 - 1989		25290				@	VD		238.0	16.0	31.0	NYA					-		-	-	-
-------------	--	-------	--	--	--	---	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

616, 618

1970 - 1973		25031					SD		230.0	10.8	34.3	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

626

1979 - 1980		25097					SD		231.0	12.0	95.6	NYA					-		-	-	-
1981 - 1982		25097					SD		231.0	12.0	95.6	NYA					-		-	-	-
1983 - 11/1983		25063					SD		250.0	12.5	34.7	21055					RD		200.0	201.0	72.0
12/1983 - 1985		25309					VD		250.0	18.5	34.5	21055					RD		200.0	201.0	72.0
1986 - 1987	w/ Rear Drum	25309					VD		250.0	18.5	34.5	21055					RD		200.0	201.0	72.0
	w/ Rear Disc	25309					VD		250.0	18.5	34.5	NYA					-		-	-	-
1988	w/ Rear Drum	25313				@	VD		264.0	22.0	46.5	21073					RD		228.6	230.1	72.0
	2WS w/ Rear Disc	25313				@	VD		264.0	22.0	46.5	25184				@	SD		258.5	8.0	58.0
	4WS w/ Rear Disc	25313				@	VD		264.0	22.0	46.5	NYA					-		-	-	-
1989 - 1992	w/ Rear Drum	25313				@	VD		264.0	22.0	46.5	21073					RD		228.6	230.1	72.0
	w/ Rear Disc	25313				@	VD		264.0	22.0	46.5	25184				@	SD		258.5	8.0	58.0
1993 - 1997	w/ Rear Drum; w/out ABS	25349				@	VD		258.0	22.0	48.5	NYA					-		-	-	-
	w/ Rear Disc	25349				@	VD		258.0	22.0	48.5	25207				@	SD		261.0	8.0	40.2
1998 - 2002	2.0L Engine; Rear Drum Brakes	25349				@	VD		258.0	22.0	48.5	NYA					-		-	-	-
	2.5L Engine; Rear Disc Brakes	25601					VD		273.8	22.5	47.5	25595					SD		279.8	8.0	39.9

929 S

1988 - 6/1991	w/ out ABS	25449		PVT			HR		255.0	20.0	72.3	NYA					-		-	-	-
	w/ ABS	25450		PVT			HR		255.0	20.0	72.3	NYA					-		-	-	-
1992 - 1995		25601					VD		273.8	22.5	47.5	25600					VD		285.5	16.0	56.5

MAZDA TRUCK / VAN / SUV:

MPV

1989 - 1991	2WD	25451		PVT		@	VD		256.0	22.0	62.0	NYA					-		-	-	-
	4WD	25451		PVT		@	VD		256.0	22.0	62.0	NYA					-		-	-	-
1992 - 1993	2WD	25451		PVT		@	VD		256.0	22.0	62.0	NYA					-		-	-	-
	4WD	25324					VD		275.8	26.0	63.9	NYA					-		-	-	-
1994 - 1995	2WD	25324					VD		275.8	26.0	63.9	25600					VD		285.5	16.0	56.5
	4WD	25324					VD		275.8	26.0	63.9	25600					VD		285.5	16.0	56.5
1996 - 1998	2WD	25608					VD		275.0	26.0	57.0	25600					VD		285.5	16.0	56.5
	4WD	25608					VD		275.0	26.0	57.0	25600					VD		285.5	16.0	56.5
2000 - 2003		25454				@	VD		274.0	26.0	51.0	NYA					-		-	-	-
2004	Rear Drum Brakes - CANADA ONLY	25454				@	VD		274.0	26.0	51.0	NYA					-		-	-	-
	Rear Disc Brakes - USA & CANADA	25454				@	VD		274.0	26.0	51.0	25600					VD		285.5	16.0	56.5

NAVAJO (2WD)

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1991 - 1992		27034					HR		261.3	20.6	105.5	23020					RD		254.0	281.7	88.5
1993 - 1994		27046					HR		261.1	20.6	133.2	23020					RD		254.0	281.7	88.5

NAVAJO (4WD)

1991 - 1992		27036					HR		276.3	20.6	63.1	23020					RD		254.0	281.7	88.5
1993 - 1994		27046					HR		261.1	20.6	133.2	23020					RD		254.0	281.7	88.5

PICK-UP 2WD (GAS ENGINE) B2000, B2200, B2300, B2600, B3000, B4000

1981 - 10/1984		25033				@	SD		256.0	11.0	35.8	21014					RD		260.0	262.0	62.0
11/1984 - 1989		25422		PVT		@	VD		256.0	18.0	20.0	21091					RD		260.0	262.0	70.5
1990 - 1993		25422		PVT		@	VD		256.0	18.0	20.0	21091					RD		260.0	262.0	70.5
1994	w/ 9" Rear Drum	27032					HR		261.3	20.6	104.7	23019					RD		228.6	230.1	72.0
	w/ 10" Rear Drum	27032					HR		261.3	20.6	104.7	23018					RD		254.0	281.7	88.5
1995 - 1997	w/ 9" Rear Drum; w/ 4 Wheel ABS	27072					HR	✓	261.1	24.5	108.0	23019					RD		228.6	230.1	72.0
	w/ 9" Rear Drum; w/ Rear Wheel ABS	27073					HR		261.1	24.5	108.0	23019					RD		228.6	230.1	72.0
	w/ 10" Rear Drum; w/ 4 Wheel ABS	27072					HR	✓	261.1	24.5	108.0	23018					RD		254.0	281.7	88.5
	w/ 10" Rear Drum; w/ Rear Wheel ABS	27073					HR		261.1	24.5	108.0	23018					RD		254.0	281.7	88.5
	9" Rear Drum Brakes; Coil Spring Front Suspension; 4 Wheel ABS	27160				@	HR		261.0	24.5	107.8	NYA					-		-	-	-
1998 - 2000	9" Rear Drum Brakes; Coil Spring Front Suspension; Rear Wheel ABS	27079					HR		261.1	24.5	108.0	NYA					-		-	-	-
	10" Rear Drum Brakes; Coil Spring Front Suspension; 4 Wheel ABS	27160				@	HR		261.0	24.5	107.8	23020					RD		254.0	281.7	88.5
	10" Rear Drum Brakes; Coil Spring Front Suspension; Rear Wheel ABS	27079					HR		261.1	24.5	108.0	23020					RD		254.0	281.7	88.5
	9" Rear Drum Brakes; Torsion Bar Front Suspension	27075				@	HR	✓	286.5	24.5	57.7	NYA					-		-	-	-
	10" Rear Drum Brakes; Torsion Bar Front Suspension	27075				@	HR	✓	286.5	24.5	57.7	23020					RD		254.0	281.7	88.5
2001 - 2004	9" Rear Drum Brakes	27075				@	HR	✓	286.5	24.5	57.7	NYA					-		-	-	-
	10" Rear Drum Brakes	27075				@	HR	✓	286.5	24.5	57.7	23020					RD		254.0	281.7	88.5

PICK-UP 2WD (DIESEL ENGINE) B2200

1982 - 1985		NYA					-		-	-	-	21014					RD		260.0	262.0	62.0
-------------	--	-----	--	--	--	--	---	--	---	---	---	-------	--	--	--	--	----	--	-------	-------	------

PICK-UP (4WD) B2300, B2600, B3000, B4000

1987 - 1993		25332			SK	@	VD		271.5	20.0	24.7	21115					RD		260.0	261.5	76.0
1994	w/ 9" Rear Drum	27036					HR		276.3	20.6	63.1	23019					RD		228.6	230.1	72.0
	w/ 10" Rear Drum	27036					HR		276.3	20.6	63.1	23018					RD		254.0	281.7	88.5
1995 - 1997	w/ 9" Rear Drum	27074					HR	✓	285.8	24.5	57.7	23019					RD		228.6	230.1	72.0
	w/ 10" Rear Drum	27074					HR	✓	285.8	24.5	57.7	23018					RD		254.0	281.7	88.5
1998 - 2002	w/ 9" Rear Drum	27010				@	VD	✓	286.0	24.5	66.0	NYA					-		-	-	-
	w/ 10" Rear Drum	27010				@	VD	✓	286.0	24.5	66.0	23020					RD		254.0	281.7	88.5
2003 - 2004	9" Rear Drum Brakes	27238					VD		-	22.0	-	NYA					-		-	-	-
	10" Rear Drum Brakes	27238					VD		-	22.0	-	23020					RD		254.0	281.7	88.5

TRIBUTE

2001-2004		27273					VD		278.0	22.0	46.9	NYA					-		-	-	-
-----------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

MERCEDES:

C 220 (W202)

1993 - 1996		25251	HC		SK	@	VD		284.0	19.4	43.5	25106			SK	@	SD		258.0	7.3	53.5
1993 - 1996	Diesel	25107			SK	@	SD		284.0	10.0	43.5	25106			SK	@	SD		258.0	7.3	53.5

C 230 (W202), (W203)

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1995 - 1996		25447	HC		SK	@	VD		288.0	22.4	46.5	25132			SK	@	SD		278.0	7.3	53.5
1997	Solid Front Rotor	NYA					-		-	-	-	25106			SK	@	SD		258.0	7.3	53.5
	Vented Front Rotor	25251	HC		SK	@	VD		284.0	19.4	43.5	25106			SK	@	SD		258.0	7.3	53.5
1998		NYA					-		-	-	-	25106			SK	@	SD		258.0	7.3	53.5
1999 - 2000		25447	HC		SK	@	VD		288.0	22.4	46.5	25131			SK	@	SD		278.0	7.3	56.2
2002		NYA					-		-	-	-	25131			SK	@	SD		278.0	7.3	56.2
2003	Excludes SPORT PACKAGE	NYA					-		-	-	-	25131			SK	@	SD		278.0	7.3	56.2
	w/ SPORT PACKAGE	NYA					-		-	-	-	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
2004		NYA					-		-	-	-	25131			SK	@	SD		278.0	7.3	56.2

C 240 SEDAN & WAGON (W203)

2001		NYA					-		-	-	-	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
2002	SEDAN - To VIN F 150420 & R 023901	NYA					-		-	-	-	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
	SEDAN - From VIN F 150421 & R 023902	NYA					-		-	-	-	25131			SK	@	SD		278.0	7.3	56.2
2003 - 2004	SEDAN - Excludes 4-Matic AWD	NYA					-		-	-	-	25131			SK	@	SD		278.0	7.3	56.2
	SEDAN - 4-Matic AWD	NYA					-		-	-	-	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
	WAGON - Excludes 4-Matic AWD	NYA					-		-	-	-	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
	WAGON - 4-Matic AWD	NYA					-		-	-	-	25205	HC		SK	@	SD	✓	290.0	8.3	55.2

C 250 (W202)

1993 - 1995	Diesel	25107			SK	@	SD		284.0	10.0	43.5	25106			SK	@	SD		258.0	7.3	53.5
1995 - 4/2000	Turbodiesel	25447	HC		SK	@	VD		288.0	22.4	46.5	25132			SK	@	SD		278.0	7.3	53.5

C 280 (W202)

1994 - 1995		25251	HC		SK	@	VD		284.0	19.4	43.5	25106			SK	@	SD		258.0	7.3	53.5
1996 - 2000		25447	HC		SK	@	VD		288.0	22.4	46.5	25131			SK	@	SD		278.0	7.3	56.2

C32 AMG (W203)

2002 - 2004		NYA					-		-	-	-	NYA					-		-	-	-
-------------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

C320 SEDAN & WAGON (W203)

2001 - 2004		NYA					-		-	-	-	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
-------------	--	-----	--	--	--	--	---	--	---	---	---	-------	----	--	----	---	----	---	-------	-----	------

C36 AMG

1995		NYA					-		-	-	-	NYA					-		-	-	-
1996 - 1997		NYA					-		-	-	-	25205	HC		SK	@	SD	✓	290.0	8.3	55.2

C43 AMG (W202)

1999 - 2000	LEFT SIDE	NYA					-		-	-	-	NYA					-		-	-	-
	RIGHT SIDE	NYA					-		-	-	-	NYA					-		-	-	-

CL 420

1994 - 5/1996		25377	HC		SK	@	VD		320.0	27.4	82.0	25383	HC		SK	@	VD		300.0	19.4	55.0
6/1996 - 1998		25682	HC		SK	@	VD		320.4	27.4	82.1	25383	HC		SK	@	VD		300.0	19.4	55.0

CL 500 (W140),(W215)

1998 - 1999	W140 Model	25377	HC		SK	@	VD		320.0	27.4	82.0	25383	HC		SK	@	VD		300.0	19.4	55.0
2000 - 2002	W215 Model; To Chassis # A024509	25578	HC		SK	@	VD		330.0	30.0	76.0	NYA					-		-	-	-
2002 - 2003	From Chassis # A024510; To Chassis # A028699	25578	HC		SK	@	VD		330.0	30.0	76.0	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
2003 - 2004	From Chassis # A 028700	NYA					-		-	-	-	NYA					-		-	-	-

CL 55 (W215)

2001 - 2002		NYA					-		-	-	-	NYA					-		-	-	-
2003 - 2004		NYA					-		-	-	-	NYA					-		-	-	-

CL 600 (W140), (W215)

1998 - 1999	W140 Model	25377	HC		SK	@	VD		320.0	27.4	82.0	25383	HC		SK	@	VD		300.0	19.4	55.0
2001 - 2002	W215 Model	NYA					-		-	-	-	NYA					-		-	-	-
2003 - 2004	Twin Turbo	NYA					-		-	-	-	NYA					-		-	-	-

CLK 230

1997		25447	HC		SK	@	VD		288.0	22.4	46.5	25132			SK	@	SD		278.0	7.3	53.5
------	--	-------	----	--	----	---	----	--	-------	------	------	-------	--	--	----	---	----	--	-------	-----	------

CLK 320 (W208), (W209)

1998 - 2002		25604	HC	PVT	SK	@	VD	✓	300.0	25.4	46.5	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
2003 - 2004	W209 Model	NYA					-		-	-	-	25205	HC		SK	@	SD	✓	290.0	8.3	55.2

CLK 430 (W208)

1999 - 2003		25604	HC	PVT	SK	@	VD	✓	300.0	25.4	46.5	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
-------------	--	-------	----	-----	----	---	----	---	-------	------	------	-------	----	--	----	---	----	---	-------	-----	------

CLK 500 (W209)

2003 - 2004		NYA					-		-	-	-	NYA					-		-	-	-
-------------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

CLK 55 AMG (W208), (W209)

2001 - 2002	W208 Model; LEFT SIDE	NYA					-		-	-	-	NYA					-		-	-	-
	W208 Model; RIGHT SIDE	NYA					-		-	-	-	NYA					-		-	-	-
2003 - 2004	W209 Model	NYA					-		-	-	-	NYA					-		-	-	-

E 200

6/1995 - 1996	(W210)	25447	HC		SK	@	VD		288.0	22.4	46.5	25132			SK	@	SD		278.0	7.3	53.5
5/1996 - 1997	(T210) Wagon	25447	HC		SK	@	VD		288.0	22.4	46.5	NYA					-		-	-	-

E 200 DIESEL

7/1993 - 1995		NYA					-		-	-	-	25105			SK	@	SD		258.0	7.3	53.5
---------------	--	-----	--	--	--	--	---	--	---	---	---	-------	--	--	----	---	----	--	-------	-----	------

E 200 / 220 (W124)

7/1993 - 1995		25250	HC		SK	@	VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
7/1993 - 1995	Cabriolet	25250	HC		SK	@	VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2
7/1993 - 1995	Coupe	25250	HC		SK	@	VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
7/1993 - 1996	Wagon	25250	HC		SK	@	VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2

E 220 DIESEL (W210)

6/1995 - 1996		25447	HC		SK	@	VD		288.0	22.4	46.5	25132			SK	@	SD		278.0	7.3	53.5
---------------	--	-------	----	--	----	---	----	--	-------	------	------	-------	--	--	----	---	----	--	-------	-----	------

E 230

6/1995 - 1997		25447	HC		SK	@	VD		288.0	22.4	46.5	25132			SK	@	SD		278.0	7.3	53.5
---------------	--	-------	----	--	----	---	----	--	-------	------	------	-------	--	--	----	---	----	--	-------	-----	------

E 240 (V6)

Make Model, Year (s)	Notes	Front					Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground						Disc / Drum	HC	PVT	Screw	Ground			
1997 - 1998		25447	HC		SK	@	VD	288.0	22.4	46.5	25132			SK	@	SD	278.0	7.3	53.5
1997 - 1998	ESP	25486					VD	300.0	25.4	46.5	25205	HC		SK	@	SD	290.0	8.3	55.2

E 250 DIESEL

7/1993 - 1995	(W124)	25107			SK	@	SD	284.0	10.0	43.5	25105			SK	@	SD	258.0	7.3	53.5
7/1993 - 1995	(W124) Long Wheelbase	25250	HC		SK	@	VD	284.0	19.4	43.5	25131			SK	@	SD	278.0	7.3	56.2
7/1993 - 1996	(W124) Wagon	25107			SK	@	SD	284.0	10.0	43.5	25131			SK	@	SD	278.0	7.3	56.2
6/1995 - 1996	(W210)	25447	HC		SK	@	VD	288.0	22.4	46.5	25132			SK	@	SD	278.0	7.3	53.5
5/1996 - 1997	(T210) S.W. Wheelbase 283cm	25447	HC		SK	@	VD	288.0	22.4	46.5	NYA			-	-	-	-	-	-
5/1996 - 1997	(T210) S.W. Wheelbase 345cm	25486					VD	300.0	25.4	46.5	NYA					-	-	-	-

E 250 TURBODIESEL (W124)

7/1993 - 1995		25250	HC		SK	@	VD	284.0	19.4	43.5	25105			SK	@	SD	258.0	7.3	53.5
7/1993 - 1996	Wagon	25250	HC		SK	@	VD	284.0	19.4	43.5	25132			SK	@	SD	278.0	7.3	53.5

E 280

7/1993 - 1995	(W124)	25250	HC		SK	@	VD	284.0	19.4	43.5	25105			SK	@	SD	258.0	7.3	53.5
7/1993 - 1995	(W124) 6 Door	25432	HC		SK	@	VD	294.0	22.4	49.5	NYA			-	-	-	-	-	-
7/1993 - 1996	(W124) S.W. Long Wheelbase	25432	HC		SK	@	VD	294.0	22.4	49.5	NYA			-	-	-	-	-	-
7/1993 - 1996	(W124) Wagon	25250	HC		SK	@	VD	284.0	19.4	43.5	25131			SK	@	SD	278.0	7.3	56.2
1996 - 1997	(W210)	25486					VD	300.0	25.4	46.5	25205	HC		SK	@	SD	290.0	8.3	55.2

E 290 TURBODIESEL

1996	(W210) TDI	25447	HC		SK	@	VD	288.0	22.4	46.5	25132			SK	@	SD	278.0	7.3	53.5
1996	(T210) S.W. TDI Wheelbase 283cm	25447	HC		SK	@	VD	288.0	22.4	46.5	NYA			-	-	-	-	-	-
1996	(T210) S.W. TDI Wheelbase 345cm	25486					VD	300.0	25.4	46.5	NYA			-	-	-	-	-	-

E 300 4-MATIC (W124)

7/1993 - 1995		25415	HC		SK	@	VD	284.0	19.4	43.5	25105			SK	@	SD	258.0	7.3	53.5
7/1993 - 1996	Wagon	25415	HC		SK	@	VD	284.0	19.4	43.5	25131			SK	@	SD	278.0	7.3	56.2
7/1993 - 1995	Turbodiesel	25415	HC		SK	@	VD	284.0	19.4	43.5	25105			SK	@	SD	258.0	7.3	53.5
7/1993 - 1996	Turbodiesel Wagon	25415	HC		SK	@	VD	284.0	19.4	43.5	25131			SK	@	SD	278.0	7.3	56.2

E 300 DIESEL, TURBODIESEL (W124), (W210)

1994 - 1995		25250	HC		SK	@	VD	284.0	19.4	43.5	25105			SK	@	SD	258.0	7.3	53.5
1996 - 1997		25447	HC		SK	@	VD	288.0	22.4	46.5	25131			SK	@	SD	278.0	7.3	56.2
1998 - 2000		25604	HC	PVT	SK	@	VD	300.0	25.4	46.5	25205	HC		SK	@	SD	290.0	8.3	55.2

E 320 SEDAN (W124), (W210), (W211)

1994 - 1995		25432	HC		SK	@	VD	294.0	22.4	49.5	25131			SK	@	SD	278.0	7.3	56.2
1996 - 2002		25604	HC	PVT	SK	@	VD	300.0	25.4	46.5	25205	HC		SK	@	SD	290.0	8.3	55.2
2003 - 2004		NYA					-	-	-	-	NYA			-	-	-	-	-	-

E 320 WAGON (W124),(W210), (W211)

1994 - 1995		25432	HC		SK	@	VD	294.0	22.4	49.5	25205	HC		SK	@	SD	290.0	8.3	55.2
1998 - 2003		25604	HC	PVT	SK	@	VD	300.0	25.4	46.5	NYA			-	-	-	-	-	-
2004		NYA					-	-	-	-	NYA			-	-	-	-	-	-

E 420

Make Model, Year (s)	Notes	Front				Overall				Rear				Overall							
		Disc / Drum	HC	PVT	Screw	Ground	Type	SFOBT	Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Height (mm.)	Disc / Drum	HC	PVT	Screw	Ground	Type	SFOBT	Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Height (mm.)
1994 - 1995	(W124)	25432	HC		SK	@	VD		294.0	22.4	49.5	NYA						-	-	-	
1996 - 1997	(W124)	25604	HC	PVT	SK	@	VD	✓	300.0	25.4	46.5	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
1996 - 8/1997	(W210)	25529	HC		SK	@	VD		316.0	25.4	46.5	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
1996 - 8/1997	(T210) Wagon	25529	HC		SK	@	VD		316.0	25.4	46.5	NYA						-	-	-	

E 430 (W210)

1998 - 2000		25604	HC	PVT	SK	@	VD	✓	300.0	25.4	46.5	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
2001 - 2002	Excludes 4-Matic AWD	25604	HC	PVT	SK	@	VD	✓	300.0	25.4	46.5	25205	HC		SK	@	SD	✓	290.0	8.3	55.2
	4-Matic AWD	NYA						-	-	-	-	NYA						-	-	-	

E 500 (W124), (W211)

1994	W124 Model; LEFT SIDE	NYA						-	-	-	-	NYA						-	-	-
	W124 Model; RIGHT SIDE	NYA						-	-	-	-	NYA						-	-	-
2003 - 2004	W211 Model	NYA						-	-	-	-	NYA						-	-	-

E 55 AMG (W210), (W211)

1999 - 2002	W210 Model; LEFT SIDE	NYA						-	-	-	-	NYA						-	-	-
	W210 Model; RIGHT SIDE	NYA						-	-	-	-	NYA						-	-	-
2003 - 2004	W211 Model	NYA						-	-	-	-	NYA						-	-	-

S 320 (W140)

1994 - 1999	ATE Front Caliper	25383	HC		SK	@	VD		300.0	19.4	55.0	25171	HC		SK	@	SD		290.0	9.8	55.0
	Girling Front Caliper	25377	HC		SK	@	VD		320.0	27.4	82.0	25171	HC		SK	@	SD		290.0	9.8	55.0

S 350 TURBODIESEL (W140)

1994 - 1995	ATE Front Caliper	25383	HC		SK	@	VD		300.0	19.4	55.0	25171	HC		SK	@	SD		290.0	9.8	55.0
	Girling Front Caliper	25377	HC		SK	@	VD		320.0	27.4	82.0	25171	HC		SK	@	SD		290.0	9.8	55.0

S 420 (W140)

1994 - 1999		25377	HC		SK	@	VD		320.0	27.4	82.0	25383	HC		SK	@	VD		300.0	19.4	55.0
-------------	--	-------	----	--	----	---	----	--	-------	------	------	-------	----	--	----	---	----	--	-------	------	------

S 430 (W220)

2000 - 09/02/02		25578	HC		SK	@	VD		330.0	30.0	76.0	NYA						-	-	-
09/02/02 - 2003	Excludes 4-Matic AWD	NYA						-	-	-	-	NYA						-	-	-
	4-Matic AWD	NYA						-	-	-	-	NYA						-	-	-
2004	Excludes 4-Matic AWD	NYA						-	-	-	-	NYA						-	-	-
	4-Matic AWD	NYA						-	-	-	-	NYA						-	-	-

S 500 (W140), (W220)

1994 - 1999	W140 Model	25377	HC		SK	@	VD		320.0	27.4	82.0	25383	HC		SK	@	VD		300.0	19.4	55.0
2000 - 09/02/02		25578	HC		SK	@	VD		330.0	30.0	76.0	NYA						-	-	-	
09/02/02 - 2003	Excludes 4-Matic AWD	NYA						-	-	-	-	NYA						-	-	-	
	4-Matic AWD	NYA						-	-	-	-	NYA						-	-	-	
2004	Excludes 4-Matic AWD	NYA						-	-	-	-	NYA						-	-	-	
	4-Matic AWD	NYA						-	-	-	-	NYA						-	-	-	

S 55 AMG (W220)

2001 - 2002		NYA						-	-	-	-	NYA						-	-	-
2003 - 2004		NYA						-	-	-	-	NYA						-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
S 600 (W140), (W220)																			
1994 - 1999	W140 Model	25377	HC		SK @ VD			320.0	27.4	82.0	25383	HC		SK @ VD			300.0	19.4	55.0
2001 - 2002	W220 Model; Standard Front Brakes	NYA				-		-	-	-	NYA				-		-	-	-
	Upgraded Front Brakes	NYA				-		-	-	-	NYA				-		-	-	-
2003	W220 Model; Standard Front Brakes	NYA				-		-	-	-	NYA				-		-	-	-
	Upgraded Front Brakes	NYA				-		-	-	-	NYA				-		-	-	-
2004		NYA				-		-	-	-	NYA				-		-	-	-
SL 320 ROADSTER (R129)																			
8/1993 - 1997		25323			SK @ VD			300.0	25.4	45.5	25141			SK @ SD			278.0	7.3	58.2
SL 500 ROADSTER (R129), (R230)																			
1994 - 1995		25323			SK @ VD			300.0	25.4	45.5	25141			SK @ SD			278.0	7.3	58.2
1996 - 1998	Solid Rear Disc	25323			SK @ VD			300.0	25.4	45.5	NYA				-		-	-	-
	Vented Rear Disc; LEFT SIDE	NYA				-		-	-	-	NYA				-		-	-	-
	Vented Rear Disc; RIGHT SIDE	NYA				-		-	-	-	NYA				-		-	-	-
1999 - 2002	R 129 Model	NYA				-		-	-	-	NYA				-		-	-	-
2003 - 2004	R 230 Model	NYA				-		-	-	-	NYA				-		-	-	-
SL 55 AMG (R230)																			
2003		NYA				-		-	-	-	NYA				-		-	-	-
2004		NYA				-		-	-	-	NYA				-		-	-	-
SL 600 (R129)																			
1994 - 2004		NYA				-		-	-	-	NYA				-		-	-	-
SLK 230 (R170)																			
1998 - 2004		25447	HC		SK @ VD			288.0	22.4	46.5	25131			SK @ SD			278.0	7.3	56.2
SLK 32 AMG (R170)																			
2001 - 2004		NYA				-		-	-	-	NYA				-		-	-	-
SLK 320 (R170)																			
2002 - 2004		25604	HC	PVT	SK @ VD	✓		300.0	25.4	46.5	25131			SK @ SD			278.0	7.3	56.2
190 D 2.2L, 2.5L (W201) (Excluding Turbo)																			
1983 - 1989		25050			SK @ SD			262.0	9.0	43.5	25105			SK @ SD			258.0	7.3	53.5
1990 - 1992		NYA				-		-	-	-	25105			SK @ SD			258.0	7.3	53.5
190 D 2.5L TURBO (W201)																			
1987		25492	HC		SK @ VD			262.0	19.4	44.5	25105			SK @ SD			258.0	7.3	53.5
190 E 2.3 (W201) (Excluding 16V)																			
1983 - 9/1986		25050			SK @ SD			262.0	9.0	43.5	25105			SK @ SD			258.0	7.3	53.5
10/1986 - 1993		25492	HC		SK @ VD			262.0	19.4	44.5	25105			SK @ SD			258.0	7.3	53.5
190 E 2.3L (W201) 16V																			
1984 - 1988		25050			SK @ SD			262.0	9.0	43.5	25105			SK @ SD			258.0	7.3	53.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
190 E 2.6L (W201)																					
9/1986 - 1993		25492	HC		SK	@	VD		262.0	19.4	44.5	25105			SK	@	SD		258.0	7.3	53.5
200 E / CE (W124)																					
1985 - 1993		25107			SK	@	SD		284.0	10.0	43.5	25105			SK	@	SD		258.0	7.3	53.5
200 T / TE / TD (W124)																					
1980 - 1985	(W123) T	25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
1985 - 1993		25107			SK	@	SD		284.0	10.0	43.5	25131			SK	@	SD		278.0	7.3	56.2
10/1992 - 1993	(W124) TE 16V	25250	HC		SK	@	VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2
230 E / CE																					
1976 - 1985	(W123)	25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
1985 - 1993	(W124) w/ Solid Front Disc	25107			SK	@	SD		284.0	10.0	43.5	25105			SK	@	SD		258.0	7.3	53.5
	(W124) w/ Vented Front Disc	25250	HC		SK	@	VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
230 S / SL																					
1965 - 1968	(W111) S	25003				@	SD		253.0	11.1	67.5	NYA					-		-	-	-
1963 - 1965	(R113) SL	25003				@	SD		253.0	11.1	67.5	NYA					-		-	-	-
230 T / TE																					
1978 - 1985	(W123)	25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
1985 - 1993	(W124) to Chasis F081909	25107			SK	@	SD		284.0	10.0	43.5	25131			SK	@	SD		278.0	7.3	56.2
	(W124) from Chasis F081910	25250	HC		SK	@	VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2
230.4 (W115)																					
1973 - 1976		25009				@	SD		273.0	10.6	63.4	25005			SK	@	SD		279.0	8.3	69.5
230.6 (W114)																					
1968 - 1975		25009				@	SD		273.0	10.6	63.4	25005			SK	@	SD		279.0	8.3	69.5
1975 - 1976		25066				@	SD		278.0	10.6	63.3	25055					SD		278.0	11.0	118.6
240 D / TD (W115 / W123)																					
1973 - 1976		25009				@	SD		273.0	10.6	63.4	25005			SK	@	SD		279.0	8.3	69.5
1974 - 1976	3.0	25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
1976 - 1985		25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
250 C / CE																					
1967 - 5/1972		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
6/1972 - 1976		25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
250 D (W124)																					
1985 - 1993	Diesel	25107			SK	@	SD		284.0	10.0	43.5	25105			SK	@	SD		258.0	7.3	53.5
1988 - 1993	Turbodiesel	25250	HC		SK	@	VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
250 S / SE																					
1965 - 1969		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
250 SE / C																					
1965 - 1967		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
250 SL																					
1966 - 1968		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
250 TD																					
1985 - 1993	(W124)	25107			SK	@	SD		284.0	10.0	43.5	25131			SK	@	SD		278.0	7.3	56.2
1990 - 1993	Turbodiesel	25250	HC		SK	@	VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2
260 E (W124)																					
1985 - 1992		25250	HC		SK	@	VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
5/1985 - 1991	E 4-MATIC	25382					VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
260 SE (W126)																					
1985 - 1991		25258				@	VD		300.0	25.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
280 C / E / CE (W114)																					
1972 - 1976		25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
280 E (W124)																					
1992 - 1993	24V	25250	HC		SK	@	VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
TO 6/1993	6 Door from Chasis B884947	25432	HC		SK	@	VD		294.0	22.4	49.5	NYA					-		-	-	-
	S.W. Special Body from Chasis F242722	25432	HC		SK	@	VD		294.0	22.4	49.5	NYA					-		-	-	-
280 S / SE / SEL																					
1968 - 1971	(W108)	25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
1972 - 1980	(W116)	25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD		279.0	8.3	69.5
1980 - 1985	(W126)	25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
280 SE / C																					
1967 - 1968	(W111) to Chasis 005157	25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
1969 - 1971		NYA				-			-	-	-	25005			SK	@	SD		279.0	8.3	69.5
280 SL / SLC																					
1967 - 1971	(R113) SL	25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
1974 - 1979	(R107) SL / SLC	25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD		279.0	8.3	69.5
1980 - 1985	(R107) SL / SLC	25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
280 TE 24V (W124)																					
1992 - 1993		25250	HC		SK	@	VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2
300 D																					
1985 - 1993	(W124)	25107			SK	@	SD		284.0	10.0	43.5	25105			SK	@	SD		258.0	7.3	53.5
1987 - 1993	Turbodiesel	25250	HC		SK	@	VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
300 D 4-MATIC (W124)																					
12/1986 - 1991		25382					VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
9/1987 - 1993	Turbodiesel	25382					VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
300 D / TD (W123)																					
1976 - 1985		25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
300 E 4-MATIC (W124)																					
11/1986 - 1993		25382					VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
300 E / CE (W124)																					
1985 - 1992		25250	HC		SK	@	VD		284.0	19.4	43.5	25105			SK	@	SD		258.0	7.3	53.5
9/1989 - 1992	24V	25360			SK	@	VD		295.0	19.4	49.5	25131			SK	@	SD		278.0	7.3	56.2
300 SD (W140)																					
1992 - 1993	w/ ATE Front Caliper to Chasis A050547	25386	HC		SK	@	VD		310.0	25.4	82.0	25171	HC		SK	@	SD		290.0	9.8	55.0
	w/ Girling Front Caliper from Chasis A050548	25377	HC		SK	@	VD		320.0	27.4	82.0	25171	HC		SK	@	SD		290.0	9.8	55.0
300 SD / SDL (W116 / W126)																					
1978 - 8/1979		25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD		279.0	8.3	69.5
9/1979 - 9/1985		25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
10/1985 - 1997		25258				@	VD		300.0	25.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
300 SE / SEL (W126 / W140)																					
9/1985 - 3/1991	(W126)	25258				@	VD		300.0	25.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
4/1991 - 1993	(W140) w/ ATE Front Caliper to Chasis A050547	25386	HC		SK	@	VD		310.0	25.4	82.0	25171	HC		SK	@	SD		290.0	9.8	55.0
	(W140) w/ Girling Front Caliper from Chasis A050548	25377	HC		SK	@	VD		320.0	27.4	82.0	25171	HC		SK	@	SD		290.0	9.8	55.0
300 SEL (W109)																					
1965 - 1970		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
300 SL / SL-24																					
9/1985 - 1989	(R107)	25250	HC		SK	@	VD		284.0	19.4	43.5	25005			SK	@	SD		279.0	8.3	69.5
6/1989 - 7/1993	(R129)	25323			SK	@	VD		300.0	25.4	45.5	25141			SK	@	SD		278.0	7.3	58.2
1990 - 1993		25323			SK	@	VD		300.0	25.4	45.5	25141			SK	@	SD		278.0	7.3	58.2
300 TD																					
1976 - 1985	(W123) Turbodiesel	25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
1986 - 1993	(W124)	25107			SK	@	SD		284.0	10.0	43.5	25131			SK	@	SD		278.0	7.3	56.2
1985 - 1993	(W124) Turbodiesel	25250	HC		SK	@	VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2
3/1987 - 1993	(W124) Turbodiesel 4-Matic	25250	HC		SK	@	VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2
300 TE																					
1985 - 1992	(W124)	25250	HC		SK	@	VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2
11/1986 - 1993	4-Matic	25382					VD		284.0	19.4	43.5	25131			SK	@	SD		278.0	7.3	56.2
9/1989 - 1992	(W124) 24V	25360			SK	@	VD		295.0	19.4	49.5	NYA					-		-	-	-
320 CE (C124)																					
1993	from Chasis B862122	25432	HC		SK	@	VD		294.0	22.4	49.5	25131			SK	@	SD		278.0	7.3	56.2
1993		25360			SK	@	VD		295.0	19.4	49.5	25131			SK	@	SD		278.0	7.3	56.2

320 E (W124)

Make Model, Year (s)	Notes	Front							Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear									
		Disc / Drum	HC	PVT	Screw	Ground	Type	SFOBT			Disc / Drum	HC	PVT	Screw	Ground	Type	SFOBT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1993		25486					VD	✓	300.0	25.4	46.5	25131						278.0	7.3	56.2
1993	from Chasis B864308	25432	HC		SK	@	VD		294.0	22.4	49.5	25131			SK	@	SD	278.0	7.3	56.2
320 E 24V (W124)																				
1992 - 1993		25360			SK	@	VD		295.0	19.4	49.5	25131			SK	@	SD	278.0	7.3	56.2
320 TE (W124)																				
TO 6/1993	from Chasis F242722	25432	HC		SK	@	VD		294.0	22.4	49.5	NYA					-	-	-	-
1992 - 1993	24V	25360			SK	@	VD		295.0	19.4	49.5	NYA					-	-	-	-
350 SD / SDL (W126)																				
1990 - 1991		25258				@	VD		300.0	25.4	68.2	25005			SK	@	SD	279.0	8.3	69.5
350 SE (W116)																				
1972 - 1980		25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD	279.0	8.3	69.5
350 SL / SLC (R107)																				
1971 - 1972		NYA					-		-	-	-	25005			SK	@	SD	279.0	8.3	69.5
1973 - 2/1980		25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD	279.0	8.3	69.5
380 SE / SEL (W126)																				
1980 - 1985		25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD	279.0	8.3	69.5
380 SEC (W126)																				
6/1981 - 1985		25359				@	VD		286.0	19.4	60.0	25005			SK	@	SD	279.0	8.3	69.5
380 SL / SLC (R107)																				
1981 - 1985		25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD	279.0	8.3	69.5
400 E (W124)																				
10/1992 - 1993	to Chasis B938568	25432	HC		SK	@	VD		294.0	22.4	49.5	NYA					-	-	-	-
400 SE / SEL (W140)																				
1991 - 6/1993		25377	HC		SK	@	VD		320.0	27.4	82.0	25383	HC		SK	@	VD	300.0	19.4	55.0
420 SE / SEL (W126)																				
1986 - 1991		25258				@	VD		300.0	25.4	68.2	25005			SK	@	SD	279.0	8.3	69.5
420 SL (R107)																				
9/1985 - 1989		25250	HC		SK	@	VD		284.0	19.4	43.5	25005			SK	@	SD	279.0	8.3	69.5
450 SE / SEL (W116)																				
1972 - 1980		25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD	279.0	8.3	69.5
450 SL / SLC																				
1973 - 1979		25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD	279.0	8.3	69.5
1979 - 1980		25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD	279.0	8.3	69.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
500 E (W124)																					
1992 - 1993		25323			SK	@	VD		300.0	25.4	45.5	NYA					-		-	-	-
500 SE / SEL (W126 / W140)																					
1980 - 1985	(W126)	25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
1986 - 1991	(W126)	25258				@	VD		300.0	25.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
1991 - 1993	(W140)	25377	HC		SK	@	VD		320.0	27.4	82.0	25383	HC		SK	@	VD		300.0	19.4	55.0
500 SEC (W126)																					
6/1981 - 8/1985		25359				@	VD		286.0	19.4	60.0	25005			SK	@	SD		279.0	8.3	69.5
500 SEC (W140)																					
1993		25377	HC		SK	@	VD		320.0	27.4	82.0	25383	HC		SK	@	VD		300.0	19.4	55.0
500 SL (R107 / R129)																					
1980 - 8/1985	(R107)	25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
9/1985 - 1989	(R107)	25250	HC		SK	@	VD		284.0	19.4	43.5	25005			SK	@	SD		279.0	8.3	69.5
6/1989 - 7/1993	(R129)	25323			SK	@	VD		300.0	25.4	45.5	25141			SK	@	SD		278.0	7.3	58.2
500 SLC (R107)																					
FROM 1978	to Chasis 001627	25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD		279.0	8.3	69.5
TO 1981	from Chasis 001628	25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
560 SEC / SEL (C126 / W126)																					
9/1985 - 1991		25258				@	VD		300.0	25.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
560 SL (R107)																					
1986 - 1989		25250	HC		SK	@	VD		284.0	19.4	43.5	25005			SK	@	SD		279.0	8.3	69.5
600 SE / SEC / SEL (W140)																					
1991 - 6/1993		25377	HC		SK	@	VD		320.0	27.4	82.0	25383	HC		SK	@	VD		300.0	19.4	55.0
200 D																					
1965 - 1967	(W110)	25003				@	SD		253.0	11.1	67.5	NYA					-		-	-	-
1968 - 1976	(W115)	25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
1976 - 9/1985	(W123)	25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
1985 - 1993	(W124)	25107			SK	@	SD		284.0	10.0	43.5	25105			SK	@	SD		258.0	7.3	53.5
220B / SB / SEB / SE / COUPE (W111)																					
1963 - 1965		25003				@	SD		253.0	11.1	67.5	NYA					-		-	-	-
220 D (W115)																					
1968 - 7/1971		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
8/1971 - 1976		25009				@	SD		273.0	10.6	63.4	25009				@	SD		273.0	10.6	63.4
230 (W110) / 230S (W111) / 230SL (W113)																					
1963 - 1967		25003				@	SD		253.0	11.1	67.5	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOUR	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
230.4 (W115)																					
1973 - 1976		25009				@	SD		273.0	10.6	63.4	25005			SK	@	SD		279.0	8.3	69.5
230.6 (W114)																					
1967 - 1972		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
240 D (W115)																					
1973 - 1/1976		25009				@	SD		273.0	10.6	63.4	25005			SK	@	SD		279.0	8.3	69.5
2/1976 - 1976		25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
250 C (W114)																					
1968 - 1972	to Chasis 007851	25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
	from Chasis 005714	25009				@	SD		273.0	10.6	63.4	25005			SK	@	SD		279.0	8.3	69.5
250 S / SE (W108) / 250 SE / C (W111) / 250 SL (W113)																					
1965 - 1968		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
280 C (W114)																					
1972 - 1976		25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
280 S / SE / SE 4.5 / SEL / SEL 4.5 (W108)																					
1967 - 2/1971		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
3/1971 - 1972		NYA				-			-	-	-	25005			SK	@	SD		279.0	8.3	69.5
280 S / SE (W116)																					
1973 - 8/1979		25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD		279.0	8.3	69.5
9/1979 - 1980		25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD		279.0	8.3	69.5
280 SE / C / SE 3.5 / C 3.5 (W111)																					
1967 - 2/1971		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
3/1973 - 1972		NYA				-			-	-	-	25005			SK	@	SD		279.0	8.3	69.5
280 SL (W113)																					
1967 - 1969		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
300 D (W115)																					
1974 - 1976		25066				@	SD		278.0	10.6	63.3	25005			SK	@	SD		279.0	8.3	69.5
300 SEB (W108) / 300 SE / SE / C / SEC / C (W112)																					
1961 - 1968		25003				@	SD		253.0	11.1	67.5	25005			SK	@	SD		279.0	8.3	69.5
300 SEL 2.8 (W109)																					
1965 - 1972		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5
300 SEL 3.5 / 4.5 / 6.3 (W109)																					
1968 - 1972		25008				@	SD		273.0	11.0	63.3	25005			SK	@	SD		279.0	8.3	69.5

350 SL / SLC (R107)

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1971 - 12/1972		NYA					-		-	-	-	25005			SK	@	SD		279.0	8.3	69.5
12/1972 - 2/1980		25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD		279.0	8.3	69.5

450 SE / SEL / SEL 6.9 (W116)

1973 - 8/1979		25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD		279.0	8.3	69.5
9/1979 - 1981		25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD		279.0	8.3	69.5

450 SL / SLC (R107)

1972 - 11/1972		NYA					-		-	-	-	25005			SK	@	SD		279.0	8.3	69.5
12/1972 - 8/1979		25210				@	VD		278.0	20.0	66.5	25005			SK	@	SD		279.0	8.3	69.5
9/1979 - 1981		25211				@	VD		278.0	19.4	68.2	25005			SK	@	SD		279.0	8.3	69.5

MERCEDES TRUCK / SUV:

G500, G55 AMG (BM463)

2002 - 2004	To Rear Axle # R 119848	NYA					-		-	-	-	NYA					-		-	-	-
	From Rear Axle # R 119849	NYA					-		-	-	-	NYA					-		-	-	-

ML 230 (W163)

1998 - 2002		25530	HC		SK	@	VD		303.0	23.0	51.2	25577	HC		SK	@	SD		285.0	13.0	55.2
-------------	--	-------	----	--	----	---	----	--	-------	------	------	-------	----	--	----	---	----	--	-------	------	------

ML 270 CDI TURBODIESEL

1999 - 2002		25530	HC		SK	@	VD		303.0	23.0	51.2	25577	HC		SK	@	SD		285.0	13.0	55.2
-------------	--	-------	----	--	----	---	----	--	-------	------	------	-------	----	--	----	---	----	--	-------	------	------

ML 320 (W163)

1998 - 2002		25530	HC		SK	@	VD		303.0	23.0	51.2	25577	HC		SK	@	SD		285.0	13.0	55.2
-------------	--	-------	----	--	----	---	----	--	-------	------	------	-------	----	--	----	---	----	--	-------	------	------

ML 350 (W163)

2003 - 2004		25530	HC		SK	@	VD		303.0	23.0	51.2	25577	HC		SK	@	SD		285.0	13.0	55.2
-------------	--	-------	----	--	----	---	----	--	-------	------	------	-------	----	--	----	---	----	--	-------	------	------

ML 430 (W163)

1998 - 1999		25530	HC		SK	@	VD		303.0	23.0	51.2	25577	HC		SK	@	SD		285.0	13.0	55.2
2000-2001		25522	HC		SK		VD		345.0	30.0	51.0	25528	HC		SK		SD		331.0	12.3	46.0

ML 500 (W163)

2002 - 2004		25522	HC		SK		VD		345.0	30.0	51.0	25528	HC		SK		SD		331.0	12.3	46.0
-------------	--	-------	----	--	----	--	----	--	-------	------	------	-------	----	--	----	--	----	--	-------	------	------

ML 55 AMG (W163)

2000 - 2003		25522	HC		SK		VD		345.0	30.0	51.0	25528	HC		SK		SD		331.0	12.3	46.0
-------------	--	-------	----	--	----	--	----	--	-------	------	------	-------	----	--	----	--	----	--	-------	------	------

MERCURY:

BOBCAT

1979 - 1980		NYA					-		-	-	-	23039					RD		228.6	230.1	69.1
-------------	--	-----	--	--	--	--	---	--	---	---	---	-------	--	--	--	--	----	--	-------	-------	------

CAPRI

1969 - 1978		25017					SD		244.0	11.4	27.0	21066					RD		228.6	230.0	72.0
1979	4 Cylinder & 6 Cylinder	NYA					-		-	-	-	23039					RD		228.6	230.1	69.1
	8 Cylinder	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1980 - 1981		NYA					-		-	-	-	NYA					-		-	-	-
1982 - 1986		27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
1987 - 1990		NYA					-		-	-	-	NYA					-		-	-	-
1991 - 1994	Excludes Turbo	25290				@	VD		238.0	16.0	31.0	NYA					-		-	-	-
	Turbo	25448		PVT		@	VD		260.0	16.0	30.8	NYA					-		-	-	-

COMET

1960 - 1962	Excludes Convertible & Wagon	23045					FD		228.6	230.1	79.8	23047					RD		228.6	230.1	58.4
	Convertible & Wagon	23045					FD		228.6	230.1	79.8	23045					RD		228.6	230.1	79.8
1963 - 1965	6 Cylinder w/ Front Drum; Excludes Convertible & Wagon	23045					FD		228.6	230.1	79.8	23047					RD		228.6	230.1	58.4
	6 Cylinder w/ Front Drum; Convertible & Wagon	23047					FD		228.6	230.1	58.4	23047					RD		228.6	230.1	58.4
	8 Cylinder w/ Front Drum	23036					FD		254.0	255.5	95.8	23038					RD		254.0	256.3	81.5
1966 - 1967	w/ Front Drum	23036					FD		254.0	255.5	95.8	NYA					-		-	-	-
	6 Cylinder & 289; Excludes Convertible & Wagon	23036					FD		254.0	255.5	95.8	23038					RD		254.0	256.3	81.5
1971 - 1972	w/ Front Drum; 250 / 302 Engine	23036					FD		254.0	255.5	95.8	NYA					-		-	-	-

COMMUTER

1961 - 1964		23046					FD		280.2	281.7	93.7	NYA					-		-	-	-
1965		NYA					-		-	-	-	NYA					-		-	-	-
1966 - 1968	w/ Front Disc	NYA					-		-	-	-	23046					RD		280.2	281.7	93.7

COUGAR

1967 - 1970	w/ Drum Brakes (1.75" Brakes)	23036					FD		254.0	255.5	95.8	23038					RD		254.0	256.3	81.5
1970 - 1973		23036					FD		254.0	255.5	95.8	NYA					-		-	-	-
1974 - 1979		23036					FD		254.0	255.5	95.8	NYA					-		-	-	-
1980	w/ 9" Iron Drum	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
1981	4 Cylinder & 6 Cylinder	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	8 Cylinder	27017					HR		256.0	20.6	84.0	NYA					-		-	-	-
1982	Excludes Wagon	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	Wagon	27017					HR		256.0	20.6	84.0	NYA					-		-	-	-
1983	Excludes w/ Heavy Duty Option	27017					HR		256.0	20.6	84.0	NYA					-		-	-	-
	w/ Heavy Duty Option	27017					HR		256.0	20.6	84.0	NYA					-		-	-	-
1984		NYA					-		-	-	-	NYA					-		-	-	-
1985 - 1986		27017					HR		256.0	20.6	84.0	NYA					-		-	-	-
	w/ 9" Rear Drum	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
1987 - 1988	w/ 9" Rear Drum; Excludes Heavy Duty Option & Turbo	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	w/ 9" Rear Drum; Heavy Duty Option & Turbo	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1
	Turbo w/ Rear Disc	27017					HR		256.0	20.6	84.0	NYA					-		-	-	-
1989 - 1990	w/ Rear Drum	27104					VD		275.8	23.7	50.8	23034					RD		250.1	251.5	68.6
	w/ Rear Disc	27104					VD		275.8	23.7	50.8	27100					VD		258.0	22.8	48.8
1991 - 1992	w/ Rear Drum	27105					VD		275.8	24.7	46.4	23034					RD		250.1	251.5	68.6
	w/ Rear Disc	27105					VD		275.8	24.7	46.4	27100					VD		258.0	22.8	48.8
1993 - 1995	w/ Rear Drum	27043					VD	✓	275.8	24.8	46.8	23034					RD		250.1	251.5	68.6
	w/ Rear Disc	27043					VD	✓	275.8	24.8	46.8	27175					VD		258.1	16.7	45.5
1996 - 1997	w/ Rear Drum	27043					VD	✓	275.8	24.8	46.8	23034					RD		250.1	251.5	68.6
	w/ Rear Disc; Excludes Sport Package	27043					VD	✓	275.8	24.8	46.8	27175					VD		258.1	16.7	45.5
	w/ Rear Disc; w/ Sport Package	27067					VD		294.1	24.7	46.5	27175					VD		258.1	16.7	45.5
1998		NYA					-		-	-	-	NYA					-		-	-	-
1999 - 2004	w/ 260mm Front Disc; w/ Rear Disc	27002					VD		260.0	22.2	47.0	27003					VD		253.0	18.0	43.7
	w/ 278mm Front Disc; w/ Rear Disc	27205					VD		278.0	22.2	47.0	27003					VD		253.0	18.0	43.7

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ 8" Rear Drum	27002					VD		260.0	22.2	47.0	23003					RD		203.0	204.5	63.5
	w/ 9" Rear Drum	27002					VD		260.0	22.2	47.0	23087					RD		228.7	230.1	66.5

GRAND MARQUIS (1983 and Later)

1983 - 1989		27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
1990 - 1991	w/ out ABS	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
	w/ ABS	27027					HR		281.5	24.7	134.3	NYA					-		-	-	-
1992 - 1994	w/ Rear Disc	27084					VD		281.4	24.7	82.6	27085				@	SD		290.1	11.3	58.7
1995	w/ Rear Disc	27113					VD		290.9	24.7	65.9	27085				@	SD		290.1	11.3	58.7
1996 - 1997	w/ Rear Disc	27113					VD		290.9	24.7	65.9	27154					SD	✓	284.9	11.0	55.5
1998 - 2002	w/ Rear Disc	27164					VD	✓	316.0	25.8	65.8	27154					SD	✓	284.9	11.0	55.5
2003 - 2004		27221					VD	✓	-	26.4	-	27222					VD	✓	-	18.0	-

LN 7

1982		27098					VD		235.7	22.4	56.4	NYA					-		-	-	-
4/1983 - 1984		27098					VD		235.7	22.4	56.4	NYA					-		-	-	-

LYNX

1981 - 1987	All Models	27098					VD		235.7	22.4	56.4	NYA					-		-	-	-
3/1985 - 1987	Wagon	27098					VD		235.7	22.4	56.4	23040					RD		203.2	204.7	66.5

MARQUIS (1982 & Prior)

1966 - 1968	w/ Front Drum; Excludes Wagon, Heavy Duty, & Police	23046					FD		280.2	281.7	93.7	23046					RD		280.2	281.7	93.7
	w/ Front Disc	NYA					-		-	-	-	23046					RD		280.2	281.7	93.7
1979	Excludes Wagon & Police	27026					HR		281.5	24.7	134.3	NYA					-		-	-	-
1980 - 1982		27026					HR		281.5	24.7	134.3	NYA					-		-	-	-

MARAUDER

2003 - 2004		27221					VD	✓	-	26.4	-	27222					VD	✓	-	18.0	-
-------------	--	-------	--	--	--	--	----	---	---	------	---	-------	--	--	--	--	----	---	---	------	---

METEOR

1962 - 1963		NYA					-		-	-	-	23038					RD		254.0	256.3	81.5
-------------	--	-----	--	--	--	--	---	--	---	---	---	-------	--	--	--	--	----	--	-------	-------	------

MYSTIQUE

1995 - 1996	Rear Drum Brakes	27002					VD		260.0	22.2	47.0	23003					RD		203.0	204.5	63.5
	Rear Disc Brakes	27002					VD		260.0	22.2	47.0	23003					RD		203.0	204.5	63.5
1997 - 2000	4 Cylinder; Rear Drum Brakes	27002					VD		260.0	22.2	47.0	23003					RD		203.0	204.5	63.5
	6 Cylinder; Rear Drum Brakes	27002					VD		260.0	22.2	47.0	23087					RD		228.7	230.1	66.5
	Rear Disc Brakes	27002					VD		260.0	22.2	47.0	27003					VD		253.0	18.0	43.7

MONTEGO

1968	6 Cylinder & 302 V8	NYA					-		-	-	-	23038					RD		254.0	256.3	81.5
1969 - 1971	w/ Front Drum	23036					FD		254.0	255.5	95.8	NYA					-		-	-	-
1972 - 1973		NYA					-		-	-	-	NYA					-		-	-	-
1974 - 1976		27099					HR		272.3	28.4	122.6	NYA					-		-	-	-

SABLE

1990 - 01/91	Sedan; Rear Drum Brakes	27102					VD		258.0	24.7	50.0	23035					RD		225.0	226.6	69.1
	Wagon; Rear Drum Brakes	27102					VD		258.0	24.7	50.0	23034					RD		250.1	251.5	68.6

Make Model, Year (s)	Notes	Front							Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear										
		Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT			Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKRT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
02/91 - 1992	Rear Disc Brakes	27102					VD		258.0	24.7	50.0	27152					VD		256.5	22.8	47.0
	Sedan; Rear Drum Brakes	27108					VD		258.0	24.7	46.0	23035					RD		225.0	226.6	69.1
	Wagon; Rear Drum Brakes	27108					VD		258.0	24.7	46.0	23034					RD		250.1	251.5	68.6
	Rear Disc Brakes	27108					VD		258.0	24.7	46.0	27152					VD		256.5	22.8	47.0
1993	Sedan; Rear Drum Brakes	27108					VD		258.0	24.7	46.0	23035					RD		225.0	226.6	69.1
	Wagon; Rear Drum Brakes	27108					VD		258.0	24.7	46.0	23034					RD		250.1	251.5	68.6
	Rear Disc Brakes	27108					VD		258.0	24.7	46.0	27109					SD		256.4	12.8	39.3
1994 - 2000	Sedan; Rear Drum Brakes	27043					VD	✓	275.8	24.8	46.8	23035					RD		225.0	226.6	69.1
	Wagon; Rear Drum Brakes	27043					VD	✓	275.8	24.8	46.8	23034					RD		250.1	251.5	68.6
	Rear Disc Brakes	27043					VD	✓	275.8	24.8	46.8	27109					SD		256.4	12.8	39.3
2001 - 2004	Rear Drum Brakes	27067					VD		294.1	24.7	46.5	NYA					-		-	-	-
	Rear Disc Brakes	27067					VD		294.1	24.7	46.5	27109					SD		256.4	12.8	39.3

TOPAZ

1984 - 1994		27098					VD		235.7	22.4	56.4	23040					RD		203.2	204.7	66.5
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

TRACER (Excluding Wagon)

1987 - 1990	w/ Rear Drum	25290				@	VD		238.0	16.0	31.0	21074					RD		200.0	201.0	65.5
	w/ Rear Disc	25290				@	VD		238.0	16.0	31.0	NYA					-		-	-	-
1991 - 1992	w/ DOHC 1.8L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-13	25509					VD		235.0	20.0	45.0	21092					RD		228.6	231.0	55.0
1993	w/ DOHC 1.8L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-13	25509					VD		235.0	20.0	45.0	21105					RD		200.0	201.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	21105					RD		200.0	201.5	
1994 - 1996	w/ DOHC 1.8L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-13	25509					VD		235.0	20.0	45.0	21105					RD		200.0	201.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	21105					RD		200.0	201.5	
1997 - 1999	w/ Rear Drum	25437				@	VD	✓	257.0	20.0	45.0	21098					RD		228.6	230.1	56.0
	w/ Rear Disc; w/ ABS	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	
	w/ Rear Disc; w/ out ABS	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	

TRACER WAGON

1988 - 1990		25290				@	VD		238.0	16.0	31.0	NYA					-		-	-	-
1991 - 1992	w/ DOHC 1.8L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-13	25509					VD		235.0	20.0	45.0	21092					RD		228.6	231.0	55.0
1993	w/ DOHC 1.8L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-13	25509					VD		235.0	20.0	45.0	21105					RD		200.0	201.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	21105					RD		200.0	201.5	
1994 - 1996	w/ DOHC 1.8L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-13	25509					VD		235.0	20.0	45.0	21105					RD		200.0	201.5	
	w/ SOHC 1.9L Engine; Front Caliper Casting # 22-14	25437				@	VD	✓	257.0	20.0	45.0	21105					RD		200.0	201.5	
1997 - 1998	w/ Rear Drum	25437				@	VD	✓	257.0	20.0	45.0	21098					RD		228.6	230.1	56.0
	w/ Rear Disc; w/ ABS	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	
	w/ Rear Disc; w/ out ABS	25437				@	VD	✓	257.0	20.0	45.0	25187			@	SD	✓	250.0	8.0	34.5	

ZEPHYR

1978 - 1983		27017					HR		256.0	20.6	84.0	NYA					-		-	-	-
	w/ 9" Rear Drum	27017					HR		256.0	20.6	84.0	23039					RD		228.6	230.1	69.1

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)			
MERCURY TRUCK / VAN / SUV:																				
MONTEREY																				
2004		NYA				-	-	-	-	NYA				-	-	-	-			
MOUNTAINEER																				
1997 - 2001	2WD	27075				HR	✓	286.5	24.5	108.0	27045			@	SD	✓	285.0	11.0	-	
	4WD	27010				@	VD	✓	286.0	24.5	66.0	27045			@	SD	✓	285.0	11.0	-
2002 - 2004		27235				VD		305.3	24.5	56.0	27237				SD		301.0	11.0	52.0	
VILLAGER																				
1993 - 2002		27012				@	VD	277.0	24.0	52.2	23095				RD		250.1	251.5	87.6	
MERKUR:																				
SCORPIO																				
1987 - 1990		25463				VD		260.0	22.2	53.1	25116				SD		252.5	8.9	33.0	
XR4Ti																				
1985 - 1989		25299			SK	VD		260.0	22.8	58.1	NYA				-		-	-	-	
MG:																				
MGB / MGB-GT																				
1961 - 1980	1800	25013				@	SD	273.0	7.6	44.7	NYA				-		-	-	-	
MIDGET																				
1963 - 1979	Excludes w/ Wire Wheels	25007				SD		209.0	7.3	59.5	NYA				-		-	-	-	
MICRO COMPACT CAR:																				
SMART																				
1998 - 2002		25576	HC		SK	SD		280.0	8.0	38.0	NYA				-		-	-	-	
MINI:																				
COOPER, COOPER S																				
2002 - 2004		25610	HC			VD	✓	276.0	20.4	44.0	NYA				-		-	-	-	
MINI:																				
3000 GT, GT-SL, Exc. GT-VR4																				
1990 - 1999		25544				@	VD	✓	276.0	22.4	45.3	25546				VD	✓	265.9	16.4	65.5
3000 GT-VR4																				
04/90 - 05/93		25623				VD		296.0	28.4	45.0	25624				VD		-	18.4	-	
06/93 - 1999		NYA				-		-	-	-	NYA				-		-	-	-	
CORDIA																				
1983 - 5/1983		25109				@	SD	243.0	11.4	34.0	NYA				-		-	-	-	

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
6/1983 - 5/1984		25270				@	VD		242.0	16.4	34.0	21099					RD		203.0	205.0	73.0
6/1984 - 12/1986	Non-Turbo	25270				@	VD		242.0	16.4	34.0	21099					RD		203.0	205.0	73.0
	Turbo	25341				@	VD		266.0	22.4	34.0	21099					RD		203.0	205.0	73.0
1/1987 - 1988	Non-Turbo	25270				@	VD		242.0	16.4	34.0	21099					RD		203.0	205.0	73.0
	Turbo	25341				@	VD		266.0	22.4	34.0	21099					RD		203.0	205.0	73.0

DIAMANTE

1992 - 1994		25544				@	VD	✓	276.0	22.4	45.3	25546					VD	✓	265.9	16.4	65.5
1995 - 1996		25544				@	VD	✓	276.0	22.4	45.3	25546					VD	✓	265.9	16.4	65.5
1997 - 2004		25544				@	VD	✓	276.0	22.4	45.3	25594					SD		258.1	8.4	57.0

ECLIPSE 2WD Turbo (Including Convertible)

5/1988 - 4/1990		25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
5/1990 - 9/1990	w/ out ABS	25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
	w/ ABS	25366				@	VD		256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
10/1990 - 12/1992	w/ out ABS	25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
	w/ ABS	25366				@	VD		256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
1/1993 - 1994	D22A Model	25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
1/94 - 1999	D32A & D38A Models	25365				@	VD	✓	256.0	22.4	45.1	25557					SD	✓	262.1	8.4	60.2

ECLIPSE (Excludes Turbo)

4/89-1/91		25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
2/91-1994	D21A; D22A Models	25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
1/94-12/94	D31A; Rear Drum Brakes	25365				@	VD	✓	256.0	22.4	45.1	NYA					-		-	-	-
	Rear Disc Brakes	25365				@	VD	✓	256.0	22.4	45.1	25557					SD	✓	262.1	8.4	60.2
1/95-1999	Rear Drum Brakes	25365				@	VD	✓	256.0	22.4	45.1	21119					RD		228.6	230.6	62.0
	Rear Disc Brakes	25365				@	VD	✓	256.0	22.4	45.1	25557					SD	✓	262.1	8.4	60.2
2000	4 Cylinder	25365				@	VD	✓	256.0	22.4	45.1	21119					RD		228.6	230.6	62.0
	V6	25544				@	VD	✓	276.0	22.4	45.3	25557					SD	✓	262.1	8.4	60.2
2001	4 Cylinder	25365				@	VD	✓	256.0	22.4	45.1	21119					RD		228.6	230.6	62.0
	V6	25640					VD		276.1	24.0	45.5	25557					SD	✓	262.1	8.4	60.2
2002-2004	4 Cylinder	25640					VD		276.1	24.0	45.5	21119					RD		228.6	230.6	62.0
	V6	25640					VD		276.1	24.0	45.5	25557					SD	✓	262.1	8.4	60.2

ECLIPSE 4WD TURBO

4/1989 - 4/1990		25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
5/1990 - 5/1992	w/ out ABS	25365				@	VD	✓	256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
	w/ ABS	25366				@	VD		256.0	22.4	45.1	25164				@	SD	✓	265.0	8.4	49.0
6/1992 - 5/1993		25544				@	VD	✓	276.0	22.4	45.3	25164				@	SD	✓	265.0	8.4	49.0
6/1993 - 1994	D27A Model	25544				@	VD	✓	276.0	22.4	45.3	25164				@	SD	✓	265.0	8.4	49.0
1/1994 - 10/1994	D33A Model	25544				@	VD	✓	276.0	22.4	45.3	NYA					-		-	-	-
11/1994 - 1999		25544				@	VD	✓	276.0	22.4	45.3	25557					SD	✓	262.1	8.4	60.2

GALANT 2WD

1985 - 1987	w/ Rear Drum	25363				@	VD		266.0	22.4	45.0	21099					RD		203.0	205.0	73.0
	w/ Rear Disc	25363				@	VD		266.0	22.4	45.0	NYA					-		-	-	-
1988		NYA					-		-	-	-	NYA					-		-	-	-
1989 - 10/1989	w/ SOHC Engine	25363				@	VD		266.0	22.4	45.0	21099					RD		203.0	205.0	73.0
	w/ DOHC Engine	25363				@	VD		266.0	22.4	45.0	25165				@	SD		265.0	8.4	49.0
11/1989 - 1/1993	w/ SOHC Engine	25363				@	VD		266.0	22.4	45.0	21099					RD		203.0	205.0	73.0

Make Model, Year (s)	Notes	Front					Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall					Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground					Disc / Drum	HC	PVT	Screw	Ground				Height (mm.)
2/1993 - 5/1994	w/ DOHC Engine	25364				@	VD	✓	256.0	22.4	45.1	25165			@	SD	265.0	8.4	49.0
	w/ SOHC Engine	25364				@	VD	✓	256.0	22.4	45.1	21047				RD	228.6	230.6	62.5
	w/ DOHC Engine	25364				@	VD	✓	256.0	22.4	45.1	NYA				-	-	-	
6/1994 - 1997	w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	21047				RD	228.6	230.6	62.5
	w/ Rear Disc	25364				@	VD	✓	256.0	22.4	45.1	NYA				-	-	-	
1998	w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	21047				RD	228.6	230.6	62.5
	w/ Rear Disc	25364				@	VD	✓	256.0	22.4	45.1	NYA				-	-	-	
1999 - 2001	w/ Rear Drum	25365				@	VD	✓	256.0	22.4	45.1	21119				RD	228.6	230.6	62.0
	w/ Rear Disc	25544				@	VD	✓	276.0	22.4	45.3	25557				SD	✓	262.1	8.4
2002 - 2003	4 Cylinder	25640					VD		276.1	24.0	45.5	21119				RD	228.6	230.6	62.0
	V6	25640					VD		276.1	24.0	45.5	25557				SD	✓	262.1	8.4
2004	2.4L - 4 Cylinder	25640					VD		276.1	24.0	45.5	NYA				-	-	-	
	3.8L - V6	NYA					-		-	-	-	NYA				-	-	-	

GALANT 4WD (Excluding Turbo)

6/1989 - 10/1989		25363				@	VD		266.0	22.4	45.0	25165			@	SD	265.0	8.4	49.0
11/1989 - 5/1992		25364				@	VD	✓	256.0	22.4	45.1	25165			@	SD	265.0	8.4	49.0
1993 - 1997		25364				@	VD	✓	256.0	22.4	45.1	NYA				-	-	-	

GALANT 4WD TURBO

6/1990 - 1992		NYA					-		-	-	-	25165			@	SD	265.0	8.4	49.0
---------------	--	-----	--	--	--	--	---	--	---	---	---	-------	--	--	---	----	-------	-----	------

GALANT SIGMA V6

1988 - 1990		25364				@	VD	✓	256.0	22.4	45.1	NYA				-	-	-
-------------	--	-------	--	--	--	---	----	---	-------	------	------	-----	--	--	--	---	---	---

LANCER - Excludes EVOLUTION

2002 - 2003	ES	NYA					-		-	-	-	NYA				-	-	-		
	LS	NYA					-		-	-	-	NYA				-	-	-		
	OZ RALLY EDITION	NYA					-		-	-	-	NYA				-	-	-		
2004	ES Sedan - 2.0L; Rear Drum Brakes	NYA					-		-	-	-	NYA				-	-	-		
	LS Sedan - 2.0L; Rear Drum Brakes	NYA					-		-	-	-	NYA				-	-	-		
	OZ RALLY EDITION - 2.0L; Rear Drum Brakes	NYA					-		-	-	-	NYA				-	-	-		
	Sedan Ralliart - 2.4L; Rear Disc Brakes; 5 Bolt Wheels	25640					VD		276.1	24.0	45.5	25557				SD	✓	262.1	8.4	60.2
	Sportback LS - 2.4L; Rear Disc Brakes; 4 Bolt Wheels	NYA					-		-	-	-	NYA				-	-	-		
Sportback Ralliart - 2.4L; Rear Disc Brakes; 5 Bolt Wheels	25640					VD		276.1	24.0	45.5	25557				SD	✓	262.1	8.4	60.2	

LANCER EVOLUTION AWD

2003 - 2004		NYA					-		-	-	-	NYA				-	-	-
-------------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	---	---	---

MIRAGE HATCHBACK (Excluding Turbo)

1985 - 1988		25109				@	SD		243.0	11.4	34.0	21060				RD	180.0	182.0	69.0
1989 - 1990		25109				@	SD		243.0	11.4	34.0	21077				RD	180.0	182.0	69.0
1991 - 1992		25109				@	SD		243.0	11.4	34.0	21077				RD	180.0	182.0	69.0

MIRAGE

1985 - 1988		25109				@	SD		243.0	11.4	34.0	21060				RD	180.0	182.0	69.0
4/1988 - 5/1990		25270				@	VD		242.0	16.4	34.0	21077				RD	180.0	182.0	69.0
6/1990 - 5/1992	1.5L SOHC Engine w/ Rear Drum	25271				@	VD		236.0	16.4	34.0	NYA				-	-	-	
	1.6L DOHC Engine w/ Rear Disc	25423				@	VD		256.0	22.4	34.0	25165			@	SD	265.0	8.4	49.0
6/1992 - 5/1993	1.5L 2 Door	25135				@	SD		234.0	11.4	45.0	NYA				-	-	-	

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	1.5L 4 Door w/ Rear Drum; 1.8L w/ out ABS	25480				@	VD		236.0	16.4	45.0	21121					RD		202.9	205.0	64.0
	1.8L 4 Door w/ Rear Disc; w/ ABS	25480				@	VD		236.0	16.4	45.0	NYA					-		-	-	-
6/1993 - 4/1996	1.5L 2 Door	25135				@	SD		234.0	11.4	45.0	NYA					-		-	-	-
	1.8L 2 Door	25480				@	VD		236.0	16.4	45.0	NYA					-		-	-	-
	1.5L / 1.8L 4 Door w/ Rear Drum	25480				@	VD		236.0	16.4	45.0	21121					RD		202.9	205.0	64.0
	1.8L 4 Door w/ Rear Disc	25480				@	VD		236.0	16.4	45.0	NYA					-		-	-	-
5/1996 - 1998		25480				@	VD		236.0	16.4	45.0	21121					RD		202.9	205.0	64.0
1999 - 2000	w/ 13" Stock Wheels	25480				@	VD		236.0	16.4	45.0	21121					RD		202.9	205.0	64.0
	w/ 14" Stock Wheels	NYA					-		-	-	-	21121					RD		202.9	205.0	64.0
2001 - 2002		NYA					-		-	-	-	21121					RD		202.9	205.0	64.0

MIRAGE TURBO

1985 - 12/1986		25270				@	VD		242.0	16.4	34.0	21060					RD		180.0	182.0	69.0
1/1987 - 3/1988	w/ Rear Drum	25270				@	VD		242.0	16.4	34.0	21060					RD		180.0	182.0	69.0
4/1988 - 1989	w/ Rear Disc	25341				@	VD		266.0	22.4	34.0	25165				@	SD		265.0	8.4	49.0

PRECIS

1987 - 3/1987		25118					SD		229.0	11.4	39.5	21048					RD		180.0	182.0	72.0
3/87 - 8/1987	w/ Manual Transmission	25118					SD		229.0	11.4	39.5	21048					RD		180.0	182.0	72.0
	w/ Automatic Transmission	25269				@	VD		242.0	17.7	40.5	21048					RD		180.0	182.0	72.0
8/1987 - 9/1988		25269				@	VD		242.0	17.7	40.5	21048					RD		180.0	182.0	72.0
9/1988 - 7/1989		25269				@	VD		242.0	17.7	40.5	NYA					-		-	-	-
8/1989 - 6/1991		25269				@	VD		242.0	17.7	40.5	21104					RD		180.0	182.0	
7/1991 - 1993		25269				@	VD		242.0	17.7	40.5	NYA					-		-	-	-

TREDIA

1983 - 5/1983		25109				@	SD		243.0	11.4	34.0	NYA					-		-	-	-
6/1983 - 5/1984		25270				@	VD		242.0	16.4	34.0	21099					RD		203.0	205.0	73.0
6/1984 - 12/1986	Non-Turbo	25270				@	VD		242.0	16.4	34.0	21099					RD		203.0	205.0	73.0
	Turbo	25341				@	VD		266.0	22.4	34.0	21099					RD		203.0	205.0	73.0
1/1987 - 1988	Non-Turbo	25270				@	VD		242.0	16.4	34.0	21099					RD		203.0	205.0	73.0
	Turbo	25341				@	VD		266.0	22.4	34.0	21099					RD		203.0	205.0	73.0

MITSUBISHI TRUCK/ VAN/ SUV:

ENDEAVOR

2004		NYA					-		-	-	-	NYA					-		-	-	-
------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

EXPO 5 Door

5/1991 - 1994	w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	21047					RD		228.6	230.6	62.5
1995 - 1996	w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	21047					RD		228.6	230.6	62.5

EXPO LRV 3 DOOR

5/1991 - 1994	2WD w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	NYA					-		-	-	-
	4WD w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	21047					RD		228.6	230.6	62.5
1995	2WD w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	NYA					-		-	-	-
	4WD w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	21047					RD		228.6	230.6	62.5

MONTERO (4 Cylinder)

1983 - 5/1987		25408				@	VD		255.0	18.4	45.0	21094					RD		254.0	256.0	83.0
---------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
6/1987 - 1989		NYA					-		-	-	-	21094					RD		254.0	256.0	83.0

MONTERO V6 (Excluding Montero Sport)

5/1988 - 9/1991		25442				@	VD		277.0	20.4	45.0	21094					RD		254.0	256.0	83.0
10/1991 - 2/1993		25558				@	VD		276.0	22.4	45.0	25200				@	SD		315.0	16.4	84.2
3/93-5/98	3.0L SOHC	25558				@	VD		276.0	22.4	45.0	25200				@	SD		315.0	16.4	84.2
	3.5L DOHC	25625					VD		276.0	25.4	45.2	25200				@	SD		315.0	16.4	84.2
6/98-1/00	3.0L SOHC; 15" Wheels	25558				@	VD		276.0	22.4	45.0	25200				@	SD		315.0	16.4	84.2
	3.0L SOHC; 16" Wheels	25641					VD		314.1	22.4	45.2	25200				@	SD		315.0	16.4	84.2
	3.5L DOHC	25625					VD		276.0	25.4	45.2	25200				@	SD		315.0	16.4	84.2
2/00-2004		NYA				-		-	-	-	-	25678					VD			20.4	

MONTERO SPORT (2WD)

1997-1999		25558				@	VD		276.0	22.4	45.0	NYA					-		-	-	-
2000-2004	15" Wheels; 3.0L	25558				@	VD		276.0	22.4	45.0	NYA					-		-	-	-
	16" Wheels; 3.0L & 3.5L	25641					VD		314.1	22.4	45.2	NYA					-		-	-	-

MONTERO SPORT (4WD)

1997-1999		25558				@	VD		276.0	22.4	45.0	25200				@	SD		315.0	16.4	84.2
2000-2004	15" Wheels	25558				@	VD		276.0	22.4	45.0	25200				@	SD		315.0	16.4	84.2
	16" Wheels	25641					VD		314.1	22.4	45.2	25200				@	SD		315.0	16.4	84.2

OUTLANDER

2003 - 2004		25640					VD		276.1	24.0	45.5	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

PICK-UP (2WD)

1983 - 4/1986	2WD; 9.5" Rear Drum	25115				@	SD		255.0	18.4	33.2	21049					RD		241.3	243.3	80.5
	2WD; 10" Rear Drum	25115				@	SD		255.0	18.4	33.2	21094					RD		254.0	256.0	83.0
	4WD; 9.5" Rear Drum	25408				@	VD		255.0	18.4	45.0	21049					RD		241.3	243.3	80.5
	4WD; 10" Rear Drum	25408				@	VD		255.0	18.4	45.0	21094					RD		254.0	256.0	83.0
05/86 - 05/89		25298				@	VD		258.5	20.4	33.5	21094					RD		254.0	256.0	83.0
06/89 - 1995	2WD	25298				@	VD		258.5	20.4	33.5	21094					RD		254.0	256.0	83.0
	4WD	25442				@	VD		277.0	20.4	45.0	21094					RD		254.0	256.0	83.0
1996	2WD	25298				@	VD		258.5	20.4	33.5	21094					RD		254.0	256.0	83.0

NISSAN:

ALTIMA

1993 - 2001	w/ Rear Drum	25315					VD	✓	280.0	20.0	49.2	21026					RD		228.5	230.0	62.5
	w/ Rear Disc	25315					VD	✓	280.0	20.0	49.2	25152					SD		258.0	8.0	44.5
2002-2004		25642					VD		295.9	22.0	49.1	NYA					-		-	-	-

MAXIMA SEDAN

1981 - 6/1984		25245				@	VD		250.0	16.0	22.0	25111				@	SD		258.0	9.0	47.0
7/1984 - 7/1985		25273					VD		274.0	20.0	50.3	25125					SD		285.0	8.6	74.0
8/1985 - 1988		25272					VD		274.0	20.0	49.2	NYA					-		-	-	-
1/1989 - 8/1989	w/ Rear Drum	25314					VD	✓	280.0	20.0	49.3	21126					RD		265.9	230.0	63.2
	w/ Rear Disc	25314					VD	✓	280.0	20.0	49.3	25148					SD	✓	258.0	9.0	45.0
9/1989 - 8/1990	w/ Rear Drum	25314					VD	✓	280.0	20.0	49.3	21126					RD		265.9	230.0	63.2
	w/ Rear Disc	25314					VD	✓	280.0	20.0	49.3	25148					SD	✓	258.0	9.0	45.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK1	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK1	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
9/1990 - 1/1994	w/ Rear Drum	25314					VD	✓	280.0	20.0	49.3	21126					RD		265.9	230.0	63.2
	w/ Rear Disc	25314					VD	✓	280.0	20.0	49.3	25151					SD		258.0	8.0	44.5
02/94 - 03/99		25314					VD	✓	280.0	20.0	49.3	25542					SD	✓	277.9	8.0	44.6
04/99 - 2001		25575					VD	✓	280.0	24.0	49.2	25542					SD	✓	277.9	8.0	44.6
2002 - 2003		25642					VD		295.9	22.0	49.1	25542					SD	✓	277.9	8.0	44.6
2004		NYA					-		-	-	-	NYA					-		-	-	-

MAXIMA WAGON

1981 - 6/1984		25245					@ VD		250.0	16.0	22.0	21026					RD		228.5	230.0	62.5
7/1984 - 7/1985		25273					VD		274.0	20.0	50.3	25125					SD		285.0	8.6	74.0
8/1985 - 7/1988		25272					VD		274.0	20.0	49.2	NYA					-		-	-	-

MICRA (CANADA)

1983 - 1988	Solid Disc	25127					SD		214.0	11.0	43.2	NYA					-		-	-	-
7/1987 - 11/1988	Vented Disc	25413					VD		214.0	13.0	46.2	NYA					-		-	-	-
12/1988 - 1992	Vented Disc	25412					VD		214.0	13.0	46.2	NYA					-		-	-	-

NX COUPE

1991 - 1993	1.6L w/ Rear Drum	25506					VD		250.0	20.0	37.0	21107					@ RD		180.0	181.0	57.5
	1.6L w/ Rear Disc	25506					VD		250.0	20.0	37.0	25192					@ SD		234.0	6.0	39.4
	2.0L w/ out ABS; Excludes SE & SER	25392				@	VD		250.0	16.0	45.2	25192					@ SD		234.0	6.0	39.4
	All 2.0L w/ ABS; SE & SER w/ out ABS	25494					VD		257.0	24.0	45.2	25150					SD		258.0	8.0	44.5

PULSAR (Excluding Turbo)

1983 - 6/1984		25060					SD		240.0	11.0	35.0	21030					RD		180.0	181.0	82.0
7/1984 - 8/1986		25060					SD		240.0	11.0	35.0	21058					RD		203.2	204.5	82.0
9/1986 - 7/1987	SOHC Engine	25117					SD		240.0	10.0	45.2	21075					RD		203.2	204.5	82.0
	DOHC Engine	25506					VD		250.0	20.0	37.0	21075					RD		203.2	204.5	82.0
8/1987 - 1990	SOHC Engine	25117					SD		240.0	10.0	45.2	21075					RD		203.2	204.5	82.0
	DOHC Engine	25393				@	VD		250.0	16.0	45.2	21075					RD		203.2	204.5	82.0

PULSAR TURBO

1983 - 1986		25060					SD		240.0	11.0	35.0	21058					RD		203.2	204.5	82.0
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

SENTRA (Excluding Wagon & Diesel)

1982 - 7/1984		25060					SD		240.0	11.0	35.0	21030					RD		180.0	181.0	82.0
8/1984 - 12/1985		25060					SD		240.0	11.0	35.0	21058					RD		203.2	204.5	82.0
1/1986 - 1990		25117					SD		240.0	10.0	45.2	21075					RD		203.2	204.5	82.0
1991 - 1994	1.6L w/ Rear Drum	25506					VD		250.0	20.0	37.0	21107					@ RD		180.0	181.0	57.5
	1.6L w/ Rear Disc	25506					VD		250.0	20.0	37.0	25192					@ SD		234.0	6.0	39.4
	2.0L w/ out ABS	25392				@	VD		250.0	16.0	45.2	25192					@ SD		234.0	6.0	39.4
	2.0L w/ ABS - Made in Japan	25494					VD		257.0	24.0	45.2	25150					SD		258.0	8.0	44.5
	2.0L w/ ABS - Made in USA	25392				@	VD		250.0	16.0	45.2	25192					@ SD		234.0	6.0	39.4
1995 - 1997	Rear Drum Brakes	25475				@	VD		232.0	16.0	45.0	21107					@ RD		180.0	181.0	57.5
	Rear Disc Brakes	25475				@	VD		232.0	16.0	45.0	25192					@ SD		234.0	6.0	39.4
1998 - 12/99	1.6L - E, XE; Rear Drum Brakes	25475				@	VD		232.0	16.0	45.0	21107					@ RD		180.0	181.0	57.5
	1.6L - GLE, GXE; Rear Drum Brakes	25474					VD		247.0	16.0	45.2	21107					@ RD		180.0	181.0	57.5
	1.6L - GLE, GXE; Rear Disc Brakes	25474					VD		247.0	16.0	45.2	25192					@ SD		234.0	6.0	39.4
	2.0L - SE; Rear Disc Brakes	25474					VD		247.0	16.0	45.2	25192					@ SD		234.0	6.0	39.4
01/00 - 04/03	1.8L - XE, GXE; Rear Drum Brakes	25511				@	VD		257.0	20.0	49.2	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front					Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear					Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
		Disc / Drum	HC	PVT	Screw	Ground						Disc / Drum	HC	PVT	Screw	Ground					
04/03 - 2004	2.0L - SE; Rear Disc Brakes	25315				VD	✓	280.0	20.0	49.2	25149				SD	✓	258.0	9.0	45.0		
	1.8L - Basic, S; Rear Drum Brakes	25511				VD		257.0	20.0	49.2	NYA				-		-	-			
	2.5L - S, SE-R; Rear Disc Brakes; Excludes SE-R Spec V	25315				VD	✓	280.0	20.0	49.2	25149				SD	✓	258.0	9.0	45.0		
	2.5L - SE-R Spec V; Brembo Front Calipers; Rear Disc Brakes	NYA				-		-	-	-	NYA				-		-	-			

SENTRA 2WD WAGON

1982 - 7/1984		25060				SD		240.0	11.0	35.0	21030				RD		180.0	181.0	82.0
8/1984 - 12/1985		25060				SD		240.0	11.0	35.0	21058				RD		203.2	204.5	82.0
1/1986 - 1990		25506				VD		250.0	20.0	37.0	21075				RD		203.2	204.5	82.0

SENTRA 4WD WAGON

1987 - 1990		25506				VD		250.0	20.0	37.0	21081				RD		228.5	230.0	62.5
-------------	--	-------	--	--	--	----	--	-------	------	------	-------	--	--	--	----	--	-------	-------	------

SENTRA DIESEL

1983 - 12/1985		25311			@	VD		231.5	16.0	36.5	21058				RD		203.2	204.5	82.0
1/1986 - 1987		25506				VD		250.0	20.0	37.0	21075				RD		203.2	204.5	82.0

STANZA (Excluding Wagon)

1981 - 12/1985		25222				VD		232.0	16.0	31.5	21029				RD		203.2	204.5	86.5
1/1986 - 10/1986		25279				VD		250.0	20.0	49.3	NYA				-		-	-	
11/1986 - 6/1989		25279				VD		250.0	20.0	49.3	21093				RD		228.6	230.0	78.0
7/1989 - 1992	w/ Rear Drum; w/ out ABS	25511				VD		257.0	20.0	49.2	21026				RD		228.5	230.0	62.5
	w/ Rear Disc; w/ ABS	25511				VD		257.0	20.0	49.2	25149				SD	✓	258.0	9.0	45.0

STANZA WAGON

1985 - 8/1986	2WD	25279				VD		250.0	20.0	49.3	21093				RD		228.6	230.0	78.0
	4WD	25279				VD		250.0	20.0	49.3	NYA				-		-	-	
9/1986 - 1989	2WD	25279				VD		250.0	20.0	49.3	21093				RD		228.6	230.0	78.0
	4WD	25279				VD		250.0	20.0	49.3	21026				RD		228.5	230.0	62.5

200 SX

1977 - 1979		25081				SD		245.0	8.4	35.5	21026				RD		228.5	230.0	62.5
1980 - 6/1981		25108				SD		253.5	10.5	47.8	25110				SD		269.0	8.6	68.5
7/1981 - 9/1983		25108				SD		253.5	10.5	47.8	25111			@	SD		258.0	9.0	47.0
10/1983 - 10/1984	w/ Rear Drum	25245			@	VD		250.0	16.0	22.0	21026				RD		228.5	230.0	62.5
	w/ Rear Disc	25245			@	VD		250.0	16.0	22.0	25111			@	SD		258.0	9.0	47.0
11/1984 - 4/1986		25245			@	VD		250.0	16.0	22.0	25111			@	SD		258.0	9.0	47.0
5/1986 - 4/1987	4 Cylinder	25245			@	VD		250.0	16.0	22.0	25111			@	SD		258.0	9.0	47.0
	V6	25316			@	VD		274.0	20.0	35.5	25138			@	SD		290.0	9.0	47.0
5/1987 - 1988	4 Cylinder	25245			@	VD		250.0	16.0	22.0	25111			@	SD		258.0	9.0	47.0
	V6	25316			@	VD		274.0	20.0	35.5	25138			@	SD		290.0	9.0	47.0
1995 - 1997	1.6L w/ Rear Drum	25475				VD		232.0	16.0	45.0	21107			@	RD		180.0	181.0	57.5
	1.6L w/ Rear Disc	25475				VD		232.0	16.0	45.0	25192			@	SD		234.0	6.0	39.4
	2.0L - SE-R; Rear Disc Brakes	25474				VD		247.0	16.0	45.2	25192			@	SD		234.0	6.0	39.4
1998 - 1999	1.6L; Rear Drum Brakes	25475				VD		232.0	16.0	45.0	21107			@	RD		180.0	181.0	57.5
	1.6L; Rear Disc Brakes	25474				VD		247.0	16.0	45.2	25192			@	SD		234.0	6.0	39.4
	2.0L - SE-R; Rear Disc Brakes	25474				VD		247.0	16.0	45.2	25192			@	SD		234.0	6.0	39.4

210 (B310)

1979 - 1982		25081				SD		245.0	8.4	35.5	21028				RD		203.0	204.5	58.0
-------------	--	-------	--	--	--	----	--	-------	-----	------	-------	--	--	--	----	--	-------	-------	------

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-----------------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-----------------	------	-------	-----------------------	--------------------------------	-------------------------

240Z / 260Z / 280Z / 280ZX

1970 - 1973	240Z / 260Z / 280Z w/ Rear Drum	NYA				-		-	-	-	21031				RD		228.6	230.0	64.0
1974	260Z w/ Rear Drum	25082				SD		271.5	10.5	43.3	21031				RD		228.6	230.0	64.0
	280Z w/ Rear Drum	NYA				-		-	-	-	21031				RD		228.6	230.0	64.0
1975 - 1978	260Z w/ Rear Drum	25082				SD		271.5	10.5	43.3	21031				RD		228.6	230.0	64.0
	280Z w/ Rear Drum	NYA				-		-	-	-	21031				RD		228.6	230.0	64.0
1979 - 1981	280ZX w/ Rear Disc	25255				@	VD	252.0	18.0	29.0	25110				SD		269.0	8.6	68.5
1982 - 1983	280ZX w/ Rear Disc	25255				@	VD	252.0	18.0	29.0	25111			@	SD		258.0	9.0	47.0

240 SX

1989 - 1/1994	w/ out ABS	25317				@	VD	✓	252.0	18.0	49.2	25172			SD	✓	258.0	8.0	46.5
	w/ ABS	25511					VD		257.0	20.0	49.2	25172			SD	✓	258.0	8.0	46.5
02/94 - 06/96	4 Lug; w/out ABS	25317				@	VD	✓	252.0	18.0	49.2	25172			SD	✓	258.0	8.0	46.5
	5 Lug; w/out ABS	25318					VD		252.0	18.0	49.2	25173			SD		258.0	8.0	46.5
	w/ ABS	25318					VD		252.0	18.0	49.2	25173			SD		258.0	8.0	46.5
07/96 - 1998	4 Lug; w/out ABS	25511					VD		257.0	20.0	49.2	25172			SD	✓	258.0	8.0	46.5
	5 Lug; w/out ABS	25328					VD		257.0	20.0	49.2	25173			SD		258.0	8.0	46.5
	w/ ABS	25328					VD		257.0	20.0	49.2	25173			SD		258.0	8.0	46.5

300 ZX (Excluding Turbo)

1984 - 8/1985		NYA				-		-	-	-	25139			@	SD		290.0	9.0	47.0
9/1985 - 8/1986		25316				@	VD		274.0	20.0	35.5	25138		@	SD		290.0	9.0	47.0
9/1986 - 1/1989		25316				@	VD		274.0	20.0	35.5	25466			VD		282.0	18.0	57.4
2/1989 - 6/1990		NYA				-		-	-	-	25470				VD	✓	296.5	16.0	63.0
7/1990 - 1996		25417					VD	✓	280.0	28.0	53.7	25470			VD	✓	296.5	16.0	63.0

300 ZX TURBO

1984 - 8/1986		25316				@	VD		274.0	20.0	35.5	25138		@	SD		290.0	9.0	47.0
9/1986 - 1/1989		25367				@	VD		280.0	24.0	57.2	25466			VD		282.0	18.0	57.4
6/1989 - 1996		25417					VD	✓	280.0	28.0	53.7	25470			VD	✓	296.5	16.0	63.0

310 (N10)

1979 - 1982		25101					SD		239.0	8.6	38.8	NYA			-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	-----	------	-----	--	--	---	--	---	---	---

350Z

2003 - 2004	Standard Brakes	NYA				-		-	-	-	NYA				-		-	-	-
	Brembo Brakes	NYA				-		-	-	-	NYA				-		-	-	-

510

1978 - 1982		25081					SD		245.0	8.4	35.5	21026			RD		228.5	230.0	62.5
-------------	--	-------	--	--	--	--	----	--	-------	-----	------	-------	--	--	----	--	-------	-------	------

B 210

1974 - 7/1975		25026					SD		232.0	9.0	40.0	21028			RD		203.0	204.5	58.0
8/1975 - 1978		25081					SD		245.0	8.4	35.5	21028			RD		203.0	204.5	58.0

F10

1976 - 1978		25101					SD		239.0	8.6	38.8	NYA			-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	-----	------	-----	--	--	---	--	---	---	---

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
510																			
1968 - 7/1971		25026				SD		232.0	9.0	40.0	21026				RD		228.5	230.0	62.5
8/1971 - 11/1972		25026				SD		232.0	9.0	40.0	21026				RD		228.5	230.0	62.5
12/1972 - 1973		25026				SD		232.0	9.0	40.0	21026				RD		228.5	230.0	62.5
1978 - 1982		25081				SD		245.0	8.4	35.5	21026				RD		228.5	230.0	62.5
610																			
1972 - 7/1973		25026				SD		232.0	9.0	40.0	21026				RD		228.5	230.0	62.5
9/1974 - 1976		25081				SD		245.0	8.4	35.5	21026				RD		228.5	230.0	62.5
710																			
1974 - 7/1975		NYA				-		-	-	-	21026				RD		228.5	230.0	62.5
8/1975 - 1977		25081				SD		245.0	8.4	35.5	21026				RD		228.5	230.0	62.5
810																			
1977 - 1980		NYA				-		-	-	-	21026				RD		228.5	230.0	62.5
1981	Excludes Wagon	25245			@	VD		250.0	16.0	22.0	25110				SD		269.0	8.6	68.5
	Wagon	25245			@	VD		250.0	16.0	22.0	21026				RD		228.5	230.0	62.5
1200 (B110)																			
1970 - 1973		25032				SD		212.0	8.6	35.6	21028				RD		203.0	204.5	58.0

NISSAN TRUCK / VAN / SUV:

ARMADA

2004		NYA				-		-	-	-	NYA				-		-	-	-
------	--	-----	--	--	--	---	--	---	---	---	-----	--	--	--	---	--	---	---	---

AXXESS

1989 - 1991	2WD w/ out 3rd Seat	25511				VD		257.0	20.0	49.2	21026				RD		228.5	230.0	62.5
	2WD w/ 3rd Seat	25511				VD		257.0	20.0	49.2	NYA				-		-	-	-
	4WD	25511				VD		257.0	20.0	49.2	NYA				-		-	-	-

FRONTIER (2WD)

1998 - 04/99		25556				VD		259.6	24.0	40.1	NYA				-		-	-	-
04/99 - 2001	4 Cylinder	25556				VD		259.6	24.0	40.1	NYA				-		-	-	-
	V6	25288			@	VD		277.0	24.0	39.2	NYA				-		-	-	-
2002	4 Cylinder	25556				VD		259.6	24.0	40.1	NYA				-		-	-	-
	V6	25288			@	VD		277.0	24.0	39.2	NYA				-		-	-	-
2003 - 2004	4 Cylinder	25556				VD		259.6	24.0	40.1	NYA				-		-	-	-
	V6	25512			@	VD		282.6	26.0	38.0	NYA				-		-	-	-

FRONTIER (4WD)

09/97 - 2002		25288			@	VD		277.0	24.0	39.2	NYA				-		-	-	-
2003 - 2004		25512			@	VD		282.6	26.0	38.0	NYA				-		-	-	-

MURANO

2003 - 2004		NYA				-		-	-	-	NYA				-		-	-	-
-------------	--	-----	--	--	--	---	--	---	---	---	-----	--	--	--	---	--	---	---	---

PATHFINDER

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
08/88 - 1995	Rear Drum Brakes	25288					@ VD		277.0	24.0	39.2	21106					RD		260.0	261.5	73.0
	Rear Disc Brakes	25288					@ VD		277.0	24.0	39.2	25541					VD		285.5	16.0	69.9
1996 - 12/98		25512					@ VD		282.6	26.0	38.0	NYA					-		-	-	-
12/98 - 2004		25551					VD		300.0	26.0	38.0	NYA					-		-	-	-

QUEST

1993 - 2003		27012					@ VD		277.0	24.0	52.2	23095					RD		250.1	251.5	87.6
2004		NYA					-		-	-	-	NYA					-		-	-	-

TITAN

2004		NYA					-		-	-	-	NYA					-		-	-	-
------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

VAN

1987 - 1990		25418					VD		260.0	24.0	57.1	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

XTERRA

2000 - 2002		25512					VD		282.6	26.0	38.0	NYA					-		-	-	-
2003 - 2004	2WD - 4 Cylinder	25512					VD		282.6	26.0	38.0	NYA					-		-	-	-
	2WD - V6; Excludes Supercharged	25512					VD		282.6	26.0	38.0	NYA					-		-	-	-
	2WD - V6 Supercharged	25512					VD		282.6	26.0	38.0	NYA					-		-	-	-
	4WD - V6; Excludes Supercharged	25512					VD		282.6	26.0	38.0	NYA					-		-	-	-
	4WD - V6 Supercharged	25512					VD		282.6	26.0	38.0	NYA					-		-	-	-

720 PICK-UP, HARDBODY 2WD 4 CYLINDER (Excluding Heavy Duty, Cab, & Chasis)

1980 - 11/1981		25083					SD		271.0	10.5	43.3	21027					RD		254.0	255.5	59.5
7/1981 - 11/1981		NYA					-		-	-	-	21032					RD		254.0	255.5	69.0
Dec-81		25083					SD		271.0	10.5	43.3	21032					RD		254.0	255.5	69.0
1/1982 - 10/1982		25083					SD		271.0	10.5	43.3	21032					RD		254.0	255.5	69.0
11/1982 - 10/1985		25276					@ VD		250.0	20.0	30.0	21032					RD		254.0	255.5	69.0
11/1985 - 8/1987	Gas Engine	25289					VD		250.0	20.0	37.0	21106					@ RD		260.0	261.5	73.0
	Diesel	25500					VD		260.0	24.0	37.0	21106					@ RD		260.0	261.5	73.0
9/1987 - 7/1989	Gas Engine; Excludes SE	25289					VD		250.0	20.0	37.0	21106					@ RD		260.0	261.5	73.0
	Gas Engine; SE	25289					VD		250.0	20.0	37.0	21106					@ RD		260.0	261.5	73.0
	Diesel	25500					VD		260.0	24.0	37.0	21106					@ RD		260.0	261.5	73.0
8/1989 - 1996		25289					VD		250.0	20.0	37.0	21106					@ RD		260.0	261.5	73.0

720 & D21 PICK-UP, HARDBODY 2WD V6 (Excluding Heavy Duty, Cab, & Chasis)

11/1985 - 1/1996		25500					VD		260.0	24.0	37.0	21106					@ RD		260.0	261.5	73.0
------------------	--	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	------	--	-------	-------	------

720 & D21 PICK-UP HARDBODY, HEAVY DUTY 2WD w/ SRW

1/1982 - 10/1982		25083					SD		271.0	10.5	43.3	21032					RD		254.0	255.5	69.0
11/1982 - 10/1985		25276					@ VD		250.0	20.0	30.0	21032					RD		254.0	255.5	69.0
11/1985 - 12/1991		25500					VD		260.0	24.0	37.0	21083					RD		254.0	255.5	80.0
1/1992 - 1995		25500					VD		260.0	24.0	37.0	21106					@ RD		260.0	261.5	73.0

720 & D21 PICK-UP HARDBODY 2WD w/ DRW

1983 - 10/1985		25276					@ VD		250.0	20.0	30.0	21110					RD		219.7	221.5	
11/1985 - 1989		25500					VD		260.0	24.0	37.0	21110					RD		219.7	221.5	

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
720 & D21 PICK-UP HARDBODY 4WD w/DRW																			
12/1981 - 12/1982		25062				@	SD	271.0	10.5	59.6	21032					RD	254.0	255.5	69.0
1/1983 - 10/1985		25409				@	VD	267.0	20.0	39.2	21032					RD	254.0	255.5	69.0
11/1985 - 7/1989		25288				@	VD	277.0	24.0	39.2	21084					RD	254.0	255.5	80.0
8/1989 - 1997		25288				@	VD	277.0	24.0	39.2	NYA					-	-	-	-

320 PICK-UP

1962 - 1966		21027					FD	254.0	255.5	59.5	21027					RD	254.0	255.5	59.5
-------------	--	-------	--	--	--	--	----	-------	-------	------	-------	--	--	--	--	----	-------	-------	------

520 / 521 PICK-UP

1967 - 1972		21027					FD	254.0	255.5	59.5	21027					RD	254.0	255.5	59.5
-------------	--	-------	--	--	--	--	----	-------	-------	------	-------	--	--	--	--	----	-------	-------	------

620 PICK-UP

1972 - 7/1977		21027					FD	254.0	255.5	59.5	21027					RD	254.0	255.5	59.5
8/1977 - 1979		25083					SD	271.0	10.5	43.3	21027					RD	254.0	255.5	59.5

OLDSMOBILE:

ACHIEVA

1996 - 1998		27029					VD	✓	259.0	18.7	48.0	23001					RD	200.0	201.0	66.0
-------------	--	-------	--	--	--	--	----	---	-------	------	------	-------	--	--	--	--	----	-------	-------	------

ALERO

1999 - 2002		27137					VD	277.8	24.7	48.8	27190					SD	✓	277.9	9.0	50.3
2003 - 2004	Rear Drum Brakes	27137					VD	277.8	24.7	48.8	23015					RD	225.0	226.3	72.0	
	Rear Disc Brakes	27137					VD	277.8	24.7	48.8	27190					SD	✓	277.9	9.0	50.3

AURORA

1995 - 1996		27038					VD	278.0	30.7	52.0	27157					SD	280.9	9.5	31.5	
1997 - 2003		27181					VD	✓	302.8	30.7	51.8	27157					SD	280.9	9.5	31.5

CALAIS / CUTLASS CALAIS

1985 - 1989		27132					VD	246.5	20.7	73.4	23001					RD	200.0	201.0	66.0	
1990	Excludes Performance Package	27132					VD	246.5	20.7	73.4	23001					RD	200.0	201.0	66.0	
	Performance Package	27029					VD	✓	259.0	18.7	48.0	23001					RD	200.0	201.0	66.0
1991		27029					VD	✓	259.0	18.7	48.0	23001					RD	200.0	201.0	66.0

CIERA / CUTLASS CIERA / CUTLASS CRUISER WAGON

1982	Excludes Heavy Duty	27129					VD	246.5	20.7	49.2	NYA					-	-	-	-
1983	Excludes Heavy Duty; 100mm Bolt Circle	27129					VD	246.5	20.7	49.2	NYA					-	-	-	-
	Heavy Duty; 115mm Bolt Circle	27131					VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
1984 - 1989	Excludes Heavy Duty; 100mm Bolt Circle	27129					VD	246.5	20.7	49.2	NYA					-	-	-	-
	Heavy Duty; 115mm Bolt Circle	27131					VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
	Wagon w/ Gas Engine	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
	Wagon w/ Diesel Engine	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1990 - 1992	Sedan w/ Plain Drum	27131					VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
	Sedan w/ Finned Drum	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
	Wagon	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1993 - 1996		27131				VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0	

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
CUSTOM CRUISER																					
1990		27021					HR		301.5	24.5	77.3	23041					RD		-	281.7	-
1991 - 1992		27031				@	HR		301.5	24.5	118.1	23041					RD		-	281.7	-
CUTLASS (FWD)																					
1997 - 1999		27137					VD		277.8	24.7	48.8	23015					RD		225.0	226.3	72.0
CUTLASS CIERRA (FWD)																					
1982		27129					VD		246.5	20.7	49.2	NYA					-		-	-	-
1983	Excludes 4.3L Diesel	27129					VD		246.5	20.7	49.2	NYA					-		-	-	-
	4.3L Diesel	27131					VD		260.7	24.3	50.8	23016					RD		225.0	227.3	72.5
1984	w/ JA1, JA8 Brake System	27129					VD		246.5	20.7	49.2	NYA					-		-	-	-
	w/ JA2 Brake System	27131					VD		260.7	24.3	50.8	23016					RD		225.0	227.3	72.5
	w/ JA3 Brake System	27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0
1985 - 1990	w/ JA1 Brake System	27129					VD		246.5	20.7	49.2	NYA					-		-	-	-
	w JA8 Brake System; Excludes Wagon	27129					VD		246.5	20.7	49.2	23016					RD		225.0	227.3	72.5
	w/ JA2 Brake System; Excludes Wagon	27131					VD		260.7	24.3	50.8	23016					RD		225.0	227.3	72.5
1991	w/ JA3 Brake System	27131					VD		260.7	24.3	50.8	NYA					-		-	-	-
	w/ JA1 Brake System	27131					VD		260.7	24.3	50.8	NYA					-		-	-	-
	w/ JA2, JA8 Brake System; Excludes Wagon	27131					VD		260.7	24.3	50.8	23016					RD		225.0	227.3	72.5
1992	Wagon	27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0
	Sedan w/ Plain Drum	27131					VD		260.7	24.3	50.8	23016					RD		225.0	227.3	72.5
1993 - 1996	Sedan w/ Finned Drum & Wagon	27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0
1993 - 1996		27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0
CUTLASS SUPREME / INTERNATIONAL / 4 4 2																					
1964 - 1967	w/ Front Drum	NYA					-		-	-	-	23052					RD		254.0	255.5	99.6
	w/ Front Disc	27127					HR		279.8	24.5	102.0	23052					RD		254.0	255.5	99.6
1968 - 1972	w/ Front Drum	23068					FD		241.3	242.8	86.6	23052					RD		254.0	255.5	99.6
	w/ Front Disc	27127					HR		279.8	24.5	102.0	23052					RD		254.0	255.5	99.6
1973 - 1975		27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
1976 - 1977		27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1978		NYA					-		-	-	-	NYA					-		-	-	-
1979 - 1981		27130					HR		266.7	24.3	109.5	23052					RD		254.0	255.5	99.6
1982 - 1987		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1988	RWD	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	FWD	27133					VD		266.7	24.7	33.3	27134					SD		256.4	10.9	25.0
1989 - 1993		27133					VD		266.7	24.7	33.3	27134					SD		256.4	10.9	25.0
1994 - 1995	267mm Front Rotor	27133					VD		266.7	24.7	33.3	27156					SD		278.0	9.4	21.6
	286mm Front Rotor	27136					VD		285.4	24.7	36.9	27156					SD		278.0	9.4	21.6
1996 - 1997		27136					VD		285.4	24.7	36.9	27156					SD		278.0	9.4	21.6
EIGHTYEIGHT BROGHAM COMMERCIAL CHASSIS / CUSTOM CRUISER / REGENCY / ROYALE																					
1971 - 1976	Excludes Heavy Duty, Commercial, Wagon	27016					HR		300.6	30.9	125.7	23017					RD		279.4	281.7	85.0
	Wagon	27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
	Heavy Duty & Commercial	27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
1977 - 1978	Excludes Heavy Duty & Wagon	27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
	Heavy Duty & Wagon	NYA					-		-	-	-	23017					RD		279.4	281.7	85.0
1978		27021					HR		301.5	24.5	77.3	23017					RD		279.4	281.7	85.0
1979 - 1980	Excludes Heavy Duty & Wagon	27018					HR		279.4	24.5	117.3	23052					RD		254.0	255.5	99.6

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type			Disc / Drum	HC	PVT	Screw	Ground	Type				
1981 - 1985	Heavy Duty & Wagon	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
	Excludes Heavy Duty & Wagon	27018					HR	279.4	24.5	117.3	23052					RD	254.0	255.5	99.6
	Heavy Duty & Wagon	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
1986 - 1990	RWD B Body Wagon	27021					HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
	FWD Coupe / Sedan	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1991	RWD B Body Wagon	27031					HR	301.5	24.5	118.1	NYA					-	-	-	-
	FWD Coupe / Sedan	27131					VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1992	RWD B Body Wagon	27031					HR	301.5	24.5	118.1	NYA					-	-	-	-
	FWD H Body Coupe / Sedan	27038					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
1993		27038					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
1994 - 1995		27038					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
1996 - 1997		27038					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
1998 - 1999		27007					VD	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0

F-85

1982		27127					HR	279.8	24.5	102.0	23052					RD	254.0	255.5	99.6
------	--	-------	--	--	--	--	----	-------	------	-------	-------	--	--	--	--	----	-------	-------	------

FIRENZA

1982		NYA					-	-	-	-	23001					RD	200.0	201.0	66.0
1983 - 1984		NYA					-	-	-	-	23001					RD	200.0	201.0	66.0
1985 - 1988		27132					VD	246.5	20.7	73.4	23001					RD	200.0	201.0	66.0

INTRIGUE

1998 - 1999	Excludes Heavy Duty	27007					VD	✓	278.0	30.7	52.0	27190				SD	✓	277.9	9.0	50.3
	Heavy Duty	27181					VD	✓	302.8	30.7	51.8	27190				SD	✓	277.9	9.0	50.3
2000 - 2002		27007					VD	✓	278.0	30.7	52.0	27190				SD	✓	277.9	9.0	50.3

LSS

1997		27038					VD		278.0	30.7	52.0	23015				RD	225.0	226.3	72.0
1998 - 1999		27007					VD	✓	278.0	30.7	52.0	23015				RD	225.0	226.3	72.0

NINETYEIGHT, BROUGHAM, ELITE, REGENCY, STARFIRE

1971 - 1974		27016					HR		300.6	30.9	125.7	23017				RD	279.4	281.7	85.0
1975	Excludes Heavy Duty	27016					HR		300.6	30.9	125.7	NYA				-	-	-	-
	Heavy Duty	27016					HR		300.6	30.9	125.7	NYA				-	-	-	-
1976		27016					HR		300.6	30.9	125.7	NYA				-	-	-	-
1977		27016					HR		300.6	30.9	125.7	23017				RD	279.4	281.7	85.0
1978 - 1979	Excludes Heavy Duty	27018					HR		279.4	24.5	117.3	23052				RD	254.0	255.5	99.6
	Heavy Duty	27021					HR		301.5	24.5	77.3	23017				RD	279.4	281.7	85.0
1980 - 1984		27021					HR		301.5	24.5	77.3	23017				RD	279.4	281.7	85.0
1985 - 1990		27131					VD		260.7	24.3	50.8	23015				RD	225.0	226.3	72.0
1991		27038					VD		278.0	30.7	52.0	23015				RD	225.0	226.3	72.0
1992 - 1993		27038					VD		278.0	30.7	52.0	23015				RD	225.0	226.3	72.0
1994 - 1996		27038					VD		278.0	30.7	52.0	23015				RD	225.0	226.3	72.0

OMEGA

1973 - 1974	w/ 9.5" Rear Drum	27127					HR		279.8	24.5	102.0	23064				RD	241.3	242.8	74.4
1975 - 1978	w/ 9.5" Rear Drum	27128					HR		279.8	24.5	117.9	23052				RD	254.0	255.5	99.6
1979	w/ 9.5" Rear Drum	27018					HR		279.4	24.5	117.3	23052				RD	254.0	255.5	99.6
1980	Non Finned	27129					VD		246.5	20.7	49.2	23001				RD	200.0	201.0	66.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1981 - 1984		27129					VD		246.5	20.7	49.2	NYA					-		-	-	-

REGENCY

1997 - 1998		27181						✓	302.8	30.7	51.8	27157					SD		280.9	9.5	31.5
-------------	--	-------	--	--	--	--	--	---	-------	------	------	-------	--	--	--	--	----	--	-------	-----	------

TORONADO, TROFEO

1979 - 1985	w/ Rear Drum	27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
	w/ Rear Disc	27020					VD		266.5	24.3	43.4	27020				@	VD		266.5	24.3	43.4
1986 - 1991		27131					VD		260.7	24.3	50.8	NYA					-		-	-	-
1992		27038					VD		278.0	30.7	52.0	27157					SD		280.9	9.5	31.5

OLDSMOBILE TRUCK / VAN / SUV:

BRAVADA

1991		27020					VD		266.5	24.3	43.4	23052					RD		254.0	255.5	99.6
1992 - 1996		27020					VD		266.5	24.3	43.4	23078					RD		241.3	243.6	79.5
1997 - 2001		27009					VD	✓	274.0	27.5	54.5	27186					VD		294.9	18.5	95.1
2002 - 2004		27251					VD		-	27.5	-	27283					VD		-	18.5	-

SILHOUETTE APV

1990 - 1991		27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0
1992 - 1996		27038					VD		278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
1997 - 2001		27007					VD	✓	278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
2002 - 2004	2WD; Rear Drum Brakes	27007					VD	✓	278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
	AWD; Rear Disc Brakes	27233					VD			27.0		27280					SD		290.3	9.0	45.5

OPEL:

1900, RALLYE

1970	1900	25002				@	SD		238.0	8.0	55.5	21037					RD		230.0	230.9	76.0
1971 - 1976		25002				@	SD		238.0	8.0	55.5	NYA					-		-	-	-

GT

1968 - 1970		25002				@	SD		238.0	8.0	55.5	21037					RD		230.0	230.9	76.0
1971 - 1973	GTAL	25002				@	SD		238.0	8.0	55.5	NYA					-		-	-	-

KADETT

1967 - 1973	Kadett B	25002				@	SD		238.0	8.0	55.5	21037					RD		230.0	230.9	76.0
1973 - 7/1979	Kadett C 1.0, 1.2	25002				@	SD		238.0	8.0	55.5	NYA					-		-	-	-
1975 - 7/1979	Kadett C 1.6, 1.9i, 2.0i Rallye/GTE	25052				@	SD		246.0	9.7	55.5	NYA					-		-	-	-
1985 - 1991	Kadett E 1.8i Wagon GT	25302				SK	VD		256.0	21.0	41.0	NYA					-		-	-	-
9/ 1986 - 1991	Kadett E 2.0i GSI	25302				SK	VD		256.0	21.0	41.0	NYA					-		-	-	-
9/1987 - 1991	Kadett E 2.0i GSI 16V	25302				SK	VD		256.0	21.0	41.0	NYA					-		-	-	-
1987 - 1991	Kadett E 2.0i GT	25302				SK	VD		256.0	21.0	41.0	NYA					-		-	-	-

MANTA

1970 - 8/1974		25002				@	SD		238.0	8.0	55.5	21037					RD		230.0	230.9	76.0
9/1974 - 1975		25052				@	SD		246.0	9.7	55.5	21037					RD		230.0	230.9	76.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------

PEUGEOT:

405, 405 Mi 16

1988 - 1991	w/ Vented Front Disc	25267					SK	VD	266.0	18.6	27.4	25056					SK	SD	247.0	8.0	34.0
	w/ Solid Front Disc	25049					SK	SD	266.0	8.0	27.0	25056					SK	SD	247.0	8.0	34.0

504 SEDAN

1968 - 12/1970		25020						@	SD	273.0	10.7	43.0	NYA					-	-	-	-
1/1971 - 1983		25020						@	SD	273.0	10.7	43.0	25035					SD	273.0	10.5	24.5

504 WAGON

4/1971 - 1983		25020						@	SD	273.0	10.7	43.0	21024					RD	280.0	281.0	81.0
---------------	--	-------	--	--	--	--	--	---	----	-------	------	------	-------	--	--	--	--	----	-------	-------	------

505 SEDAN

1980 - 1986	w/ Rear Drum	25020						@	SD	273.0	10.7	43.0	21025					RD	255.0	256.5	70.5
	w/ Solid Front Disc & Rear Disc	25020						@	SD	273.0	10.7	43.0	25035					SD	273.0	10.5	24.5
	w/ Vented Front Disc & Rear Disc	25225							VD	273.0	18.0	43.0	25035					SD	273.0	10.5	24.5
1987 - 1989	w/ Solid Front Disc & Rear Drum	25020						@	SD	273.0	10.7	43.0	21025					RD	255.0	256.5	70.5
	w/ Vented Front Disc & Rear Drum	25225							VD	273.0	18.0	43.0	21025					RD	255.0	256.5	70.5
	w/ Solid Front Disc & Rear Disc; w/ ATE Front Caliper	25020						@	SD	273.0	10.7	43.0	25035					SD	273.0	10.5	24.5
	w/ Vented Front Disc & Rear Disc; w/ ATE Front Caliper	25225							VD	273.0	18.0	43.0	25035					SD	273.0	10.5	24.5
	w/ Bendix Front Caliper & Rear Disc	25020						@	SD	273.0	10.7	43.0	25035					SD	273.0	10.5	24.5

505 WAGON

1984 - 1989	w/ Solid Front Disc	25020						@	SD	273.0	10.7	43.0	NYA					-	-	-	-
	w/ Vented Front Disc	25225							VD	273.0	18.0	43.0	NYA					-	-	-	-

604

1976 - 1984		25225							VD	273.0	18.0	43.0	25035					SD	273.0	10.5	24.5
-------------	--	-------	--	--	--	--	--	--	----	-------	------	------	-------	--	--	--	--	----	-------	------	------

PLYMOUTH:

ACCLAIM

1989		27062							VD	260.7	20.4	38.1	23089					RD	220.0	221.2	65.5
1990	w/ Rear Drum	27024							VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
	w/ Rear Disc	27024							VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
1991 - 1995	w/ Rear Drum	27024							VD	260.0	22.4	38.0	23089					RD	220.0	221.2	65.5
	w/ Rear Disc; w/ 14" Stock Wheels	27024							VD	260.0	22.4	38.0	27206					SD	270.1	10.4	51.6
	w/ 15" Stock Wheels	27229							VD	282.0	22.4	38.0	NYA					-	-	-	-

BARRACUDA, CUDA, GRAN COUPE

1964 - 1969		23027							FD	228.6	230.9	85.1	23029					RD	228.6	230.1	72.1
1970 - 1972	6 Cylinder w/ Front Drum	NYA							-	-	-	-	23026					RD	254.0	256.3	90.7
	8 Cylinder w/ Front Drum	NYA							-	-	-	-	NYA					-	-	-	-
	w/ Front Disc	NYA							-	-	-	-	23026					RD	254.0	256.3	90.7
1973 - 1974		27019							HR	278.6	23.9	123.1	23026					RD	254.0	256.3	90.7

BELVEDERE

1965 - 1970	w/ 10" Rear Drum	NYA							-	-	-	-	23026					RD	254.0	256.3	90.7
	w/ 11" Rear Drum	NYA							-	-	-	-	23004					RD	279.4	281.7	111.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
BREEZE																					
1995 - 1996	w/ 14" Stock Wheels; w/ Rear Disc	27035					VD		260.0	21.4	32.0	27037					@ SD		172.0	7.3	81.5
	w/ 14" Stock Wheels; w/ Rear Drum	27035					VD		260.0	21.4	32.0	23028					RD		228.6	230.1	69.1
	w/ 15" Stock Wheels; w/ Rear Disc	27089					VD		282.6	21.4	32.1	27037					@ SD		172.0	7.3	81.5
	w/ 15" Stock Wheels; w/ Rear Drum	27089					VD		282.6	21.4	32.1	23028					RD		228.6	230.1	69.1
1997 - 2000	w/ 14" Stock Wheels; w/ Rear Disc	27035					VD		260.0	21.4	32.0	27037					@ SD		172.0	7.3	81.5
	w/ 14" Stock Wheels; w/ Rear Drum	27035					VD		260.0	21.4	32.0	23028					RD		228.6	230.1	69.1
	w/ 15" Stock Wheels; w/ Rear Disc	27208					VD		282.2	21.4	32.1	27037					@ SD		172.0	7.3	81.5
	w/ 15" Stock Wheels; w/ Rear Drum	27208					VD		282.2	21.4	32.1	23028					RD		228.6	230.1	69.1
CARAVELLE																					
1985 - 1987	5 Lug	27024					VD		260.0	22.4	38.0	23089					RD		220.0	221.2	65.5
1988		27024					VD		260.0	22.4	38.0	23089					RD		220.0	221.2	65.5
CHAMP																					
1979 - 1984		25118					SD		229.0	11.4	39.5	NYA					-		-	-	-
1985 - 1988		25109					@ SD		243.0	11.4	34.0	NYA					-		-	-	-
COLT																					
1983		25118					SD		229.0	11.4	39.5	21048					RD		180.0	182.0	72.0
1984	Excludes Turbo & Vista	25118					SD		229.0	11.4	39.5	21048					RD		180.0	182.0	72.0
	Turbo & Vista	25270				@	VD		242.0	16.4	34.0	21048					RD		180.0	182.0	72.0
1985 - 1989	Excludes Turbo & Vista	25109				@	SD		243.0	11.4	34.0	21060					RD		180.0	182.0	69.0
	2WD Turbo & Vista	25270				@	VD		242.0	16.4	34.0	21099					RD		203.0	205.0	73.0
	4WD Vista	25363				@	VD		266.0	22.4	45.0	21047					RD		228.6	230.6	62.5
	w/ Rear Disc; Excludes Wagon	25109				@	SD		243.0	11.4	34.0	25165			@		SD		265.0	8.4	49.0
	Excludes Turbo & Vista w/ Rear Disc	25109				@	SD		243.0	11.4	34.0	25165			@		SD		265.0	8.4	49.0
1990	2WD Turbo & Vista w/ Rear Drum	25270				@	VD		242.0	16.4	34.0	21099					RD		203.0	205.0	73.0
	4WD Vista w/ Rear Drum	25363				@	VD		266.0	22.4	45.0	21047					RD		228.6	230.6	62.5
	Colt - Made in USA	25271				@	VD		236.0	16.4	34.0	NYA					-		-	-	-
1991 - 1992	Colt - Made in Japan	25198					SD		234.0	11.4	34.0	NYA					-		-	-	-
	Vista w/ Rear Drum	25364				@	VD	✓	256.0	22.4	45.1	NYA					-		-	-	-
	Vista w/ Rear Disc; w/ out ABS	25364				@	VD	✓	256.0	22.4	45.1	NYA					-		-	-	-
	2WD Vista	25270				@	VD		242.0	16.4	34.0	NYA					-		-	-	-
	4WD Vista	25363				@	VD		266.0	22.4	45.0	NYA					-		-	-	-
DUSTER																					
1960 - 1961		23027					FD		228.6	230.9	85.1	NYA					-		-	-	-
1962 - 1964	w/ 9" Drum	23027					FD		228.6	230.9	85.1	NYA					-		-	-	-
1965 - 1972	6 Cylinder; Excludes Heavy Duty	23027					FD		228.6	230.9	85.1	23029					RD		228.6	230.1	72.1
	w/ Front Disc	27019					HR		278.6	23.9	123.1	NYA					-		-	-	-
1973	w/ Front Drum; w/ 9" Rear Drum	NYA					-		-	-	-	NYA					-		-	-	-
	w/ Front Drum; w/ 10" Rear Drum	NYA					-		-	-	-	23026					RD		254.0	256.3	90.7
	w/ Front Disc	27019					HR		278.6	23.9	123.1	23026					RD		254.0	256.3	90.7
1974 - 1975	w/ Front Drum	NYA					-		-	-	-	NYA					-		-	-	-
	w/ Front Disc	27019					HR		278.6	23.9	123.1	23026					RD		254.0	256.3	90.7
1976	w/ Front Drum	NYA					-		-	-	-	NYA					-		-	-	-
	w/ Front Disc	27019					HR		278.6	23.9	123.1	23025					RD		254.0	255.5	106.4
1992 - 1994		27024					VD		260.0	22.4	38.0	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ 200 x 32.5mm Brakes	27024				VD		260.0	22.4	38.0	23006				RD		200.0	201.2	61.0

FURY, SPORT FURY, SUBURBAN WAGON

1973	w/ 2" Brakes	27090				HR		298.5	30.0	126.6	23025				RD		254.0	255.5	106.4
	w/ 2.5" Brakes	27090				HR		298.5	30.0	126.6	23004				RD		279.4	281.7	111.0
1974	w/ 2" Brakes	27155				HR		298.5	30.0	126.6	23025				RD		254.0	255.5	106.4
	w/ 2.5" Brakes	27155				HR		298.5	30.0	126.6	23004				RD		279.4	281.7	111.0
1975	w/ 10" Brakes	27019				HR		278.6	23.9	123.1	23025				RD		254.0	255.5	106.4
	w/ 11" Brakes	27019				HR		278.6	23.9	123.1	23004				RD		279.4	281.7	111.0
1976 - 1/1976	Excludes Heavy Duty & Wagon	27019				HR		278.6	23.9	123.1	23025				RD		254.0	255.5	106.4
2/1976 - 1977		NYA				-		-	-	-	NYA				-		-	-	-
1978	w/ 10" Brakes	NYA				-		-	-	-	23025				RD		254.0	255.5	106.4
	w/ 11" Brakes	NYA				-		-	-	-	23004				RD		279.4	281.7	111.0

GRAN FURY

1975 - 1977	w/ 11 x 2.5" Brakes	27155				HR		298.5	30.0	126.6	23004				RD		279.4	281.7	111.0
1982 - 1989	Excludes Heavy Duty	27019				HR		278.6	23.9	123.1	23025				RD		254.0	255.5	106.4
	Heavy Duty	27019				HR		278.6	23.9	123.1	23004				RD		279.4	281.7	111.0

HORIZON

1978 - 1982		25078				@ SD		232.0	11.0	38.0	NYA				-		-	-	-
1983 - 1990		25078				@ SD		232.0	11.0	38.0	23005				RD		200.0	201.2	60.5

LASER (Excluding Turbo)

1989 - 3/1989		NYA				-		-	-	-	25164				@ SD	✓	265.0	8.4	49.0
4/1989 - 1990		25365				@ VD	✓	256.0	22.4	45.1	25164				@ SD	✓	265.0	8.4	49.0
1991 - 1994	w/ out ABS	25365				@ VD	✓	256.0	22.4	45.1	25164				@ SD	✓	265.0	8.4	49.0
	w/ ABS	25366				@ VD		256.0	22.4	45.1	25164				@ SD	✓	265.0	8.4	49.0

LASER 2WD TURBO

4/1989 - 1991		25365				@ VD	✓	256.0	22.4	45.1	25164				@ SD	✓	265.0	8.4	49.0
1992 - 1994	w/ out ABS	25365				@ VD	✓	256.0	22.4	45.1	25164				@ SD	✓	265.0	8.4	49.0
	w/ ABS	25366				@ VD		256.0	22.4	45.1	25164				@ SD	✓	265.0	8.4	49.0

LASER 4WD TURBO

4/1989 - 1991		25365				@ VD	✓	256.0	22.4	45.1	25164				@ SD	✓	265.0	8.4	49.0
1992	w/ out ABS	25365				@ VD	✓	256.0	22.4	45.1	25164				@ SD	✓	265.0	8.4	49.0
	w/ ABS	25366				@ VD		256.0	22.4	45.1	25164				@ SD	✓	265.0	8.4	49.0
1993 - 1994		25544				@ VD	✓	276.0	22.4	45.3	25164				@ SD	✓	265.0	8.4	49.0

NEON

1994 - 1995	4 Lug; Rear Drum Brakes	27087				VD		239.7	18.4	38.1	23005				RD		200.0	201.2	60.5
	5 Lug; Rear Drum Brakes	27088				VD		257.2	18.4	38.1	23006				RD		200.0	201.2	61.0
	Rear Disc Brakes	27088				VD		257.2	18.4	38.1	27207				SD		270.0	7.2	53.1
1996 - 1999	Rear Drum Brakes	27088				VD		257.2	18.4	38.1	23006				RD		200.0	201.2	61.0
	Rear Disc Brakes	27088				VD		257.2	18.4	38.1	27207				SD		270.0	7.2	53.1
2000 - 2001	Rear Drum Brakes	27138				VD		-	20.4	-	23006				RD		200.0	201.2	61.0
	Rear Disc Brakes	27138				VD		-	20.4	-	27207				SD		270.0	7.2	53.1

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOBT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOBT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
PROWLER																					
1996		27086					VD		281.8	22.4	52.0	27183					SD		270.1	10.4	46.4
1997 - 2001		27006	HC			@	VD	✓	282.0	22.4	38.0	NYA					-		-	-	-
RELIANT																					
1981 - 1982		27052					VD		239.3	22.4	38.1	NYA					-		-	-	-
1983 - 1984	Standard	27052					VD		239.3	22.4	38.1	23005					RD		200.0	201.2	60.5
1985 - 1987	Standard (4 Lug)	27052					VD		239.3	22.4	38.1	23005					RD		200.0	201.2	60.5
	Standard (5 Lug)	27053					VD		239.3	22.4	38.1	23006					RD		200.0	201.2	61.0
1988 - 1989	Heavy Duty (5 Lug)	27024					VD		260.0	22.4	38.0	23089					RD		220.0	221.2	65.5
	Standard	27053					VD		239.3	22.4	38.1	23006					RD		200.0	201.2	61.0
	Heavy Duty	27024					VD		260.0	22.4	38.0	23089					RD		220.0	221.2	65.5
ROADRUNNER																					
1967 - 1972	w/ 10 x 2.5" Brakes	NYA					-		-	-	-	23026					RD		254.0	256.3	90.7
	w/ 11" Brakes	NYA					-		-	-	-	23004					RD		279.4	281.7	111.0
1973 - 1974	w/ 10 x 2.5" Brakes	27019					HR		278.6	23.9	123.1	23026					RD		254.0	256.3	90.7
	w/ 11" Brakes	27019					HR		278.6	23.9	123.1	23004					RD		279.4	281.7	111.0
1975		27019					HR		278.6	23.9	123.1	NYA					-		-	-	-
SATELLITE, SEBRING, ROADRUNNER, ROADRUNNER GTX																					
1970 - 1972	w/ Front Drum; Excludes Heavy Duty	NYA					-		-	-	-	23026					RD		254.0	256.3	90.7
	Heavy Duty w/ Front Drum	NYA					-		-	-	-	23004					RD		279.4	281.7	111.0
	w/ Front Disc; Excludes Heavy Duty	NYA					-		-	-	-	23026					RD		254.0	256.3	90.7
	Heavy Duty w/ Front Disc	NYA					-		-	-	-	23004					RD		279.4	281.7	111.0
1973 - 1975	Pin Type Caliper; Excludes Heavy Duty, Wagon, & Police	27019					HR		278.6	23.9	123.1	23026					RD		254.0	256.3	90.7
	1975 Only	27019					HR		278.6	23.9	123.1	23025					RD		254.0	255.5	106.4
	Pin Type Caliper; Heavy Duty, Wagon, & Police	27019					HR		278.6	23.9	123.1	23004					RD		279.4	281.7	111.0
	Slider Type Caliper; Excludes Heavy Duty, Wagon, & Police	27019					HR		278.6	23.9	123.1	23004					RD		279.4	281.7	111.0
	Slider Type Caliper; Heavy Duty, Wagon, & Police	27019					HR		278.6	23.9	123.1	23004					RD		279.4	281.7	111.0
SCAMP, SIGNET, VALIANT																					
1960 - 1972	6 Cylinder w/ Plain Drum	23027					FD		228.6	230.9	85.1	23029					RD		228.6	230.1	72.1
1973	w/ Front Disc	27019					HR		278.6	23.9	123.1	NYA					-		-	-	-
1974 - 1975	w/ Front Drum	NYA					-		-	-	-	NYA					-		-	-	-
	w/ Front Disc	27019					HR		278.6	23.9	123.1	NYA					-		-	-	-
1983		NYA					-		-	-	-	23005					RD		200.0	201.2	60.5
SUNDANCE, SHELBY																					
1987	w/ ATE Caliper; Excludes Heavy Duty & Turbo	27053					VD		239.3	22.4	38.1	23006					RD		200.0	201.2	61.0
	w/ Kelsey Hayes Caliper; Heavy Duty; Excludes Turbo	27024					VD		260.0	22.4	38.0	23006					RD		200.0	201.2	61.0
	Turbo	27024					VD		260.0	22.4	38.0	23006					RD		200.0	201.2	61.0
1988	w/ ATE Caliper	27053					VD		239.3	22.4	38.1	23006					RD		200.0	201.2	61.0
	w/ Kelsey Hayes Caliper	27024					VD		260.0	22.4	38.0	23006					RD		200.0	201.2	61.0
1989 - 1990	w/ Rear Drum	27053					VD		239.3	22.4	38.1	23006					RD		200.0	201.2	61.0
	w/ Rear Disc	27024					VD		260.0	22.4	38.0	27206					SD		270.1	10.4	51.6
1991		27024					VD		260.0	22.4	38.0	23006					RD		200.0	201.2	61.0
1992 - 1993		27024					VD		260.0	22.4	38.0	23006					RD		200.0	201.2	61.0
1994	w/ Rear Drum	27024					VD		260.0	22.4	38.0	23006					RD		200.0	201.2	61.0
	w/ Rear Disc	27024					VD		260.0	22.4	38.0	27206					SD		270.1	10.4	51.6

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------

TC3, TURISMO

1981 - 1982		25078				@	SD		232.0	11.0	38.0	NYA					-		-	-	-
1983 - 1990		25078				@	SD		232.0	11.0	38.0	23005					RD		200.0	201.2	60.5

VOLARE

1976 - 1980	w/ 10" Brakes; Excludes Wagon	27019					HR		278.6	23.9	123.1	23026					RD		254.0	256.3	90.7
	Wagon w/ 10" Brakes	27019					HR		278.6	23.9	123.1	23025					RD		254.0	255.5	106.4
	w/ 11" Brakes	27019					HR		278.6	23.9	123.1	23004					RD		279.4	281.7	111.0

PLYMOUTH TRUCK / VAN / SUV:

ARROW

8/1981 - 3/1986		25115				@	SD		255.0	18.4	33.2	21049					RD		241.3	243.3	80.5
4/1986 - 1986		25298				@	VD		258.5	20.4	33.5	21094					RD		254.0	256.0	83.0

SCAMP

1982		25078				@	SD		232.0	11.0	38.0	NYA					-		-	-	-
1983		25078				@	SD		232.0	11.0	38.0	23005					RD		200.0	201.2	60.5

VOYAGER, GRAND VOYAGER (FWD)

1984 - 1985		27060					VD		260.7	20.4	38.1	NYA					-		-	-	-
1986	w/ Finned Rear Drum	27062					VD		260.7	20.4	38.1	23007					RD		228.6	231.0	103.0
1987	w/ Kelsey Hayes Front Caliper; w/ Finned Rear Drum	27062					VD		260.7	20.4	38.1	23007					RD		228.6	231.0	103.0
	w/ ATE Front Caliper	27063					VD		281.8	20.4	38.5	23022					RD		228.6	229.7	104.1
1988 - 1990	w/ 14" Stock Wheels	27062					VD		260.7	20.4	38.1	23007					RD		228.6	231.0	103.0
	w/ 15" Stock Wheels	27063					VD		281.8	20.4	38.5	23022					RD		228.6	229.7	104.1
1991 - 1995	w/ 14" Stock Wheels	27024					VD		260.0	22.4	38.0	23007					RD		228.6	231.0	103.0
	w/ 15" Stock Wheels	27004	HC			@	VD		282.0	22.4	38.0	23022					RD		228.6	229.7	104.1
1996	w/ 14" Stock Wheels	27014				@	VD		256.0	22.4	38.0	23008					RD		250.0	251.2	78.0
	w/ 15" Stock Wheels	27004	HC			@	VD		282.0	22.4	38.0	23009					RD		250.0	251.2	78.0
1997 - 2000	w/ 14" Stock Wheels	27014				@	VD		256.0	22.4	38.0	23008					RD		250.0	251.2	78.0
	w/ 15" Stock Wheels	27006	HC			@	VD		282.0	22.4	38.0	23009					RD		250.0	251.2	78.0

VOYAGER, GRAND VOYAGER AWD

1991 - 1995		27004	HC			@	VD		282.0	22.4	38.0	23004					RD		279.4	281.7	111.0
1996		27004	HC			@	VD		282.0	22.4	38.0	23009					RD		250.0	251.2	78.0
1997 - 2000	w/ Rear Drum	27006	HC			@	VD		282.0	22.4	38.0	23009					RD		250.0	251.2	78.0
	w/ Rear Disc	27006	HC			@	VD		282.0	22.4	38.0	27259					SD		289.9	11.3	56.1

1/2 TON PB100, 150 VAN

1974 - 1981	w/ 10" Rear Drum - Plain	27090					HR		298.5	30.0	126.6	23026					RD		254.0	256.3	90.7
	w/ 10" Rear Drum - Finned	27090					HR		298.5	30.0	126.6	23025					RD		254.0	255.5	106.4
	w/ 11" Rear Drum	27090					HR		298.5	30.0	126.6	23004					RD		279.4	281.7	111.0
1982 - 1983	w/ Finned Rear Drum	27155					HR		298.5	30.0	126.6	23025					RD		254.0	255.5	106.4
	w/ Plain Rear Drum	27155					HR		298.5	30.0	126.6	23026					RD		254.0	256.3	90.7

1/2 TON PD100, 150 2WD, TRAILDUSTER

1974 - 1978		NYA					-		-	-	-	23004					RD		279.4	281.7	111.0
1979		NYA					-		-	-	-	23026					RD		254.0	256.3	90.7

Make Model, Year (s)	Notes	Front							Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear								
		Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE				Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)
1980 - 1981	w/ 10" Rear Drum - Finned	NYA						-	-	-	23025						RD	254.0	255.5	106.4
	w/ 10" Rear Drum - Plain	NYA						-	-	-	23026						RD	254.0	256.3	90.7
	w/ 11" Rear Drum	NYA						-	-	-	23004						RD	279.4	281.7	111.0
1982 - 1983	w/ Finned Rear Drum	27155						HR	298.5	30.0	126.6	23025					RD	254.0	255.5	106.4
	w/ Plain Rear Drum	27155						HR	298.5	30.0	126.6	23026					RD	254.0	256.3	90.7

1/2 TON PW100, 150 4WD

1974 - 1977		NYA						-	-	-	23004						RD	279.4	281.7	111.0
1978 - 1979	w/ 10" Rear Drum	NYA						-	-	-	23026						RD	254.0	256.3	90.7
	w/ 11" Rear Drum	NYA						-	-	-	23004						RD	279.4	281.7	111.0

3/4 TON PB200, 250 VAN

1974 - 1979	w/ 10" Rear Drum	27090						HR	298.5	30.0	126.6	23026					RD	254.0	256.3	90.7
	w/ 11" Rear Drum	27090						HR	298.5	30.0	126.6	23004					RD	279.4	281.7	111.0
1980 - 1981	w/ Finned Rear Drum	27090						HR	298.5	30.0	126.6	23025					RD	254.0	255.5	106.4
	w/ Plain Rear Drum	27090						HR	298.5	30.0	126.6	23026					RD	254.0	256.3	90.7
1982 - 1983		27155						HR	298.5	30.0	126.6	23025					RD	254.0	255.5	106.4

1 TON PB300 / 350 VAN

1974 - 1983	w/ 3600 lb. Front Axle; w/ 2.5" Rear Shoes	27061						HR	325.4	30.0	146.1	23031					RD	304.8	306.3	95.8
	w/ 3800 lb. Front Axle; w/ 2.5" Rear Shoes	27092						HR	325.6	28.6	75.3	23031					RD	304.8	306.3	95.8
	w/ DRW; w/ 2.5" Rear Shoes	27091						VD	325.4	28.6	75.4	23031					RD	304.8	306.3	95.8
	w/ 3600 lb. Front Axle; w/ 3" Rear Shoes	27061						HR	325.4	30.0	146.1	23024					RD	304.8	307.1	159.8
	w/ 3800 lb. Front Axle; w/ 3" Rear Shoes	27092						HR	325.6	28.6	75.3	23031					RD	304.8	306.3	95.8

PONTIAC:

6000

1982	Excludes 4.3L Diesel	27129						VD	246.5	20.7	49.2	NYA					-	-	-	-
1983	Excludes 4.3L Diesel	27129						VD	246.5	20.7	49.2	NYA					-	-	-	-
	4.3L Diesel	27131						VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
1984	w/ JA1, JA8 Brake System	27129						VD	246.5	20.7	49.2	NYA					-	-	-	-
	w/ JA2 Brake System	27131						VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
	w/ JA3 Brake System	27131						VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1985 - 1989	w/ JA1 Brake System	27129						VD	246.5	20.7	49.2	NYA					-	-	-	-
	w/ JA2, JA8 Brake System; Excludes Wagon	27131						VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
	w/ J65 Brake System	27131						VD	260.7	24.3	50.8	NYA					-	-	-	-
	w/ JM4 Brake System	27131						VD	260.7	24.3	50.8	NYA					-	-	-	-
1990 - 1991	Sedan w/ Rear Drum	27131						VD	260.7	24.3	50.8	23016					RD	225.0	227.3	72.5
	Sedan w/ Rear Disc	27131						VD	260.7	24.3	50.8	NYA					-	-	-	-
	Station Wagon	27131						VD	260.7	24.3	50.8	23015					RD	225.0	226.3	72.0

BONNEVILLE, CATALINA, EXECUTIVE

1971 - 1976	w/ 11" Rear Drum	27016						HR	300.6	30.9	125.7	23017					RD	279.4	281.7	85.0
	w/ 12" Rear Drum	27016						HR	300.6	30.9	125.7	NYA					-	-	-	-
1977 - 1978	w/ 9.5" Rear Drum	27128						HR	279.8	24.5	117.9	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum; 1978	NYA						-	-	-	23017						RD	279.4	281.7	85.0
1979 - 1981	w/ 9.5" Rear Drum	27018						HR	279.4	24.5	117.3	23052					RD	254.0	255.5	99.6
	w/ 11" Rear Drum; Excludes Wagon	27021						HR	301.5	24.5	77.3	23017					RD	279.4	281.7	85.0
1982 - 1986		27028						HR	266.7	24.5	109.3	23052					RD	254.0	255.5	99.6

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1987 - 1991		27131					VD		260.7	24.3	50.8	23015					RD		225.0	226.3	72.0
1992 - 1997		27038					VD		278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
1998 - 1999		27007					VD	✓	278.0	30.7	52.0	23015					RD		225.0	226.3	72.0
2000 - 2003	SE Model	27007					VD	✓	278.0	30.7	52.0	NYA					-		-	-	-
	SLE, SSEi Model	27181					VD	✓	302.8	30.7	51.8	NYA					-		-	-	-
2004	SE Model	27007					VD	✓	278.0	30.7	52.0	27157					SD		280.9	9.5	31.5
	SLE Model	27181					VD	✓	302.8	30.7	51.8	27157					SD		280.9	9.5	31.5
	GXP Model	NYA					-		-	-	-	27276					SD		297.7	9.0	38.6

FIREBIRD, FORMULA, TRANS AM

1967 - 1969	w/ Front Drum	23068					FD		241.3	242.8	86.6	23064					RD		241.3	242.8	74.4
	w/ Front Disc	27127					HR		279.8	24.5	102.0	23064					RD		241.3	242.8	74.4
1970 - 1974		27128					HR		279.8	24.5	117.9	23064					RD		241.3	242.8	74.4
1975 - 1978		27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
1979 - 1981		27018					HR		279.4	24.5	117.3	23052					RD		254.0	255.5	99.6
1982 - 1987	w/ Rear Drum	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	w/ Rear Disc	27028					HR		266.7	24.5	109.3	NYA					-		-	-	-
1988	w/ Rear Drum	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	w/ Rear Disc; Excludes Performance Package	27028					HR		266.7	24.5	109.3	NYA					-		-	-	-
	w/ Rear Disc; w/ Performance Package	NYA					-		-	-	-	27169					VD		296.3	18.4	50.0
1989 - 1992	w/ Rear Drum	27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
	w/ Rear Disc; Excludes Performance Package	27028					HR		266.7	24.5	109.3	27169					VD		296.3	18.4	50.0
	w/ Rear Disc; w/ Performance Package	NYA					-		-	-	-	27169					VD		296.3	18.4	50.0
1993 - 1997	w/ Rear Drum	27038					VD		278.0	30.7	52.0	23078					RD		241.3	243.6	79.5
	w/ Rear Disc	27038					VD		278.0	30.7	52.0	27135					VD		292.9	18.4	46.0
1998 - 2002		27181					VD	✓	302.8	30.7	51.8	27197					VD	✓	-	24.7	-

FIREFLY

1989 - 1991	Excludes Turbo & Convertible	NYA					-		-	-	-	21095					RD		180.0	182.0	65.5
	Turbo & Convertible	25403				@	VD		231.0	15.0	50.0	21096					RD		180.0	182.0	74.0
1994	Hatchback; Excludes GSI	NYA					-		-	-	-	21095					RD		180.0	182.0	65.5
	Hatchback GSI & 4 Door Notchback	25403				@	VD		231.0	15.0	50.0	NYA					-		-	-	-
1995 - 1998	2 Door Hatchback w/ ABS	25403				@	VD		231.0	15.0	50.0	21097					RD		180.0	182.0	51.0
	2 Door Hatchback w/ out ABS	25403				@	VD		231.0	15.0	50.0	21096					RD		180.0	182.0	74.0
	4 Door Notchback	25403				@	VD		231.0	15.0	50.0	NYA					-		-	-	-

GRAND AM

1973 - 1975		27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1979 - 1980		27130					HR		266.7	24.3	109.5	23052					RD		254.0	255.5	99.6
1985 - 1989		27132					VD		246.5	20.7	73.4	23001					RD		200.0	201.0	66.0
1990	Excludes Performance Paackage WS6	27132					VD		246.5	20.7	73.4	23001					RD		200.0	201.0	66.0
	w/ Performance Package WS6	27029					VD	✓	259.0	18.7	48.0	23001					RD		200.0	201.0	66.0
1991 - 1998		27029					VD	✓	259.0	18.7	48.0	23001					RD		200.0	201.0	66.0
1999 - 2004	w/ Rear Drum	27137					VD		277.8	24.7	48.8	23015					RD		225.0	226.3	72.0
	w/ Rear Disc	27137					VD		277.8	24.7	48.8	27190					SD	✓	277.9	9.0	50.3

GRAND PRIX

1969	w/ Disc Brakes	27127					HR		279.8	24.5	102.0	NYA					-		-	-	-
1970 - 1972		27127					HR		279.8	24.5	102.0	NYA					-		-	-	-
1973 - 1975		27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1976 - 1977		27128					HR		279.8	24.5	117.9	NYA					-		-	-	-
1979 - 1981		27130					HR		266.7	24.3	109.5	23052					RD		254.0	255.5	99.6
1982 - 1987		27028					HR		266.7	24.5	109.3	23052					RD		254.0	255.5	99.6
1988 - 1993		27133					VD		266.7	24.7	33.3	27134					SD		256.4	10.9	25.0
1994		27133					VD		266.7	24.7	33.3	27156					SD		278.0	9.4	21.6
1995 - 1996	w/ 267mm Front Disc	27133					VD		266.7	24.7	33.3	27156					SD		278.0	9.4	21.6
	w/ 286mm Front Disc	27136					VD		285.4	24.7	36.9	27156					SD		278.0	9.4	21.6
1997 - 2003		27007					VD	✓	278.0	30.7	52.0	27190					SD	✓	277.9	9.0	50.3
2004	GT1, GT2	NYA					-		-	-	-	NYA					-		-	-	-
	GTP - Supercharged	NYA					-		-	-	-	NYA					-		-	-	-

GRANDVILLE

1971 - 1972	Sedan	27016					HR		300.6	30.9	125.7	23017					RD		279.4	281.7	85.0
	Wagon	27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
1973	Sedan	27016					HR		300.6	30.9	125.7	23017					RD		279.4	281.7	85.0
	Wagon	27016					HR		300.6	30.9	125.7	NYA					-		-	-	-
1974	Sedan	27016					HR		300.6	30.9	125.7	23017					RD		279.4	281.7	85.0
	Wagon	27016					HR		300.6	30.9	125.7	NYA					-		-	-	-

GTO

2004		NYA					-		-	-	-	NYA					-		-	-	-
------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

J2000

1982 - 1984		NYA					-		-	-	-	23001					RD		200.0	201.0	66.0
1985 - 1991		27132					VD		246.5	20.7	73.4	23001					RD		200.0	201.0	66.0

LE MANS

1964 - 1972		NYA					-		-	-	-	23052					RD		254.0	255.5	99.6
1973 - 1975	Excludes Wagon	27128					HR		279.8	24.5	117.9	23052					RD		254.0	255.5	99.6
	Wagon	NYA					-		-	-	-	NYA					-		-	-	-
1978 - 1981		NYA					-		-	-	-	23052					RD		254.0	255.5	99.6
1987 - 1989	1.6L w/ Solid Front Disc	25098				@	SD		236.0	10.6	41.0	21036					RD		200.0	201.0	67.0
	1.6L w/ Vented Front Disc	25502					VD		236.0	17.0	41.0	21036					RD		200.0	201.0	67.0
	2.0L	25302				SK	VD		256.0	21.0	41.0	21036					RD		200.0	201.0	67.0
1990	1.6L	25502					VD		236.0	17.0	41.0	21036					RD		200.0	201.0	67.0
	2.0L	25302				SK	VD		256.0	21.0	41.0	21036					RD		200.0	201.0	67.0
1991 - 1993		25502					VD		236.0	17.0	41.0	21036					RD		200.0	201.0	67.0

PARISIENNE

1983 - 1986	w/ 9.5" Rear Drum; Excludes Heavy Duty & Wagon	27018					HR		279.4	24.5	117.3	23052					RD		254.0	255.5	99.6
	w/ 11" Rear Drum; Heavy Duty & Wagon	27021					HR		301.5	24.5	77.3	23017					RD		279.4	281.7	85.0

PHOENIX

1979		27018					HR		279.4	24.5	117.3	23052					RD		254.0	255.5	99.6
1980 - 1984		27129					VD		246.5	20.7	49.2	NYA					-		-	-	-

SAFARI WAGON (B BODY)

1987 - 1989		27021					HR		301.5	24.5	77.3	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
SUNBIRD																			
1989 - 1991		27132				VD		246.5	20.7	73.4	23001					RD	200.0	201.0	66.0
1992 - 1994		27029				VD	✓	259.0	18.7	48.0	23001					RD	200.0	201.0	66.0

SUNFIRE

1995 - 2002		27029				VD	✓	259.0	18.7	48.0	NYA					-	-	-	-
2003 - 2004		27029				VD	✓	259.0	18.7	48.0	NYA					-	-	-	-

T 1000

1981 - 1987		NYA				-		-	-	-	23002					RD	200.0	201.4	67.0
-------------	--	-----	--	--	--	---	--	---	---	---	-------	--	--	--	--	----	-------	-------	------

TEMPEST

1964 - 1967		NYA				-		-	-	-	23052					RD	254.0	255.5	99.6
1967 - 1970		27127				HR		279.8	24.5	102.0	23052					RD	254.0	255.5	99.6

VENTURA, VENTURA II

1971 - 1974		23068				FD		241.3	242.8	86.6	23064					RD	241.3	242.8	74.4
1975 - 1977		27128				HR		279.8	24.5	117.9	23052					RD	254.0	255.5	99.6

VIBE

2003 - 2004	2WD; Rear Drum Brakes	25564				VD	✓	-	23.0	-	NYA					-	-	-	-	
	GT - 2WD; Rear Disc Brakes	25564				VD	✓	-	23.0	-	25565					SD	✓	-	7.5	-
	4WD; Rear Drum Brakes	25564				VD	✓	-	23.0	-	NYA					-	-	-	-	

PONTIAC TRUCK / VAN / SUV:

AZTEK

2001-2004	2WD; Rear Drum	27232				VD		-	20.7	-	NYA					-	-	-	-
	4WD; Rear Disc	27233				VD		-	27.0	-	27280					SD	290.3	9.0	45.5

MONTANA

1999 - 2001	w/ Rear Drum	27007				VD	✓	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
	w/ Rear Disc	27007				VD	✓	278.0	30.7	52.0	27190					SD	✓	277.9	9.0
2002 - 2004	AWD	27233				VD		-	27.0	-	27280					SD	290.3	9.0	45.5
	2WD; Rear Drum	27007				VD	✓	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0

TRANS SPORT VAN

1990 - 1991		27131				VD		260.7	24.3	50.8	23015					RD	225.0	226.3	72.0
1992 - 1996		27038				VD		278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
1997 - 1998	w/ Rear Drum	27007				VD	✓	278.0	30.7	52.0	23015					RD	225.0	226.3	72.0
	w/ Rear Disc	27007				VD	✓	278.0	30.7	52.0	27190					SD	✓	277.9	9.0

PORSCHE:

911 SERIES (Excluding Turbo & Turbo Look)

1967 - 1968		25395	HC		@	VD		282.0	19.1	35.2	NYA					-	-	-	-
1969 - 1983		25395	HC		@	VD		282.0	19.1	35.2	25397				@	VD	290.0	18.0	83.0

911 / 930 TURBO & TURBO LOOK

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1975 - 1977		25395	HC		@	VD	282.0	19.1	35.2	25397			@	VD	290.0	18.0	83.0
924 (Excluding S, Sport, & Turbo)																	
1976 - 1984		25085			@	SD	257.0	11.5	84.0	21038				RD	230.0	231.5	94.5
924 SPORT & TURBO																	
1977 - 1979		25395	HC		@	VD	282.0	19.1	35.2	NYA				-	-	-	-
1980	Sport & Turbo Sport	25395	HC		@	VD	282.0	19.1	35.2	NYA				-	-	-	-
	Turbo; Excludes Sport	25085			@	SD	257.0	11.5	84.0	21038				RD	230.0	231.5	94.5
1981 - 1984		25395	HC		@	VD	282.0	19.1	35.2	NYA				-	-	-	-
924 S																	
1986 - 1988		25395	HC		@	VD	282.0	19.1	35.2	NYA				-	-	-	-
944 (Excluding S, S2, & Turbo)																	
1983 - 1986		25395	HC		@	VD	282.0	19.1	35.2	NYA				-	-	-	-
1987 - 1989		25396	HC		@	VD	282.0	19.1	74.1	NYA				-	-	-	-
944 S 16V																	
1987 - 1988		25396	HC		@	VD	282.0	19.1	74.1	NYA				-	-	-	-
912, 912E																	
1976		25395	HC		@	VD	282.0	19.1	35.2	25397			@	VD	290.0	18.0	83.0
914, 916																	
1970 - 1972		25395	HC		@	VD	282.0	19.1	35.2	NYA				-	-	-	-
RENAULT:																	
ALLIANCE, ENCORE (Excluding GTA)																	
1981 - 1988		25053				SD	238.0	11.0	41.0	21018				RD	203.3	204.0	65.0
ALLIANCE GTA																	
1987		NYA				-	-	-	-	21018				RD	203.3	204.0	65.0
FUEGO (Excluding Turbo)																	
1981 - 9/1983		25090			SK	SD	238.0	10.5	46.0	NYA				-	-	-	-
10/1983 - 1985		25256			SK	VD	238.0	17.7	46.0	21063				RD	228.6	230.0	72.5
FUEGO TURBO																	
1982 - 9/1983		25257			SK	VD	238.0	17.7	46.0	NYA				-	-	-	-
10/1983 - 1985		25256			SK	VD	238.0	17.7	46.0	21063				RD	228.6	230.0	72.5
MEDALLION																	
1988 - 1989		25295			SK	VD	265.0	17.7	31.6	21063				RD	228.6	230.0	72.5
R5, LE CAR																	
1976 - 8/1979		25023				SD	228.0	9.0	38.5	21016				RD	180.2	181.0	70.5
9/1979 - 1983		25023				SD	228.0	9.0	38.5	21017				RD	180.2	181.0	68.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
R 18i SEDAN																	
1980 - 1983		25090			SK	SD	238.0	10.5	46.0	NYA				-	-	-	-
R 18i WAGON / SPORTWAGON																	
1980 - 9/1983		25090			SK	SD	238.0	10.5	46.0	NYA				-	-	-	-
10/1983 - 1985		25256			SK	VD	238.0	17.7	46.0	21063				RD	228.6	230.0	72.5
R 8 / R 10																	
1962 - 1972		25001				SD	261.0	6.0	39.5	25001				SD	261.0	6.0	39.5
R 12																	
1969 - 1680		25023				SD	228.0	9.0	38.5	NYA				-	-	-	-
	Gordini Sedan	25212				VD	228.0	19.0	45.4	25023				SD	228.0	9.0	38.5
R 15																	
1971 - 1979	1.3L	25023				SD	228.0	9.0	38.5	25023				SD	228.0	9.0	38.5
1971 - 1975	1.6L	25212				VD	228.0	19.0	45.4	25023				SD	228.0	9.0	38.5
R 16																	
1968 - 1980		25029				SD	254.0	11.0	40.0	NYA				-	-	-	-
R 17																	
1971 - 1980	1.6L / 1.7L w/ Solid Front Disc	25023				SD	228.0	9.0	38.5	25023				SD	228.0	9.0	38.5
	1.6L / 1.7L w/ Vented Front Disc	25212				VD	228.0	19.0	45.4	NYA				-	-	-	-
SAAB:																	
90																	
1984 - 1987	2.0	25054			SK	@ SD	280.0	11.7	65.5	25030			SK	@ SD	269.0	9.5	66.0
95 V4 / 96 V4 / SONNET																	
1966 - 1974		25015				@ SD	267.0	8.0	51.0	NYA				-	-	-	-
99																	
1968 - 1974	1.7L / 1.9L / 2.0L	25030			SK	@ SD	269.0	9.5	66.0	25030			SK	@ SD	269.0	9.5	66.0
1975	1.9L / 2.0L to Chasis C6010841	25086				@ SD	280.0	11.7	47.4	25030			SK	@ SD	269.0	9.5	66.0
1976 - 1982	1.9L / 2.0L to Chasis C6010841	25086				@ SD	280.0	11.7	47.4	25030			SK	@ SD	269.0	9.5	66.0
	2.0i Turbo to Chasis 6010841	25086				@ SD	280.0	11.7	47.4	25030			SK	@ SD	269.0	9.5	66.0
1982 - 1987	2.0L / 2.0i Turbo from Chasis 6010842	25054			SK	@ SD	280.0	11.7	65.5	25030			SK	@ SD	269.0	9.5	66.0
900 SERIES																	
1979 - 1980		25086				@ SD	280.0	11.7	47.4	25030			SK	@ SD	269.0	9.5	66.0
1981 - 1985		25054			SK	@ SD	280.0	11.7	65.5	25030			SK	@ SD	269.0	9.5	66.0
1986 - 1987	w/ Solid Front Disc	25054			SK	@ SD	280.0	11.7	65.5	25030			SK	@ SD	269.0	9.5	66.0
	w/ Vented Front Disc	25284			SK	@ VD	280.0	18.9	70.5	25030			SK	@ SD	269.0	9.5	66.0
1988 - 1993		25285				@ VD	280.0	21.5	43.6	25030			SK	@ SD	269.0	9.5	66.0
1994 - 1996		25400	HC			@ VD	284.0	21.0	41.0	25182			SK	@ SD	260.0	8.0	69.2
1997 - 1998		25519	HC			VD	288.0	22.0	42.0	NYA				-	-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------

9000 S

1986		25286				@	VD		280.0	21.5	43.6	25124					SD		258.0	7.5	43.3
1987 - 1989		25285				@	VD		280.0	21.5	43.6	25124					SD		258.0	7.5	43.3
1990 - 1998		25310					VD		280.0	23.0	43.9	25124					SD		258.0	7.5	43.3

9000 TURBO

1986		25286				@	VD		280.0	21.5	43.6	25124					SD		258.0	7.5	43.3
1987		25285				@	VD		280.0	21.5	43.6	25124					SD		258.0	7.5	43.3
1988 - 1998		25310					VD		280.0	23.0	43.9	25124					SD		258.0	7.5	43.3

9-3 SERIES

1998 - 1999	To Chassis # X2020000 & X7020000	25519	HC				VD		288.0	22.0	42.0	25531			SK		SD		286.0	8.0	69.2
1999 - 2000	From Chassis # X2020001 & X7020001; Excludes Viggen	25519	HC				VD		288.0	22.0	42.0	25531			SK		SD		286.0	8.0	69.2
	Viggen	NYA					-		-	-	-	25531			SK		SD		286.0	8.0	69.2
2001 - 2002	Excludes Viggen	25519	HC				VD		288.0	22.0	42.0	25531			SK		SD		286.0	8.0	69.2
	Viggen	NYA					-		-	-	-	25531			SK		SD		286.0	8.0	69.2
2003	Linear w/ 285mm Front Disc	NYA					-		-	-	-	NYA					-		-	-	-
	Convertible w/ 288mm Front Disc	25519	HC				VD		288.0	22.0	42.0	25531			SK		SD		286.0	8.0	69.2
	Arc & Vector w/ 302mm Front Disc	NYA					-		-	-	-	NYA					-		-	-	-
2004	Linear w/ 285mm Front Disc	NYA					-		-	-	-	NYA					-		-	-	-
	Arc & Vector w/ 302mm Front Disc	NYA					-		-	-	-	NYA					-		-	-	-

9-5 SERIES

1998 - 1999	To Chassis # X3020000	25519	HC				VD		288.0	22.0	42.0	25531			SK		SD		286.0	8.0	69.2
1999	From Chassis # X3020001; To Chassis # X3025751	25519	HC				VD		288.0	22.0	42.0	25531			SK		SD		286.0	8.0	69.2
1999 - 2001	From Chassis # X3025752; Excludes Aero	25519	HC				VD		288.0	22.0	42.0	25609					SD		286.0	8.0	69.0
	Aero	NYA					-		-	-	-	25609					SD		286.0	8.0	69.0
2002 - 2004	2.3L - 185 HP Engine; 288mm Front Disc	25519	HC				VD		288.0	22.0	42.0	25609					SD		286.0	8.0	69.0
	Arc & Aero; 308mm Front Disc	NYA					-		-	-	-	NYA					-		-	-	-

SATURN:

ION

2003		NYA					-		-	-	-	NYA					-		-	-	-
2004	Excludes Redline	NYA					-		-	-	-	NYA					-		-	-	-
	Redline	NYA					-		-	-	-	NYA					-		-	-	-

L SERIES - SEDAN LS, WAGON LW

2000 - 2004	Rear Drum Brakes	25519	HC				VD		288.0	22.0	42.0	NYA					-		-	-	-
	Rear Disc Brakes	25519	HC				VD		288.0	22.0	42.0	25531			SK		SD		286.0	8.0	69.2

S SERIES - COUPE SC, SEDAN SL, WAGON SW

1991 - 1998	Rear Drum Brakes	27148				@	VD		250.0	15.8	43.3	23083					RD		279.4	280.9	114.6
	Rear Disc Brakes	27148				@	VD		250.0	15.8	43.3	27191					SD		244.9	9.0	41.4
1999 - 2002		27148				@	VD		250.0	15.8	43.3	23083					RD		279.4	280.9	114.6

SATURN TRUCK / SUV:

VUE

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
2002 - 2004		27285					VD		-	24.5	-	NYA					-		-	-	-

SCION:

xA

2004		NYA					-		-	-	-	NYA					-		-	-	-
------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

xB

2004		NYA					-		-	-	-	NYA					-		-	-	-
------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

tC

2004		NYA					-		-	-	-	NYA					-		-	-	-
------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

STERLING:

825 / 827S / Si / SL / Sli

1987 - 1991		25297			SK	VD		285.0	19.0	51.2	25159			SK	SD			260.0	8.0	43.1
-------------	--	-------	--	--	----	----	--	-------	------	------	-------	--	--	----	----	--	--	-------	-----	------

SUBARU:

BAJA

2003		25646				VD		294.0	22.0	56.8	25651					SD		289.6	8.5	67.3
2004	Baja Sport	25646				VD		294.0	22.0	56.8	25651					SD		289.6	8.5	67.3
	Baja Turbo	NYA				-		-	-	-	25651					SD		289.6	8.5	67.3

BRAT

1977 - 1980		25069				SD		229.0	8.5	46.0	NYA					-		-	-	-
1981 - 1982		25194			@	SD		230.0	10.0	52.0	21111					RD		180.0	182.0	62.7
1983	w/ Automatic Transmission	25253			@	VD		230.0	15.5	51.8	21111					RD		180.0	182.0	62.7
	w/ Manual Transmission	25194			@	SD		230.0	10.0	52.0	21111					RD		180.0	182.0	62.7
1984 - 1989		25253			@	VD		230.0	15.5	51.8	21111					RD		180.0	182.0	62.7

DL / GL

1973 - 1976		25069				SD		229.0	8.5	46.0	NYA					-		-	-	-
1980 - 1983	2WD	25194			@	SD		230.0	10.0	52.0	NYA					-		-	-	-
	4WD	25194			@	SD		230.0	10.0	52.0	21111					RD		180.0	182.0	62.7
1984	4WD	25253			@	VD		230.0	15.5	51.8	21111					RD		180.0	182.0	62.7
1985 - 1990	2WD	25293			@	VD		242.0	16.0	44.0	21113					RD		180.0	182.0	70.5
	4WD	25293			@	VD		242.0	16.0	44.0	NYA					-		-	-	-
	w/ Rear Disc	25293			@	VD		242.0	16.0	44.0	25188					SD		226.0	8.5	42.5

FORESTER

1998 - 01/00	L; w/ Rear Drum; w/ ABS	25370				VD	✓	276.5	22.0	56.8	NYA					-		-	-	-
	L; w/ Rear Drum; w/ out ABS	25370				VD	✓	276.5	22.0	56.8	21122					RD		228.6	230.6	63.2
	S; w/ Rear Disc	25370				VD	✓	276.5	22.0	56.8	25190					SD	✓	265.5	8.5	67.4
01/00 - 2002	L; w/ Rear Drum Brakes	25370				VD	✓	276.5	22.0	56.8	NYA					-		-	-	-
	S; w/ Rear Disc	25370				VD	✓	276.5	22.0	56.8	25190					SD	✓	265.5	8.5	67.4
2003 - 2004	2.5X; w/ Rear Drum Brakes	25646				VD		294.0	22.0	56.8	NYA					-		-	-	-
	2.5XS; w/ Rear Disc Brakes	25646				VD		294.0	22.0	56.8	25190					SD	✓	265.5	8.5	67.4

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKIT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
IMPREZA COUPE / SEDAN Exc. WRX																			
11/1992 - 8/1993	2WD w/ out ABS; Rear Drum Brakes	25462				VD		242.0	16.0	52.8	21122				RD		228.6	230.6	63.2
	L; 4WD w/ out ABS; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	LS; w/ ABS; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
9/1993 - 1996	2WD w/ out ABS; w/ 13" Stock Wheels	25462				VD		242.0	16.0	52.8	21122				RD		228.6	230.6	63.2
	2WD w/ out ABS; w/ 14" Stock Wheels	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	L; 4WD w/ out ABS; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	LS, LX; w/ ABS; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
1997		25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
1998 - 2001	2.2L	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	2.5L RS	25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
2002 - 2004	RS	25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4

IMPREZA OUTBACK

1995 - 1996	w/ out ABS	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	w/ ABS	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
1997 - 2001		25369				VD		260.0	22.0	56.8	NYA				-		-	-	-
2002 - 12/02		25370				VD	✓	276.5	22.0	56.8	NYA				-		-	-	-
01/03 - 2004		25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4

IMPREZA WAGON - Exc. IMPREZA OUTBACK & WRX

11/1992 - 8/1993	2WD w/ out ABS; Rear Drum Brakes	25462				VD		242.0	16.0	52.8	21122				RD		228.6	230.6	63.2
	4WD w/ out ABS; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	2WD w/ ABS; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	4WD w/ ABS; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
09/93 - 1996	2WD w/ out ABS; Rear Drum Brakes; w/ 13" Stock Wheels	25462				VD		242.0	16.0	52.8	21122				RD		228.6	230.6	63.2
	2WD w/ out ABS; Rear Drum Brakes; w/ 14" Stock Wheels	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	4WD w/ out ABS; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	2WD / 4WD; w/ ABS; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
1997 - 2001		25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
2002 - 12/2002		25370				VD	✓	276.5	22.0	56.8	NYA				-		-	-	
01/2003 - 2004		25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4

IMPREZA WRX, WRX Sti

2002 - 12/02		25646				VD		294.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
01/03 - 2004	Excludes Sti	25646				VD		294.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	Sti	NYA				-		-	-	-	NYA				-		-	-	-

JUSTY

1987 - 1988	2WD	25405				@ VD		212.0	15.5	36.5	NYA				-		-	-	-
	4WD	25405				@ VD		212.0	15.5	36.5	21114				RD		180.0	182.0	64.5
1989 - 1994	DL w/ 12" Stock Wheels	25405				@ VD		212.0	15.5	36.5	NYA				-		-	-	-
	GL 2WD w/ 13" Stock Wheels	25469				@ VD		240.0	15.5	36.5	NYA				-		-	-	-
	GL 4WD w/ 13" Stock Wheels	25469				@ VD		240.0	15.5	36.5	21114				RD		180.0	182.0	64.5

LEGACY SEDAN

1990 - 1994	Exc. 4WD Turbo	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	4WD Turbo	25370				VD	✓	276.5	22.0	56.8	25581				VD		265.2	16.0	67.4
1995	Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2

Make Model, Year (s)	Notes	Front						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Rear						Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	
		Disc / Drum	HC	PVT	Screw	Ground	Type			Disc / Drum	HC	PVT	Screw	Ground	Type				
1996	GT, Lsi; Rear Disc Brakes	25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	L, LS; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	L; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
1997	GT, LS; Rear Disc Brakes	25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	L; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	L; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
1998 - 1999	GT, LTD; Rear Disc Brakes	25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	L; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	L; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
2000		25370				VD	✓	276.5	22.0	56.8	25651				SD		289.6	8.5	67.3
2001	L, GT	25370				VD	✓	276.5	22.0	56.8	25651				SD		289.6	8.5	67.3
	GT LTD	25646				VD		294.0	22.0	56.8	25651				SD		289.6	8.5	67.3
2002 - 04/02	L, L-S	25370				VD	✓	276.5	22.0	56.8	25651				SD		289.6	8.5	67.3
	GT; Standard Suspension	25646				VD		294.0	22.0	56.8	25651				SD		289.6	8.5	67.3
	GT LTD; Sport Suspension	25646				VD		294.0	22.0	56.8	25651				SD		289.6	8.5	67.3
05/02 - 2004	L, L-S	25370				VD	✓	276.5	22.0	56.8	25651				SD		289.6	8.5	67.3
	GT	25646				VD		294.0	22.0	56.8	25651				SD		289.6	8.5	67.3

LEGACY WAGON

1990 - 1994	Exc. 4WD Turbo	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	4WD Turbo	25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
1995	Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
1996	Brighton; L; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	LS; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	GT, Lsi; Outback; Rear Disc Brakes	25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
1997	Brighton; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	L; LS; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	GT, Lsi; Outback; Rear Disc Brakes	25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
1998 - 1999	Brighton; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	L; Rear Disc Brakes	25369				VD		260.0	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
	GT; Outback; Rear Disc Brakes	25370				VD	✓	276.5	22.0	56.8	25190				SD	✓	265.5	8.5	67.4
2000 - 2001	Brighton; Rear Drum Brakes	25369				VD		260.0	22.0	56.8	21122				RD		228.6	230.6	63.2
	GT, L; Rear Disc Brakes	25370				VD	✓	276.5	22.0	56.8	25651				SD		289.6	8.5	67.3
2002 - 04/2002	L	25370				VD	✓	276.5	22.0	56.8	25651				SD		289.6	8.5	67.3
	GT	25646				VD		294.0	22.0	56.8	25651				SD		289.6	8.5	67.3
	Brighton; Rear Drum Brakes	25370				VD	✓	276.5	22.0	56.8	21122				RD		228.6	230.6	63.2
05/2002 - 2004	L	25370				VD	✓	276.5	22.0	56.8	25651				SD		289.6	8.5	67.3
	GT	25646				VD		294.0	22.0	56.8	25651				SD		289.6	8.5	67.3

LOYALE

1990	2WD; Coupe, Wagon; Exc. Turbo; Rear Drum Brakes	25293				@	VD	242.0	16.0	44.0	21112				RD		180.0	182.0	83.5
	4WD; Coupe, Wagon; Exc. Turbo; Rear Drum Brakes	25293				@	VD	242.0	16.0	44.0	21113				RD		180.0	182.0	70.5
	4WD; Coupe; RS Turbo; Wagon Turbo; Rear Disc Brakes	25293				@	VD	242.0	16.0	44.0	25188				SD		226.0	8.5	42.5
	2WD; Sedan w/ out Turbo; Rear Drum Brakes	25293				@	VD	242.0	16.0	44.0	21112				RD		180.0	182.0	83.5
	4WD; Sedan w/ out Turbo; Rear Drum Brakes	25293				@	VD	242.0	16.0	44.0	21113				RD		180.0	182.0	70.5
	Sedan Turbo; w/ Rear Disc Brakes	25293				@	VD	242.0	16.0	44.0	25188				SD		226.0	8.5	42.5
1991 - 1994	2WD; Sedan, Wagon; Rear Drum Brakes	25293				@	VD	242.0	16.0	44.0	21112				RD		180.0	182.0	83.5
	4WD; Sedan, Wagon; Rear Drum Brakes	25293				@	VD	242.0	16.0	44.0	21113				RD		180.0	182.0	70.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
OUTBACK																			
2000		25370				VD	✓	276.5	22.0	56.8	25651				SD		289.6	8.5	67.3
2001		25646				VD		294.0	22.0	56.8	25651				SD		289.6	8.5	67.3
2002 - 2004	2.5L; 4 Cylinder	25646				VD		294.0	22.0	56.8	25651				SD		289.6	8.5	67.3
	3.0L; V6	25646				VD		294.0	22.0	56.8	25651				SD		289.6	8.5	67.3

XT COUPE

1985 - 1991	w/ Rear Drum	25293				@	VD	242.0	16.0	44.0	21113				RD		180.0	182.0	70.5
	w/ Rear Disc	25293				@	VD	242.0	16.0	44.0	25188				SD		226.0	8.5	42.5

XT6 COUPE

1988 - 1991		25461				@	VD	262.0	20.0	49.3	NYA				-		-	-	-
-------------	--	-------	--	--	--	---	----	-------	------	------	-----	--	--	--	---	--	---	---	---

1600 / 1800 DL 4 DOOR SEDAN / GL COUPE / HARDTOP / LOYALE 2WD / 4WD (Excluding Brat, T, W, XT, & 1985 - 1992 2 Door Sedan (Hatchback))

1976 - 4/1978		25069					SD	229.0	8.5	46.0	NYA				-		-	-	-
5/1978 - 1979		25069					SD	229.0	8.5	46.0	NYA				-		-	-	-
1980 - 1983	2WD	25194				@	SD	230.0	10.0	52.0	NYA				-		-	-	-
	4WD	25194				@	SD	230.0	10.0	52.0	21111				RD		180.0	182.0	62.7
1984	2WD	25253				@	VD	230.0	15.5	51.8	NYA				-		-	-	-
	4WD	25253				@	VD	230.0	15.5	51.8	21111				RD		180.0	182.0	62.7
1985 - 1990	2WD	25293				@	VD	242.0	16.0	44.0	21113				RD		180.0	182.0	70.5
	4WD	25293				@	VD	242.0	16.0	44.0	21112				RD		180.0	182.0	83.5
1991 - 1993	2WD	25293				@	VD	242.0	16.0	44.0	21113				RD		180.0	182.0	70.5
	4WD	25293				@	VD	242.0	16.0	44.0	21112				RD		180.0	182.0	83.5

1600 / 1800 HATCHBACK

1985 - 1989	2WD	25253				@	VD	230.0	15.5	51.8	NYA				-		-	-	-
	4WD	25253				@	VD	230.0	15.5	51.8	21111				RD		180.0	182.0	62.7

1600 / 1800 WAGON / LOYALE WAGON 2WD (Excluding Turbo)

1976 - 4/1978		25069					SD	229.0	8.5	46.0	NYA				-		-	-	-
5/1978 - 1979		25069					SD	229.0	8.5	46.0	NYA				-		-	-	-
1980 - 1982		25194				@	SD	230.0	10.0	52.0	NYA				-		-	-	-
1983	w/ Automatic Transmission	25253				@	VD	230.0	15.5	51.8	NYA				-		-	-	-
	w/ Manual Transmission	25194				@	SD	230.0	10.0	52.0	NYA				-		-	-	-
1984		25293				@	VD	242.0	16.0	44.0	NYA				-		-	-	-
1985 - 1993		25293				@	VD	242.0	16.0	44.0	21113				RD		180.0	182.0	70.5

1600 / 1800 WAGON / LOYALE W 4WD (Excluding Turbo)

1976 - 4/1978		25069					SD	229.0	8.5	46.0	NYA				-		-	-	-
5/1978 - 1979		25069					SD	229.0	8.5	46.0	NYA				-		-	-	-
1980 - 1982		25194				@	SD	230.0	10.0	52.0	NYA				-		-	-	-
1983	w/ Automatic Transmission	25253				@	VD	230.0	15.5	51.8	21111				RD		180.0	182.0	62.7
	w/ Manual Transmission	25194				@	SD	230.0	10.0	52.0	21111				RD		180.0	182.0	62.7
1984		25253				@	VD	230.0	15.5	51.8	21111				RD		180.0	182.0	62.7
1985 - 1994		25293				@	VD	242.0	16.0	44.0	21112				RD		180.0	182.0	83.5

1800 TURBO ALL

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1985 - 1990		25293			@	VD		242.0	16.0	44.0	25188				SD		226.0	8.5	42.5

1300 / 1400 COUPE & SEDAN

1972 - 1973	w/ Front Disc	25069				SD		229.0	8.5	46.0	NYA				-		-	-	-
1973 - 1974	w/ Front Disc	25069				SD		229.0	8.5	46.0	NYA				-		-	-	-
1975 - 1976	w/ Front Disc	25069				SD		229.0	8.5	46.0	NYA				-		-	-	-

1300 / 1400 WAGON

1972 - 1973	w/ Front Disc	25069				SD		229.0	8.5	46.0	NYA				-		-	-	-
1973 - 1974	w/ Front Disc	25069				SD		229.0	8.5	46.0	NYA				-		-	-	-

SUZUKI:

AERIO

2002 - 2004		NYA				-		-	-	-	NYA				-		-	-	-
-------------	--	-----	--	--	--	---	--	---	---	---	-----	--	--	--	---	--	---	---	---

ESTEEM

1995 - 1998		25490				VD		235.0	18.0	49.5	NYA				-		-	-	-
1999 - 2002	1600cc	25490				VD		235.0	18.0	49.5	NYA				-		-	-	-
	1800cc	NYA				-		-	-	-	NYA				-		-	-	-

FORENZA

2004		NYA				-		-	-	-	NYA				-		-	-	-
------	--	-----	--	--	--	---	--	---	---	---	-----	--	--	--	---	--	---	---	---

FORSA (HAWAIIAN ONLY)

1985 - 1988		25123			@	SD		215.0	8.0	33.0	21087				RD		180.0	182.0	65.5
-------------	--	-------	--	--	---	----	--	-------	-----	------	-------	--	--	--	----	--	-------	-------	------

GRAND VITARA - V6

1999		25648				VD		309.8	20.0	29.0	NYA				-		-	-	-
2000 - 2004		25648				VD		309.8	20.0	29.0	NYA				-		-	-	-

SAMURAI

1986 - 1995		25120			@	SD		289.0	9.0	46.0	21101				RD		230.0	231.0	73.0
-------------	--	-------	--	--	---	----	--	-------	-----	------	-------	--	--	--	----	--	-------	-------	------

SIDEKICK

1989 - 1990		25136			@	SD		289.0	8.0	45.7	NYA				-		-	-	-
1991 - 1995	2 Door	25136			@	SD		289.0	8.0	45.7	NYA				-		-	-	-
	4 Door	25453			@	VD		287.0	15.0	46.0	21117				RD		254.0	255.5	67.0
1996 - 1998	2 Door	25136			@	SD		289.0	8.0	45.7	NYA				-		-	-	-
	4 Door Excludes Sport 4WD (SE 416)	25453			@	VD		287.0	15.0	46.0	NYA				-		-	-	-

SJ 410 (HAWAIIAN ONLY)

1983 - 1985		25136			@	SD		289.0	8.0	45.7	NYA				-		-	-	-
-------------	--	-------	--	--	---	----	--	-------	-----	------	-----	--	--	--	---	--	---	---	---

SWIFT 3 Door

1989 - 1994	GA / GL	25403			@	VD		231.0	15.0	50.0	21096				RD		180.0	182.0	74.0
	GT / Gti	25467			@	VD		250.0	16.5	47.0	NYA				-		-	-	-
1995 - 2001	w/ ABS	25403			@	VD		231.0	15.0	50.0	21097				RD		180.0	182.0	51.0
	w/ out ABS	25403			@	VD		231.0	15.0	50.0	21096				RD		180.0	182.0	74.0

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
SWIFT 4 Door																			
1990 - 1994		25403			@	VD		231.0	15.0	50.0	NYA				-		-	-	-
SWIFT 5 Door																			
1989 - 1990		25403			@	VD		231.0	15.0	50.0	21096				RD		180.0	182.0	74.0
VERONA																			
2004		NYA				-		-	-	-	NYA				-		-	-	-
VITARA																			
1999		25639				VD		286.8	15.0	29.1	NYA				-		-	-	-
2000 - 2004		25639				VD		286.8	15.0	29.1	NYA				-		-	-	-
X-90																			
1996 - 1998		25136			@	SD		289.0	8.0	45.7	NYA				-		-	-	-
XL-7																			
2001 - 2004		25648				VD		309.8	20.0	29.0	NYA				-		-	-	-
TOYOTA:																			
AVALON																			
1995 - 1999		25358			@	VD	✓	275.0	26.0	49.2	25196			@	SD		291.0	8.0	64.7
2000 - 2004		25358			@	VD	✓	275.0	26.0	49.2	NYA				-		-	-	-
CAMRY COUPE																			
1994 - 1996	4 Cylinder w/ Rear Drum	25357			@	VD	✓	255.0	26.0	49.2	21071				RD		228.6	230.6	71.0
	4 Cylinder w/ Rear Disc	25357			@	VD	✓	255.0	26.0	49.2	25161			@	SD	✓	269.0	9.0	64.7
	V6 w/ out ABS	25358			@	VD	✓	275.0	26.0	49.2	25161			@	SD	✓	269.0	9.0	64.7
	V6 w/ ABS	25358			@	VD	✓	275.0	26.0	49.2	25161			@	SD	✓	269.0	9.0	64.7
CAMRY SEDAN (2WD 4Cylinder)																			
1983 - 7/1986		25215			@	VD		243.0	21.0	45.4	21053				RD		200.0	201.0	66.5
8/1986 - 5/1987		25355			@	VD		255.0	21.0	48.0	21067				RD		228.6	230.6	71.0
6/1987 - 1991		25300			@	VD		255.0	24.0	47.7	21067				RD		228.6	230.6	71.0
1992 - 7/1996	w/ Rear Drum	25357			@	VD	✓	255.0	26.0	49.2	21071				RD		228.6	230.6	71.0
	w/ Rear Disc	25357			@	VD	✓	255.0	26.0	49.2	25161			@	SD	✓	269.0	9.0	64.7
8/1996 - 1999		25357			@	VD	✓	255.0	26.0	49.2	21071				RD		228.6	230.6	71.0
2000 - 2001	w/ 14" Stock Wheels	25357			@	VD	✓	255.0	26.0	49.2	21071				RD		228.6	230.6	71.0
	w/ 15" Stock Wheels	25358			@	VD	✓	275.0	26.0	49.2	21071				RD		228.6	230.6	71.0
2002 - 2004	LE; Rear Drum Brakes	25358			@	VD	✓	275.0	26.0	49.2	NYA				-		-	-	-
	SE, XLE; Rear Disc Brakes - Made in Japan	25358			@	VD	✓	275.0	26.0	49.2	NYA				-		-	-	-
	SE, XLE; Rear Disc Brakes - Made in USA	25358			@	VD	✓	275.0	26.0	49.2	NYA				-		-	-	-
CAMRY SEDAN (2WD V6)																			
1988 - 7/1989		25300			@	VD		255.0	24.0	47.7	25160			@	SD		269.0	9.0	64.5
8/1989 - 1991	w/ ABS	25356			@	VD		277.0	24.0	48.2	25160			@	SD		269.0	9.0	64.5
	w/ out ABS	25300			@	VD		255.0	24.0	47.7	25160			@	SD		269.0	9.0	64.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1992 - 7/1994		25358				@	VD	✓	275.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
8/1994 - 6/1996	w/ ABS	25358				@	VD	✓	275.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
	w/ out ABS	25358				@	VD	✓	275.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
7/1996 - 1999		25358				@	VD	✓	275.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
2000 - 2001	Made in USA	25358				@	VD	✓	275.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
	Made in Japan	25358				@	VD	✓	275.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
2002 - 01/03	LE; Made in Japan	25358				@	VD	✓	275.0	26.0	49.2	NYA					-	-	-	-	-
	LE; Made in USA	25358				@	VD	✓	275.0	26.0	49.2	NYA					-	-	-	-	-
	SE, XLE - Made in Japan; w/ Plain Hat	NYA					-	-	-	-	-	NYA					-	-	-	-	-
	SE, XLE - Made in Japan; w/ Stepped Hat	25533				@	VD		295.8	26.0	49.3	NYA					-	-	-	-	-
	SE, XLE - Made in USA; w/ Plain Hat	NYA					-	-	-	-	-	NYA					-	-	-	-	-
	SE, XLE - Made in USA; w/ Stepped Hat	25533				@	VD		295.8	26.0	49.3	NYA					-	-	-	-	-
01/03 - 2004	LE; Made in Japan	25358				@	VD	✓	275.0	26.0	49.2	NYA					-	-	-	-	-
	LE; Made in USA	25358				@	VD	✓	275.0	26.0	49.2	NYA					-	-	-	-	-
	SE, XLE - Made in Japan	25533				@	VD		295.8	26.0	49.3	NYA					-	-	-	-	-
	SE, XLE - Made in USA	25533				@	VD		295.8	26.0	49.3	NYA					-	-	-	-	-

CAMRY SEDAN ALL-TRAC

1988 - 1991		25300				@	VD		255.0	24.0	47.7	NYA					-	-	-	-	-
-------------	--	-------	--	--	--	---	----	--	-------	------	------	-----	--	--	--	--	---	---	---	---	---

CAMRY WAGON

8/1986 - 4/1987		25355				@	VD		255.0	21.0	48.0	21067					RD		228.6	230.6	71.0
5/1987 - 1991		25300				@	VD		255.0	24.0	47.7	21067					RD		228.6	230.6	71.0
1992 - 9/1993	4 Cylinder w/ Rear Drum	25357				@	VD	✓	255.0	26.0	49.2	21071					RD		228.6	230.6	71.0
	4 Cylinder w/ Rear Disc	25357				@	VD	✓	255.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
	V6	25358				@	VD	✓	275.0	26.0	49.2	25552					SD		287.8	9.0	64.8
10/1993 - 7/1994	4 Cylinder w/ Rear Drum	25357				@	VD	✓	255.0	26.0	49.2	21071					RD		228.6	230.6	71.0
	4 Cylinder w/ Rear Disc	25357				@	VD	✓	255.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
	V6 w/ out ABS	25358				@	VD	✓	275.0	26.0	49.2	25552					SD		287.8	9.0	64.8
	V6 w/ ABS	25358				@	VD	✓	275.0	26.0	49.2	25552					SD		287.8	9.0	64.8
8/1994 - 1996	4 Cylinder w/ Rear Drum	25357				@	VD	✓	255.0	26.0	49.2	21071					RD		228.6	230.6	71.0
	4 Cylinder w/ Rear Disc	25357				@	VD	✓	255.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
	V6 w/ out ABS	25358				@	VD	✓	275.0	26.0	49.2	25552					SD		287.8	9.0	64.8
	V6 w/ ABS	25358				@	VD	✓	275.0	26.0	49.2	25552					SD		287.8	9.0	64.8

CARINA

1971 - 1973		25025				@	SD		228.5	9.0	17.5	21039					RD		228.5	230.0	71.0
-------------	--	-------	--	--	--	---	----	--	-------	-----	------	-------	--	--	--	--	----	--	-------	-------	------

CELICA ALL-TRAC TURBO

1971 - 9/1975		25070					SD		218.0	9.0	30.0	21039					RD		228.5	230.0	71.0
10/1975 - 7/1981		25058				@	SD		254.0	11.5	16.0	21039					RD		228.5	230.0	71.0
8/1981 - 7/1982		25282				@	VD		258.0	19.0	26.0	21039					RD		228.5	230.0	71.0
1988 - 8/1989		25381				@	VD		255.0	24.0	46.2	NYA					-	-	-	-	-
10/1989 - 1993		25440				@	VD		277.0	23.0	46.2	NYA					-	-	-	-	-

CELICA CONVERTIBLE

8/1987 - 8/1989		25292				@	VD		243.0	21.0	47.2	21076					RD		200.0	201.0	65.5
6/1990 - 8/1991		25439				@	VD		255.0	20.0	46.0	21069					RD		200.0	201.0	65.5
9/1991 - 1993		25381				@	VD		255.0	24.0	46.2	25160				@	SD		269.0	9.0	64.5
1995 - 9/1995		25425				@	VD		275.0	26.0	49.5	25162				@	SD		269.0	9.0	64.7

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
10/1995 - 1999		25424				@	VD		279.0	20.0	52.7	25163				@	SD		269.0	8.0	64.2

CELICA GT (Excluding Convertible)

8/1981 - 7/1985		25282				@	VD		258.0	19.0	26.0	21039					RD		228.5	230.0	71.0
8/1985 - 8/1989		25292				@	VD		243.0	21.0	47.2	21076					RD		200.0	201.0	65.5
9/1989 - 7/1991		25439				@	VD		255.0	20.0	46.0	21069					RD		200.0	201.0	65.5
8/1991 - 1993		25440				@	VD		277.0	23.0	46.2	25160				@	SD		269.0	9.0	64.5
1994 - 9/1995		25425				@	VD		275.0	26.0	49.5	25162				@	SD		269.0	9.0	64.7
10/1995 - 1999		25425				@	VD		275.0	26.0	49.5	25163				@	SD		269.0	8.0	64.2
2000		25593					VD		254.8	23.0	49.3	21039					RD		228.5	230.0	71.0
2001 - 2004		25564					VD	✓	-	23.0	-	NYA					-		-	-	-

CELICA GTS

8/1981 - 7/1982		25282				@	VD		258.0	19.0	26.0	21039					RD		228.5	230.0	71.0
8/1982 - 8/1983		25282				@	VD		258.0	19.0	26.0	NYA					-		-	-	-
9/1983 - 7/1985		25282				@	VD		258.0	19.0	26.0	25379				@	VD		266.0	17.0	60.2
8/1985 - 8/1987		25371				@	VD		258.0	21.0	48.0	25160				@	SD		269.0	9.0	64.5
9/1987 - 8/1989	w/ out ABS	25371				@	VD		258.0	21.0	48.0	25160				@	SD		269.0	9.0	64.5
	w/ ABS	25381				@	VD		255.0	24.0	46.2	25160				@	SD		269.0	9.0	64.5
9/1989 - 7/1991		25439				@	VD		255.0	20.0	46.0	25160				@	SD		269.0	9.0	64.5
8/1991 - 1993		25440				@	VD		277.0	23.0	46.2	25160				@	SD		269.0	9.0	64.5
2000 - 2004		25564					VD	✓	-	23.0	-	25565					SD	✓	-	7.5	-

CELICA ST

8/1981 - 7/1985		25282				@	VD		258.0	19.0	26.0	21039					RD		228.5	230.0	71.0
8/1985 - 8/1989		25292				@	VD		243.0	21.0	47.2	21076					RD		200.0	201.0	65.5
9/1989 - 7/1991		25465				@	VD		238.0	20.0	46.2	21076					RD		200.0	201.0	65.5
8/1991 - 1993		25427				@	VD		255.0	23.0	46.2	21069					RD		200.0	201.0	65.5
1994 - 1998		25593					VD		254.8	23.0	49.3	21090					RD		200.0	201.0	65.5

COROLLA 1200 (3KC Engine)

1970 - 7/1974		25018					SD		200.0	9.0	35.7	NYA					-		-	-	-
8/1974 - 1979		25070					SD		218.0	9.0	30.0	NYA					-		-	-	-

COROLLA 1600 / 1800 (3TC / 4AC Engine)

8/1980 - 7/1983		25104				@	SD		229.0	11.5	23.0	21039					RD		228.5	230.0	71.0
-----------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

COROLLA ALL-TRAC SEDAN & WAGON

1987 - 8/1990		25510					VD		238.0	17.0	48.2	21052					RD		200.0	201.0	70.5
9/1990 - 1992		25510					VD		238.0	17.0	48.2	NYA					-		-	-	-

COROLLA COUPE (Excluding GTS)

8/1983 - 7/1987		25353				@	VD		234.0	17.0	38.0	21039					RD		228.5	230.0	71.0
8/1987 - 1991		25510					VD		238.0	17.0	48.2	21076					RD		200.0	201.0	65.5

COROLLA GTS COUPE

8/1984 - 7/1987		25353				@	VD		234.0	17.0	38.0	NYA					-		-	-	-
8/1987 - 7/1989		25510					VD		238.0	17.0	48.2	NYA					-		-	-	-
8/1989 - 1991		25580				@	VD		258.0	21.0	48.0	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------

COROLLA FX / FX-16

1987 - 1988	FX	25061				@	SD		243.0	12.5	47.4	21054					RD		200.0	201.0	66.5
	FX-16 / GTS	25421				@	VD		243.0	17.0	48.2	NYA					-		-	-	-

COROLLA SEDAN

8/1983 - 7/1987		25061				@	SD		243.0	12.5	47.4	21054					RD		200.0	201.0	66.5
8/1987 - 1992		25510					VD		238.0	17.0	48.2	21076					RD		200.0	201.0	65.5
1993 - 2002		25388				@	VD		255.0	20.0	48.2	21070					RD		200.0	201.0	65.5
2003 - 2004		25564					VD	✓	-	23.0	-	NYA					-		-	-	-

COROLLA WAGON (2WD)

8/1987 - 1992		25510					VD		238.0	17.0	48.2	21076					RD		200.0	201.0	65.5
1993 - 1997		25388				@	VD		255.0	20.0	48.2	21070					RD		200.0	201.0	65.5

CORONA

12/1967 - 1/1970		21039					FD		228.5	230.0	71.0	NYA					-		-	-	-
2/1970 - 7/1973		25025				@	SD		228.5	9.0	17.5	NYA					-		-	-	-
8/1973 - 1982		25024				@	SD		266.0	11.5	42.0	21039					RD		228.5	230.0	71.0

CRESSIDA

1977 - 8/1980		25024				@	SD		266.0	11.5	42.0	21039					RD		228.5	230.0	71.0
9/1980 - 7/1982	Sedan / Wagon	25354				@	VD		248.0	17.0	28.5	21039					RD		228.5	230.0	71.0
8/1982 - 7/1984	Sedan	25368				@	VD		248.0	21.0	28.0	NYA					-		-	-	-
	Wagon	25373				@	VD		248.0	21.0	40.0	21039					RD		228.5	230.0	71.0
8/1984 - 7/1985	Sedan	25373				@	VD		248.0	21.0	40.0	25390				@	VD		269.0	17.0	60.2
	Wagon	25373				@	VD		248.0	21.0	40.0	21039					RD		228.5	230.0	71.0
8/1985 - 7/1988	Sedan	25268				@	VD		272.0	21.0	40.0	25390				@	VD		269.0	17.0	60.2
	Wagon	25373				@	VD		248.0	21.0	40.0	21039					RD		228.5	230.0	71.0
8/1988 - 1992	w/ out ABS	25338				@	VD		279.0	21.0	68.2	25339				@	VD		272.0	17.0	70.2
	w/ ABS	25338				@	VD		279.0	21.0	68.2	25339				@	VD		272.0	17.0	70.2

CROWN

2/1971 - 1972		25024				@	SD		266.0	11.5	42.0	NYA					-		-	-	-
---------------	--	-------	--	--	--	---	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

ECHO

2000		25543	HC			@	VD		235.0	16.0	43.2	21085					RD		220.0	181.0	48.0
2001 - 2004		25645	HC			@	VD		255.0	18.0	43.3	21085					RD		220.0	181.0	48.0

MATRIX

2003 - 2004	2WD - Base & XR; Rear Drum Brakes	25564					VD	✓	-	23.0	-	NYA					-	✓	-	-	-
	2WD - XRS; Rear Disc Brakes	25564					VD	✓	-	23.0	-	25565					SD	✓	-	7.5	-
	4WD - Base & XR; Rear Drum Brakes	25564					VD	✓	-	23.0	-	NYA					-	✓	-	-	-

MR-2 / MR-2 SPYDER Exc. TURBO

1985 - 7/1986		25376				@	VD		243.0	17.0	47.2	NYA					-		-	-	-
8/1986 - 1989		25580				@	VD		258.0	21.0	48.0	NYA					-		-	-	-
01/1990 - 1992	w/ Out ABS	25627					VD		258.0	24.0	47.0	NYA					-		-	-	-
	w/ ABS	25627					VD		258.0	24.0	47.0	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1993 - 1995		25627					VD		258.0	24.0	47.0	NYA					-		-	-	-
2000 - 2002		25645	HC			@	VD		255.0	18.0	43.3	NYA					-		-	-	-
2003 - 2004		25645	HC			@	VD		255.0	18.0	43.3	NYA					-		-	-	-

MR-2 TURBO

1/1990 - 12/1991		25627					VD		258.0	24.0	47.0	NYA					-		-	-	-
1/1992 - 1995		25566					VD		-	28.0	-	25567					VD		-	21.0	-

PASEO

1992		25436				@	VD		254.0	17.0	42.8	21089					RD		180.0	181.0	80.5
1993 - 1995	w/ ABS	25436				@	VD		254.0	17.0	42.8	21089					RD		180.0	181.0	80.5
	w/ out ABS	25436				@	VD		254.0	17.0	42.8	NYA					-		-	-	-
1996 - 1999	w/ out ABS	25340				@	VD		238.0	17.0	42.8	21089					RD		180.0	181.0	80.5
	w/ ABS	25340				@	VD		238.0	17.0	42.8	NYA					-		-	-	-

PRIUS

2000 - 2003		25654					VD		255.0	20.0	49.0	NYA					-		-	-	-
2004		NYA					-		-	-	-	NYA					-		-	-	-

SOLARA

1999 - 2003	w/ Rear Drum	25358				@	VD	✓	275.0	26.0	49.2	21071					RD		228.6	230.6	71.0
	w/ Rear Disc	25358				@	VD	✓	275.0	26.0	49.2	25161				@	SD	✓	269.0	9.0	64.7
2004		NYA					-		-	-	-	NYA					-		-	-	-

STARLET

1980 - 1984		25094					SD		226.0	9.0	31.0	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	-----	------	-----	--	--	--	--	---	--	---	---	---

SUPRA

8/1981 - 12/1985		25282				@	VD		258.0	19.0	26.0	25379				@	VD		266.0	17.0	60.2
1/1986 - 1992		25336				@	VD		302.0	21.0	53.2	25472				@	VD		291.0	17.0	68.3
1993 - 1999	Excludes Turbo	25569					VD	✓	295.9	30.0	50.8	25538					VD		306.8	15.0	67.2
	Turbo (Left Side)	25570					VD	✓	323.1	28.0	49.7	25572					VD	✓	323.9	15.0	67.4
	Turbo (Right Side)	25571					VD	✓	323.1	28.0	49.7	25572					VD	✓	323.9	15.0	67.4

TERCEL SEDAN

1979 - 7/1982		25093					SD		226.0	9.0	29.8	21040					RD		180.0	181.0	80.0
8/1982 - 8/1990		25064				@	SD		243.0	10.0	39.1	21041					RD		180.0	181.0	80.0
9/1990 - 1992		25340				@	VD		238.0	17.0	42.8	21089					RD		180.0	181.0	80.5
1993 - 1999	w/ out ABS	25340				@	VD		238.0	17.0	42.8	21089					RD		180.0	181.0	80.5
	w/ ABS	25340				@	VD		238.0	17.0	42.8	NYA					-		-	-	-

TERCEL WAGON (2WD)

8/1982 - 1988		25064				@	SD		243.0	10.0	39.1	21054					RD		200.0	201.0	66.5
---------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

TERCEL WAGON (4WD)

8/1982 - 1988		25064				@	SD		243.0	10.0	39.1	21052					RD		200.0	201.0	70.5
---------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

TOYOTA TRUCK / VAN / SUV:

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
HIGHLANDER																					
2001 - 2003	AWD	25533					VD		295.8	26.0	49.3	NYA					-		-	-	-
	2WD	25533					VD		295.8	26.0	49.3	25552					SD		287.8	9.0	64.8
2004		25533					VD		295.8	26.0	49.3	NYA					-		-	-	-

LANDCRUISER

8/1980 - 9/1983	FJ 40, FJ 60, FJ 62	25374				@	VD		302.0	19.0	48.0	NYA					-		-	-	-
10/1983 - 12/1989	FJ 60, FJ 62	25374				@	VD		302.0	19.0	48.0	NYA					-		-	-	-
1/1990 - 1992	FJ 80	25404				@	VD		286.0	23.0	58.0	21123					RD		295.0	297.0	78.6
1993 - 1994	FZJ 80 w/ Rear Drum	25410		PVT		@	VD		311.0	30.0	58.0	21123					RD		295.0	297.0	78.6
	FZJ 80 w/ Rear Disc	25410		PVT		@	VD		311.0	30.0	58.0	25590					VD		-	16.0	-
1995 - 1997		25410		PVT		@	VD		311.0	30.0	58.0	25590					VD		-	16.0	-
1998 - 2003		25674				@	VD		-	30.0	-	25658					VD		-	16.0	-

PREVIA (Including AWD)

1/1990 - 4/1990	w/ Rear Drum; w/ out ABS	25428				@	VD		255.0	23.0	52.7	21125					RD		254.0		72.0
	w/ Rear Disc; w/ out ABS	25424				@	VD		279.0	20.0	52.7	25472				@	VD		291.0	17.0	68.3
	w/ Rear Disc; w/ ABS	25424				@	VD		279.0	20.0	52.7	25472				@	VD		291.0	17.0	68.3
5/1990 - 1994	w/ Rear Drum; w/ out ABS	25428				@	VD		255.0	23.0	52.7	21125					RD		254.0		72.0
	w/ Rear Disc; w/ out ABS	25424				@	VD		279.0	20.0	52.7	25472				@	VD		291.0	17.0	68.3
	w/ Rear Disc; w/ ABS	25411				@	VD		271.0	23.0	52.7	25472				@	VD		291.0	17.0	68.3
1995 - 7/1996	w/ Rear Drum; w/ out ABS	25424				@	VD		279.0	20.0	52.7	21125					RD		254.0		72.0
	w/ Rear Disc; w/ ABS	25411				@	VD		271.0	23.0	52.7	25472				@	VD		291.0	17.0	68.3
8/1996 - 1997	w/ Rear Drum; w/ out ABS	25424				@	VD		279.0	20.0	52.7	21125					RD		254.0		72.0
	w/ Rear Disc; w/ ABS	25424				@	VD		279.0	20.0	52.7	25472				@	VD		291.0	17.0	68.3

PICK-UP 1/2 TON 2WD (Excluding Turbo / Tacoma / T100)

5/1972 - 7/1974		21043					FD		254.0	255.5	78.0	21051					RD		254.0	256.0	72.0
8/1974 - 7/1978		25246				@	VD		248.0	21.0	46.0	21051					RD		254.0	256.0	72.0
8/1978 - 7/1983		25087				@	SD		266.0	11.5	42.0	21042					RD		254.0	256.0	70.5
8/1983 - 7/1985		25246				@	VD		248.0	21.0	46.0	21051					RD		254.0	256.0	72.0
8/1985 - 7/1988		25246				@	VD		248.0	21.0	46.0	21051					RD		254.0	256.0	72.0
8/1988 - 1995	RN 80 Standard; Excludes Canada	25246				@	VD		248.0	21.0	46.0	21051					RD		254.0	256.0	72.0
	Excludes USA RN 80 Standard	25384				@	VD		253.0	20.0	46.0	21051					RD		254.0	256.0	72.0

PICK-UP 3/4 TON 2WD

1978		25087				@	SD		266.0	11.5	42.0	21043					RD		254.0	255.5	78.0
1979 - 7/1983		25087				@	SD		266.0	11.5	42.0	21042					RD		254.0	256.0	70.5
8/1983 - 1984		25246				@	VD		248.0	21.0	46.0	21051					RD		254.0	256.0	72.0

PICK-UP 1 TON (Excluding 2WD Cab & Chassis / Chinook / T100)

8/1984 - 1992		25277				@	VD		257.0	24.0	46.5	21043					RD		254.0	255.5	78.0
---------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

PICK-UP 1 TON 2WD CAB & CHASSIS (Including Chinook Camper)

8/1978 - 7/1983		25214				@	VD		252.0	18.7	26.0	21043					RD		254.0	255.5	78.0
8/1984 - 7/1985		25277				@	VD		257.0	24.0	46.5	21068					RD		254.0	256.0	86.5
8/1985 - 7/1986	w/ SRW	25277				@	VD		257.0	24.0	46.5	21043					RD		254.0	255.5	78.0
	w/ DRW	25277				@	VD		257.0	24.0	46.5	21068					RD		254.0	256.0	86.5
8/1986 - 7/1988	w/ SRW	25277				@	VD		257.0	24.0	46.5	21043					RD		254.0	255.5	78.0
	w/ DRW	25426				@	VD		256.5	24.0	45.5	21068					RD		254.0	256.0	86.5

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
8/1988 - 1990	w/ SRW	25277				@	VD		257.0	24.0	46.5	21043					RD		254.0	255.5	78.0
	w/ DRW	25441				@	VD		262.0	28.0	60.0	21068					RD		254.0	256.0	86.5
1991 - 1993		25441				@	VD		262.0	28.0	60.0	21068					RD		254.0	256.0	86.5

PICK-UP 2WD TURBO

1/1985 - 8/1988		25246				@	VD		248.0	21.0	46.0	21051					RD		254.0	256.0	72.0
-----------------	--	-------	--	--	--	---	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

PICK-UP 4WD (Including Cab & Chassis)(Excluding Tacoma & Turbo)

1979 - 7/1980		25102					SD		302.0	11.5	48.0	21050					RD		254.0	256.0	77.5
8/1980 - 7/1985		25103					SD		302.0	11.5	48.0	21050					RD		254.0	256.0	77.5
8/1985 - 10/1987		25508					VD		289.0	18.0	64.5	21080					RD		295.0	297.0	83.0
11/1987 - 7/1988	4 Cylinder	25508					VD		289.0	18.0	64.5	21080					RD		295.0	297.0	83.0
	6 Cylinder	25508					VD		289.0	18.0	64.5	21080					RD		295.0	297.0	83.0
8/1988 - 1995		25508					VD		289.0	18.0	64.5	21080					RD		295.0	297.0	83.0

PICK-UP 4WD TURBO

1985		25103					SD		302.0	11.5	48.0	21050					RD		254.0	256.0	77.5
1986 - 1988		25508					VD		289.0	18.0	64.5	21080					RD		295.0	297.0	83.0

RAV 4

11/1995 - 2000		25487				@	VD		302.0	16.0	46.2	21108					RD		228.6	230.6	64.0
2001 - 2003		25679					VD		-	23.0	-	21108					RD		228.6	230.6	64.0
2004	Rear Drum Brakes - CANADA	25679					VD		-	23.0	-	21108					RD		228.6	230.6	64.0
	Rear Disc Brakes - USA	25679					VD		-	23.0	-	NYA					-		-	-	-

SEQUOIA

2001 - 2004		25534					VD		318.8	26.0	70.2	25676					VD			16.0	
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	--	--	------	--

SIENNA

1998 - 2003		25358				@	VD	✓	275.0	26.0	49.2	NYA					-		-	-	-
2004	Rear Drum	NYA					-		-	-	-	NYA					-		-	-	-
	Rear Disc	NYA					-		-	-	-	NYA					-		-	-	-

TACOMA 2WD

1995 - 1/1998		25489				@	VD		254.0	20.0	41.0	21051					RD		254.0	256.0	72.0
2/1998 - 2003	Excludes Pre-Runner	25489				@	VD		254.0	20.0	41.0	21120					RD		254.0	256.0	72.4
	Pre-Runner	25513					VD	✓	296.8	20.0	70.3	21080					RD		295.0	297.0	83.0
2004	2.4L 4 Cylinder	25489				@	VD		254.0	20.0	41.0	21051					RD		254.0	256.0	72.0
	2.7L 4 Cylinder & 3.4L V6; Excludes V6 PreRunner w/ VSC	25513					VD	✓	296.8	20.0	70.3	21080					RD		295.0	297.0	83.0
	V6 Pre-Runner w/ VSC	25488				@	VD	✓	319.0	20.0	70.2	21080					RD		295.0	297.0	83.0

TACOMA 4WD

1995 - 2003		25513					VD	✓	296.8	20.0	70.3	21080					RD		295.0	297.0	83.0
2004	Excludes V6 w. VSC	25513					VD	✓	296.8	20.0	70.3	21080					RD		295.0	297.0	83.0
	V6 w/ VSC	25488				@	VD	✓	319.0	20.0	70.2	21080					RD		295.0	297.0	83.0

TUNDRA 2WD

1999 - 2004		25534					VD		318.8	26.0	70.2	21080					RD		295.0	297.0	83.0
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
T100 PICK-UP 2WD																			
1993 - 1999	1/2 Ton	25547				VD		280.0	23.0	45.4	21080				RD		295.0	297.0	83.0
T100 PICK-UP 4WD																			
1993 - 1999		25389			@	VD		291.0	23.0	65.8	21080				RD		295.0	297.0	83.0
VAN 2WD																			
1984 - 7/1985		25372			@	VD		255.0	19.0	43.6	NYA				-		-	-	-
8/1985 - 1/1990		25278			@	VD		255.0	19.0	41.7	NYA				-		-	-	-
VAN 4WD																			
1986 - 1/1990		25429			@	VD		261.0	24.0	45.0	21116				RD		254.0	256.0	91.0
4RUNNER 2WD																			
1989 - 5/1991		25508				VD		289.0	18.0	64.5	21080				RD		295.0	297.0	83.0
6/1991 - 10/1995		25389			@	VD		291.0	23.0	65.8	21080				RD		295.0	297.0	83.0
11/1995 - 2002	Excludes w/ 16" Stock Wheels or Luxury Edition	25513				VD	✓	296.8	20.0	70.3	21080				RD		295.0	297.0	83.0
	w/ 16" Stock Wheels or Luxury Edition	25488			@	VD	✓	319.0	20.0	70.2	21080				RD		295.0	297.0	83.0
2003 - 2004	16" Wheels	NYA				-		-	-	-	25676				VD				
	17" Wheels	NYA				-		-	-	-	25676				VD				
4RUNNER 4WD (Excluding Turbo)																			
8/1983 - 7/1985		25103				SD		302.0	11.5	48.0	21050				RD		254.0	256.0	77.5
8/1985 - 10/1987		25508				VD		289.0	18.0	64.5	21080				RD		295.0	297.0	83.0
11/1987 - 7/1988	4 Cylinder	25508				VD		289.0	18.0	64.5	21080				RD		295.0	297.0	83.0
	V6	25508				VD		289.0	18.0	64.5	21080				RD		295.0	297.0	83.0
8/1988 - 5/1991		25508				VD		289.0	18.0	64.5	21080				RD		295.0	297.0	83.0
6/1991 - 10/1995		25389			@	VD		291.0	23.0	65.8	21080				RD		295.0	297.0	83.0
11/1995 - 2002	Excludes w/ 16" Stock Wheels or Luxury Edition	25513				VD	✓	296.8	20.0	70.3	21080				RD		295.0	297.0	83.0
	w/ 16" Stock Wheels or Luxury Edition	25488			@	VD	✓	319.0	20.0	70.2	21080				RD		295.0	297.0	83.0
2003 - 2004	16" Wheels	NYA				-		-	-	-	25676				VD				
	17" Wheels	NYA				-		-	-	-	25676				VD				
4RUNNER 4WD TURBO																			
1986 - 1987		25508				VD		289.0	18.0	64.5	21080				RD		295.0	297.0	83.0
TRIUMPH:																			
HERALD																			
1962 - 1971	1200 & 13/60	25011			@	SD		232.0	8.3	26.2	NYA				-		-	-	-
1963 - 1971	Dec-50	25011			@	SD		232.0	8.3	26.2	NYA				-		-	-	-
SPITFIRE MK I-II-III																			
1962 - 1980		25011			@	SD		232.0	8.3	26.2	NYA				-		-	-	-
TR																			
1963 - 1975	3 / 4 / 5 / 6	25012			@	SD		275.0	11.4	38.0	21109				RD		228.6	230.0	60.0
1975 - 1981	7	25168				SD		241.0	8.5	57.6	NYA				-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKTI	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
VITESSE 1.6																					
1962 - 1966		25011				@	SD		232.0	8.3	26.2	NYA					-		-	-	-

VOLKSWAGEN:
CABRIOLET / CABRIO

1/1984 - 1993		25243			SK	@	VD	✓	239.0	18.0	38.7	21023					RD		180.0	181.0	75.0
1994 - 1998		25499					VD	✓	256.0	18.0	38.7	21022					RD		200.0	201.0	81.0
1999 - 2002	w/ Rear Drum	25499					VD	✓	256.0	18.0	38.7	21072					RD		200.0	201.0	81.0
	w/ Rear Disc	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2

CORRADO G60 / SLC

1989 - 1991	1.8L	25431			SK	@	VD		280.0	20.0	39.2	25121					SD	✓	226.0	8.0	71.2
1992 - 1995	2.8L	25345	HC		SK		VD	✓	280.0	20.0	28.2	25122					SD	✓	226.0	8.0	71.2

EUROVAN

10/1991 - 7/1993		25342					VD		280.0	20.0	64.7	21078					RD		268.0	270.0	87.0
7/1993 - 7/1994	w/ Girling Mark II Front Caliper	25176					SD		282.0	15.0	64.7	21078					RD		268.0	270.0	87.0
	w/ Girling Framed Front Caliper	25342					VD		280.0	20.0	64.7	21078					RD		268.0	270.0	87.0
7/1994 - 7/1995	w/ Girling Mark II Front Caliper	25176					SD		282.0	15.0	64.7	21078					RD		268.0	270.0	87.0
	w/ Girling Framed Front Caliper	25342					VD		280.0	20.0	64.7	21078					RD		268.0	270.0	87.0
7/1995 - 12/1995	w/ Girling Mark II Front Caliper	25176					SD		282.0	15.0	64.7	21078					RD		268.0	270.0	87.0
	w/ Girling Framed Front Caliper	25342					VD		280.0	20.0	64.7	21078					RD		268.0	270.0	87.0
4/1996 - 1999	w/ Front Disc & Girling Mark II Front Caliper	25202					SD		282.0	15.0	55.2	25206				@	SD		280.0	10.0	40.3
	w/ Front Disc & Girling Framed Front Caliper	25482					VD		280.0	20.0	55.2	25206				@	SD		280.0	10.0	40.3
	w/ Front Disc & ATE Mark II Front Caliper	25482					VD		280.0	20.0	55.2	25206				@	SD		280.0	10.0	40.3
2000	Solid Front Disc; Lucas Front Caliper	25202					SD		282.0	15.0	55.2	25206				@	SD		280.0	10.0	40.3
	Vented Front Disc; ATE Front Caliper	25482					VD		280.0	20.0	55.2	25206				@	SD		280.0	10.0	40.3
2001 - 2003		NYA					-		-	-	-	NYA					-		-	-	-

FOX

1987 - 1993	Sedan	25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
	1987 - 1990 Wagon	25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0

GOLF (Excluding GT / Gti)

1985 - 3/1989		25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
3/1989 - 5/1990		25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
5/1990 - 7/1991		25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
7/1991 - 6/1992		25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
5/1992 - 4/1995	1.8L Gas / 1.9 Diesel - Canada Only	25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
	2.0L Gas w/ Rear Drum	25499					VD	✓	256.0	18.0	38.7	21072					RD		200.0	201.0	81.0
4/1995 - 9/1996	2.0L Gas w/ Rear Disc	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
	1.8L Gas / 1.9 Diesel - Canada Only	25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
	2.0L Gas w/ Rear Drum	25499					VD	✓	256.0	18.0	38.7	21072					RD		200.0	201.0	81.0
1997 - 1998	2.0L Gas w/ Rear Disc	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
	1.8L Gas / 1.9 Diesel - Canada Only	25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
1999 - 2005	1.9 Turbo Diesel	25499					VD	✓	256.0	18.0	38.7	21072					RD		200.0	201.0	81.0
	1.9L / 2.0L	25536					VD	✓	280.0	19.0	36.8	25203			SK	@	SD	✓	232.0	7.0	39.3

GOLF GT

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK?	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOK?	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1987 - 1989		25243			SK	@	VD	✓	239.0	18.0	38.7	21023					RD	✓	180.0	181.0	75.0

GOLF Gti

1985 - 7/1989		25243			SK	@	VD	✓	239.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
8/1989 - 6/1992	8V	25243			SK	@	VD	✓	239.0	18.0	38.7	21072					RD		200.0	201.0	81.0
	16V	25243			SK	@	VD	✓	239.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
5/1992 - 6/1994	8V	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
4/1994 - 7/1995	2.0L 4 Cylinder	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
	VR6	25345	HC		SK		VD	✓	280.0	20.0	28.2	25122					SD	✓	226.0	8.0	71.2
8/1995 - 1998	2.0L 4 Cylinder	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
	VR6	25433	HC		SK		VD	✓	288.0	23.0	28.2	25122					SD	✓	226.0	8.0	71.2
1999 - 2002	VR6	25503	HC		SK		VD	✓	288.0	22.0	34.2	25203			SK	@	SD	✓	232.0	7.0	39.3
	1.9L / 2.0L	25536					VD	✓	280.0	19.0	36.8	25203			SK	@	SD	✓	232.0	7.0	39.3
2003 - 2005	1.8 Turbo, 2.8 VR6; Solid Rear Discs	25536					VD	✓	280.0	19.0	36.8	25203			SK	@	SD	✓	232.0	7.0	39.3
	1.8 Turbo; Vented Rear Discs	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	NYA					-		-	-	-

GOLF R32 (AWD)

2004 - 2005		NYA					-		-	-	-	NYA					-		-	-	-
-------------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

JETTA / CARAT / GL / GLS (Excluding Gli / GLX VR6)

1981 - 1989		25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
1990 - 7/1992	Gas Engine w/ Rear Drum	25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
	Diesel Engine w/ Rear Drum	25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
	w/ Rear Disc; w/ out ABS	25088			SK	@	SD	✓	239.0	10.0	35.0	25121					SD	✓	226.0	8.0	71.2
	w/ Rear Disc; w/ ABS	25243			SK	@	VD	✓	239.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
5/1992 - 4/1995	1.8L Gas / 1.9L Diesel - Canada Only	25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
	2.0L Gas w/ Rear Drum	25499					VD	✓	256.0	18.0	38.7	21072					RD		200.0	201.0	81.0
	2.0L Gas w/ Rear Disc	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
4/1995 - 1996	1.8L Gas / 1.9L Diesel - Canada Only	25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
	GL 1.9L Diesel	25128			SK	@	SD	✓	256.0	11.0	39.2	21072					RD		200.0	201.0	81.0
	2.0L Gas w/ Rear Drum	25499					VD	✓	256.0	18.0	38.7	21072					RD		200.0	201.0	81.0
	2.0L Gas w/ Rear Disc	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
1997 - 1998	GL 1.9L Turbo Diesel	25499					VD	✓	256.0	18.0	38.7	21072					RD		200.0	201.0	81.0
	GL 1.9L Diesel	25088			SK	@	SD	✓	239.0	10.0	35.0	21072					RD		200.0	201.0	81.0
	GL / GLS 2.0L w/ Rear Drum	25499					VD	✓	256.0	18.0	38.7	21072					RD		200.0	201.0	81.0
	GT / GLS w/ Rear Disc	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
1999 - 2003		25536				VD	✓	280.0	19.0	36.8	25203			SK	@	SD	✓	232.0	7.0	39.3	

JETTA Gli

1984		25243			SK	@	VD	✓	239.0	18.0	38.7	21023					RD		180.0	181.0	75.0
1985 - 9/1988		25243			SK	@	VD	✓	239.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
10/1988 - 1994		25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2

JETTA GLX VR6

1994 - 1995		25345	HC		SK		VD	✓	280.0	20.0	28.2	25122					SD	✓	226.0	8.0	71.2
1996 - 1998		25433	HC		SK		VD	✓	288.0	23.0	28.2	25122					SD	✓	226.0	8.0	71.2
1999 - 2004		25503	HC		SK		VD	✓	288.0	22.0	34.2	25203			SK	@	SD	✓	232.0	7.0	39.3
2005	Solid Rear Discs	25536					VD	✓	280.0	19.0	36.8	25203			SK	@	SD	✓	232.0	7.0	39.3
	GLI - Vented Rear Discs	25582	HC		SK	@	VD	✓	312.0	23.0	34.2	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SFOKT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
NEW BEETLE																					
1998 - 2005	Non Turbo	25536					VD	✓	280.0	19.0	36.8	25203			SK	@	SD	✓	232.0	7.0	39.3
	1.8L Turbo	25503	HC		SK		VD	✓	288.0	22.0	34.2	25203			SK	@	SD	✓	232.0	7.0	39.3
PASSAT - Excludes Syncro																					
1990 - 1991		25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
1992 - 1997	1.9L Diesel - Canada Only	25128			SK	@	SD		256.0	11.0	39.2	NYA					-		-	-	-
	4 Cylinder Gas	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2
	VR6	25345	HC		SK		VD	✓	280.0	20.0	28.2	25122					SD	✓	226.0	8.0	71.2
1998 - 2002	Diesel	25484	HC				VD		280.0	20.0	46.2	25175				@	SD	✓	245.0	8.0	63.9
	Gas	25483	HC				VD	✓	282.3	23.0	46.2	25175				@	SD	✓	245.0	8.0	63.9
PASSAT SYNCRO																					
1991 - 1993	Canada Only	25431			SK	@	VD		280.0	20.0	39.2	25046			SK	@	SD		239.0	8.0	38.6
1999 - 2001		NYA					-		-	-	-	25596					SD		244.9	8.0	47.8
QUANTUM																					
1981 - 8/1984		25088			SK	@	SD	✓	239.0	10.0	35.0	21022					RD		200.0	201.0	81.0
9/1984 - 1988	Excludes Syncro	25088			SK	@	SD	✓	239.0	10.0	35.0	21022					RD		200.0	201.0	81.0
	Syncro	25499					VD	✓	256.0	18.0	38.7	25046			SK	@	SD		239.0	8.0	38.6
RABBIT (Excluding Convertible)																					
1974 - 7/1976	w/ Front Drum	NYA					-		-	-	-	21023					RD		180.0	181.0	75.0
	w/ Sensor	NYA					-		-	-	-	21023					RD		180.0	181.0	75.0
	w/ out Sensor	25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
8/1976 - 7/1980		NYA					-		-	-	-	21023					RD		180.0	181.0	75.0
	w/ out Sensor	25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
8/1980 - 1984		25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
RABBIT CONVERTIBLE																					
1980 - 7/1980	w/ Sensor	NYA					-		-	-	-	21023					RD		180.0	181.0	75.0
	w/ out Sensor	25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
8/1980 - 12/1983		25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
1/1984 - 1984		25243			SK	@	VD	✓	239.0	18.0	38.7	21023					RD		180.0	181.0	75.0
RABBIT Gti																					
1983 - 1984		25243			SK	@	VD	✓	239.0	18.0	38.7	21023					RD		180.0	181.0	75.0
RABBIT PICK-UP																					
8/1980 - 1984		25088			SK	@	SD	✓	239.0	10.0	35.0	21022					RD		200.0	201.0	81.0
SCIROCCO																					
1974 - 7/1980	w/ Sensor	NYA					-		-	-	-	21023					RD		180.0	181.0	75.0
	w/ out Sensor	25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
8/1980 - 12/1983		25088			SK	@	SD	✓	239.0	10.0	35.0	21023					RD		180.0	181.0	75.0
1/1984 - 1984		25243			SK	@	VD	✓	239.0	18.0	38.7	21023					RD		180.0	181.0	75.0
1985		25243			SK	@	VD	✓	239.0	18.0	38.7	21023					RD		180.0	181.0	75.0
1986 - 1989	8V	25243			SK	@	VD	✓	239.0	18.0	38.7	21023					RD		180.0	181.0	75.0
	16V	25499					VD	✓	256.0	18.0	38.7	25121					SD	✓	226.0	8.0	71.2

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPORT	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
-------------------------	-------	----------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------	---------------------	----	-----	-------	--------	------	-------	-----------------------	--------------------------------	-------------------------

VANAGON / VANAGON SYNCRO

1983 - 7/195		25055					SD		278.0	11.0	118.6	21061					RD		252.0	253.5	78.0
8/1985 - 1992	2WD	25130					SD		258.0	13.0	92.1	21061					RD		252.0	253.5	78.0
	4WD	25145					SD		258.0	13.0	57.5	21061					RD		252.0	253.5	78.0

TYPE 1 BEETLE (Excluding Super Beetle)

1958 - 7/1964		NYA					-		-	-	-	21086					RD		230.0	231.5	82.0
8/1964 - 7/1967		NYA					-		-	-	-	21086					RD		230.0	231.5	82.0
8/1967 - 1977		21019					FD		230.2	231.0	90.0	21020					RD		230.0	231.5	94.5

TYPE 1 KARMANN GHIA

1958 - 1964		NYA					-		-	-	-	21083					RD		254.0	255.5	80.0
1965 - 1972	w/ Front Drum	NYA					-		-	-	-	21086					RD		230.0	231.5	82.0
	w/ Front Disc	25047					SD		278.0	8.0	83.8	21020					RD		230.0	231.5	94.5
1973 - 1974		25047					SD		278.0	8.0	83.8	21020					RD		230.0	231.5	94.5

TYPE 1 SUPER BEETLE

1971 - 1979		21021					FD		248.1	249.5	89.3	21020					RD		230.0	231.5	94.5
-------------	--	-------	--	--	--	--	----	--	-------	-------	------	-------	--	--	--	--	----	--	-------	-------	------

TYPE 1 THING

1973 - 1974		21100					FD		230.0	231.5	88.5	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	-------	------	-----	--	--	--	--	---	--	---	---	---

TYPE 2 TRANSPORTER / VANAGON

8/1970 - 7/1972		NYA					-		-	-	-	21062					RD		252.0	253.5	77.5
8/1972 - 4/1979		25037					SD		278.0	11.0	86.0	21062					RD		252.0	253.5	77.5
5/1979 - 1983		25055					SD		278.0	11.0	118.6	21061					RD		252.0	253.5	78.0

TYPE 3 FASTBACK / SQUAREBACK

8/1965 - 3/1971		25047					SD		278.0	8.0	83.8	NYA					-		-	-	-
-----------------	--	-------	--	--	--	--	----	--	-------	-----	------	-----	--	--	--	--	---	--	---	---	---

TYPE 3 SEDAN

8/1965 - 3/1971		25047					SD		278.0	8.0	83.8	NYA					-		-	-	-
-----------------	--	-------	--	--	--	--	----	--	-------	-----	------	-----	--	--	--	--	---	--	---	---	---

DASHER

1973 - 1981		25088			SK	@	SD	✓	239.0	10.0	35.0	21022					RD		200.0	201.0	81.0
-------------	--	-------	--	--	----	---	----	---	-------	------	------	-------	--	--	--	--	----	--	-------	-------	------

VOLVO:

P 1800 / E / ES

9/1971 - 1973		25016			SK	@	SD		272.0	11.4	69.1	25019			SK	@	SD		295.0	8.6	88.3
---------------	--	-------	--	--	----	---	----	--	-------	------	------	-------	--	--	----	---	----	--	-------	-----	------

140 SERIES

1967 - 1970		25016			SK	@	SD		272.0	11.4	69.1	25019			SK	@	SD		295.0	8.6	88.3
1971 - 1972	Carbureted	25016			SK	@	SD		272.0	11.4	69.1	25019			SK	@	SD		295.0	8.6	88.3
	Fuel Injected	25036			SK	@	SD		272.0	13.1	71.1	25019			SK	@	SD		295.0	8.6	88.3
1973		25036			SK	@	SD		272.0	13.1	71.1	25019			SK	@	SD		295.0	8.6	88.3

160 SERIES

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
1968 - 8/1969	w/ ATE System	25036			SK	@	SD		272.0	13.1	71.1	25019			SK	@	SD		295.0	8.6	88.3
	w/ Girling System	25016			SK	@	SD		272.0	11.4	69.1	25019			SK	@	SD		295.0	8.6	88.3
6/1969 - 1972		25016			SK	@	SD		272.0	11.4	69.1	25019			SK	@	SD		295.0	8.6	88.3

164 E

1972 - 7/1974		25213			SK	@	VD		272.5	22.8	63.0	25019			SK	@	SD		295.0	8.6	88.3
8/1974 - 1975		25213			SK	@	VD		272.5	22.8	63.0	25072			SK	@	SD		281.0	8.4	73.2

240 / 242 / 244 / 245 SERIES DL / GL / GLE / GLT / GT w/ GAS ENGINE

1975 - 7/1975	w/ ATE System; w/ Vented Front Disc	25226			SK	@	VD		263.0	22.8	64.3	25072			SK	@	SD		281.0	8.4	73.2
	w/ ATE System; w/ Solid Front Disc	25119			SK	@	SD		263.0	12.7	65.0	25072			SK	@	SD		281.0	8.4	73.2
	w/ Girling System; w/ Vented Front Disc	25242			SK	@	VD		263.0	20.4	67.3	25072			SK	@	SD		281.0	8.4	73.2
	w/ Girling System; w/ Solid Front Disc	25119			SK	@	SD		263.0	12.7	65.0	25072			SK	@	SD		281.0	8.4	73.2
8/1975 - 1987	w/ Vented Front Disc	25242			SK	@	VD		263.0	20.4	67.3	25072			SK	@	SD		281.0	8.4	73.2
	w/ Solid Front Disc	25119			SK	@	SD		263.0	12.7	65.0	25072			SK	@	SD		281.0	8.4	73.2
1988 - 1993		25242			SK	@	VD		263.0	20.4	67.3	25072			SK	@	SD		281.0	8.4	73.2

240 / 242 / 245 SERIES DIESEL ENGINE

1979 - 1985		25119			SK	@	SD		263.0	12.7	65.0	25072			SK	@	SD		281.0	8.4	73.2
-------------	--	-------	--	--	----	---	----	--	-------	------	------	-------	--	--	----	---	----	--	-------	-----	------

260 SERIES GLE / BERTONE / COUPE

8/1975 - 1983		25242			SK	@	VD		263.0	20.4	67.3	25072			SK	@	SD		281.0	8.4	73.2
---------------	--	-------	--	--	----	---	----	--	-------	------	------	-------	--	--	----	---	----	--	-------	-----	------

740 / 760 SERIES

1983 - 1984	w/ 261mm Front Solid Disc; w/ out ABS	25114					SD		280.0	11.5	71.5	25072			SK	@	SD		281.0	8.4	73.2
	w/ 261mm Front Vented Disc; w/ out ABS	25244					HR		262.0	20.0	70.0	25072			SK	@	SD		281.0	8.4	73.2
	w/ 287mm Front Vented Disc; w/ out ABS	25247					HR		287.0	20.0	70.0	25072			SK	@	SD		281.0	8.4	73.2
	w/ ABS	NYA					-		-	-	-	25072			SK	@	SD		281.0	8.4	73.2
1985 - 1987	w/ out ABS	25244					HR		262.0	20.0	70.0	25072			SK	@	SD		281.0	8.4	73.2
	w/ ABS	NYA					-		-	-	-	25072			SK	@	SD		281.0	8.4	73.2
1988 - 1990	w/ ATE System; w/ out ABS	25291			SK	@	VD		262.0	20.0	56.0	25072			SK	@	SD		281.0	8.4	73.2
	w/ Girling System; w/ out ABS	25291			SK	@	VD		262.0	20.0	56.0	25137			SK	@	SD		265.0	8.0	53.0
	w/ ATE System; w/ ABS	25287			SK	@	VD		287.0	20.0	56.0	25072			SK	@	SD		281.0	8.4	73.2
	w/ Girling System; w/ ABS	25287			SK	@	VD		287.0	20.0	56.0	25137			SK	@	SD		265.0	8.0	53.0
1991 - 1993	w/ out ABS	25287			SK	@	VD		287.0	20.0	56.0	25072			SK	@	SD		281.0	8.4	73.2
	w/ ABS	25321			SK	@	VD		280.0	24.0	56.3	25072			SK	@	SD		281.0	8.4	73.2

780 SERIES

1986 - 1987		25287			SK	@	VD		287.0	20.0	56.0	25072			SK	@	SD		281.0	8.4	73.2
1988 - 1990		25287			SK	@	VD		287.0	20.0	56.0	25137			SK	@	SD		265.0	8.0	53.0
1991	Bendix / DBA	25287			SK	@	VD		287.0	20.0	56.0	25137			SK	@	SD		265.0	8.0	53.0
	Girling	25321			SK	@	VD		280.0	24.0	56.3	25137			SK	@	SD		265.0	8.0	53.0

850 SERIES

1993	4 Lug	25343			SK	@	VD		280.0	23.0	50.3	25156			SK	@	SD		295.0	8.4	72.0
1994 - 1998	5 Lug	25344			SK	@	VD		280.0	23.0	50.3	25157			SK	@	SD		295.0	8.4	72.0

940 / 960 SERIES

1991	w/ out ABS & IRS	25287			SK	@	VD		287.0	20.0	56.0	25072			SK	@	SD		281.0	8.4	73.2
------	------------------	-------	--	--	----	---	----	--	-------	------	------	-------	--	--	----	---	----	--	-------	-----	------

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	w/ out ABS; w/ IRS	25287			SK	@	VD		287.0	20.0	56.0	25137			SK	@	SD		265.0	8.0	53.0
	w/ ABS & IRS	25321			SK	@	VD		280.0	24.0	56.3	25137			SK	@	SD		265.0	8.0	53.0
	w/ ABS; w/ out IRS	25321			SK	@	VD		280.0	24.0	56.3	25072			SK	@	SD		281.0	8.4	73.2
1992 - 1993	w/ IRS	25321			SK	@	VD		280.0	24.0	56.3	25137			SK	@	SD		265.0	8.0	53.0
	w/ out IRS	25321			SK	@	VD		280.0	24.0	56.3	25072			SK	@	SD		281.0	8.4	73.2
1994	Girling System w/ IRS	25321			SK	@	VD		280.0	24.0	56.3	25137			SK	@	SD		265.0	8.0	53.0
	ATE System w/ out IRS	25321			SK	@	VD		280.0	24.0	56.3	25072			SK	@	SD		281.0	8.4	73.2
1995 - 1997	940 Series w/ Girling System & IRS	25321			SK	@	VD		280.0	24.0	56.3	25209			SK	@	SD		265.0	8.4	71.0
	940 Series w/ ATE System; w/ out IRS	25321			SK	@	VD		280.0	24.0	56.3	25072			SK	@	SD		281.0	8.4	73.2
	960 Series w/ Girling System & IRS	25344			SK	@	VD		280.0	23.0	50.3	25209			SK	@	SD		265.0	8.4	71.0
	960 Series w/ ATE System; w/ out IRS	25344			SK	@	VD		280.0	23.0	50.3	25072			SK	@	SD		281.0	8.4	73.2

C70

1998 - 2002	15" Wheels	25344			SK	@	VD		280.0	23.0	50.3	25157			SK	@	SD		295.0	8.4	72.0
	16" Wheels	25647					VD					25157			SK	@	SD		295.0	8.4	72.0
2003		25647					VD					25157			SK	@	SD		295.0	8.4	72.0

S40 SEDAN

2000	To Chassis #426760	NYA					-		-	-	-	NYA					-		-	-	-
	From Chassis #426761	NYA					-		-	-	-	NYA					-		-	-	-
2001 - 2003		NYA					-		-	-	-	NYA					-		-	-	-

S60 SEDAN

2001 - 2003	Exc. T5	NYA					-		-	-	-	NYA					-		-	-	-
	T5	25659					VD		286.0	23.0	50.4	NYA					-		-	-	-

S70 SEDAN

1998	15" Wheels	25344			SK	@	VD		280.0	23.0	50.3	25157			SK	@	SD		295.0	8.4	72.0
	16" Wheels	25647					VD					25157			SK	@	SD		295.0	8.4	72.0
1999 - 2000	2WD; 15" Wheels	25344			SK	@	VD		280.0	23.0	50.3	25157			SK	@	SD		295.0	8.4	72.0
	2WD; 16" Wheels	25647					VD					25157			SK	@	SD		295.0	8.4	72.0
	AWD; 15" Wheels; To Chassis #596635	25344			SK	@	VD		280.0	23.0	50.3	NYA					-		-	-	-
	AWD; 15" Wheels; From Chassis #596636	25344			SK	@	VD		280.0	23.0	50.3	NYA					-		-	-	-
	AWD; 16" Wheels; To Chassis #596635	25647					VD					NYA					-		-	-	-
	AWD; 16" Wheels; From Chassis #596636	25647					VD					NYA					-		-	-	-

S80

1999 - 2003		25659					VD		286.0	23.0	50.4	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

S90 SEDAN

1997 - 1998		25344			SK	@	VD		280.0	23.0	50.3	NYA					-		-	-	-
-------------	--	-------	--	--	----	---	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

V40 WAGON

2000 - 2003		NYA					-		-	-	-	NYA					-		-	-	-
-------------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

V70 WAGON 2WD

1998 - 2000	15" Wheels	25344			SK	@	VD		280.0	23.0	50.3	25157			SK	@	SD		295.0	8.4	72.0
	16" Wheels	25647					VD					25157			SK	@	SD		295.0	8.4	72.0
2001 - 2003	Exc. T5	NYA					-		-	-	-	NYA					-		-	-	-

Make Model, Year (s)	Notes	Front Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)	Rear Disc / Drum	HC	PVT	Screw	Ground	Type	SPOKE	Overall Dia. (mm.)	Min. Thick./ Max Dia. (mm.)	Overall Height (mm.)
	15	25659					VD		286.0	23.0	50.4	NYA					-		-	-	-

V70 WAGON AWD - Exc. R, XC

1998	15" Wheels	25344			SK	@	VD		280.0	23.0	50.3	NYA					-		-	-	-
	16" Wheels	25647					VD			23.0		NYA					-		-	-	-
1999 - 2000	15" Wheels; To Chassis #588639	25344			SK	@	VD		280.0	23.0	50.3	NYA					-		-	-	-
	15" Wheels; From Chassis #588640	25344			SK	@	VD		280.0	23.0	50.3	NYA					-		-	-	-
	16" Wheels; To Chassis #588639	25647					VD			23.0		NYA					-		-	-	-
	16" Wheels; From Chassis #588640	25647					VD			23.0		NYA					-		-	-	-

V70 R AWD

1998		25647					VD			23.0		NYA					-		-	-	-
1999	To Chassis #587441	25647					VD			23.0		NYA					-		-	-	-
	From Chassis #587442	25647					VD			23.0		NYA					-		-	-	-
2000		25647					VD			23.0		NYA					-		-	-	-

V70 XC WAGON AWD

1998	15" Wheels	25344			SK	@	VD		280.0	23.0	50.3	NYA					-		-	-	-
	16" Wheels	25647					VD			23.0		NYA					-		-	-	-
1999 - 2000	15" Wheels; To Chassis #587441	25344			SK	@	VD		280.0	23.0	50.3	NYA					-		-	-	-
	16" Wheels; From Chassis #587442	25647					VD			23.0		NYA					-		-	-	-
2001 - 2002		NYA					-		-	-	-	NYA					-		-	-	-

V90 WAGON

1997 - 1998		25344			SK	@	VD		280.0	23.0	50.3	NYA					-		-	-	-
-------------	--	-------	--	--	----	---	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

XC70 WAGON AWD

2003		NYA					-		-	-	-	NYA					-		-	-	-
------	--	-----	--	--	--	--	---	--	---	---	---	-----	--	--	--	--	---	--	---	---	---

XC90 WAGON AWD

2003	2.5L Turbo	NYA					-		-	-	-	NYA					-		-	-	-
	3.0L; 6 Cylinder; Turbo	NYA					-		-	-	-	NYA					-		-	-	-

WINNEBAGO:

CENTURI / LE SHARO / UTILITY VAN (RENAULT CHASSIS)

1985 - 1990		25224					VD		252.0	22.0	53.5	NYA					-		-	-	-
-------------	--	-------	--	--	--	--	----	--	-------	------	------	-----	--	--	--	--	---	--	---	---	---

YUGO:

GV / GVL / GVX / GV PLUS

1986 - 1990		25073					SD		227.0	9.0	45.8	21001					RD		185.3	186.8	53.1
-------------	--	-------	--	--	--	--	----	--	-------	-----	------	-------	--	--	--	--	----	--	-------	-------	------