

CRAGAR[®] Limited Warranty

CRAGAR Forged Alloys warrants to the original retail purchaser that Wheels manufactured by CRAGAR Forged Alloys will be free from structural failure, under normal and intended use for a period of (3) years from original purchase date, on all street legal wheels manufactured after January 1, 1999. CRAGAR Forged Alloys further warrants to the original retail purchaser that the products manufactured by CRAGAR Forged Alloys will be free from defects in material and workmanship under normal and intended use for a period of one (1) year from the date of original purchase as evidenced by invoice or bill of sale, except that any such warranty shall be for a period of (90) days with respect to any claim that the wheel is out of round. The factory polished finish on CRAGAR Forged Alloy wheels can be maintained with proper cleaning and care and is not covered by this warranty.

CRAGAR Forged Alloys sole and exclusive obligation under this warranty shall be to repair or replace at CRAGAR Forged Alloys' sole discretion without charge, any CRAGAR Forged Alloys product which is returned (freight prepaid) and which, after CRAGAR Forged Alloys examination, shows that said product has failed in normal use and service due to defects in material and/or workmanship.

CRAGAR Forged Alloys, will not be responsible for any damage or loss caused by delays, failure, or any consequential damage arising from any cause

whatsoever, nor for labor, transportation, or any other charges incurred in the replacement or repair of a defective part. This is a Limited Warranty. Therefore no warranties or representations, expressed or implied, including any implied warranty of merchantability or fitness for particular purpose which extend beyond the descriptions and limitations of the face hereof and none shall be implied by law. CRAGAR Forged Alloys neither assumes or authorizes any dealer, representative or other person or entity to assume for it any obligation or liability in connection with CRAGAR Forged Alloys, Inc. products uses or applications. CRAGAR Forged Alloys further reserves the right to make changes or improvements in design, materials or specifications or make product changes without incurring any obligation to replace, change or improve products manufactured prior hereto.

This Warranty does not limit rights which may be available under individual State Warranty laws.

IMPORTANT: All Warranty returns that are reviewed by CRAGAR Forged Alloys Warranty Return Department and found not to be subject to warranty coverage, will be returned to the sender, without repair or replacement, at the sender's expense.

CRAGAR Forged Alloys reserves the right to change or correct price sheet errors without notice.

THE WARRANTY IS VOID IF!

1. The wheels have been damaged in transit or misuse, accident or negligence, or have been repaired or altered by one other than CRAGAR Forged Alloys.
2. Wheels used on applications other than the wheels specified use or that have been used in racing or competition.
3. Wheels that have been installed not using the correct mounting accessories or procedures, or where the finish has been damaged during tire mounting or by balancing with the use of clip-on weights.
4. Wheels that have the finish damaged due to neglect, corrosion, inclement weather, chemicals, or improper wheel care.
5. Original invoice or sales receipt is not available for verification, or upon transfer of title of any products by the original retail purchaser.

Cragar Forged Alloys is a Division of Weld Wheel Industries, Inc.
933 Mulberry Street, Kansas City, MO 64101


Trademark Information: Cragar and its associated trademarks and emblems are registered trade marks of Cragar Industries Inc. under license to Weld Wheel Industries Inc.




1.800.488.9353 ¥ fax: 816.283.3430 ¥ www.cragarforgedalloys.com

How to Measure Bolt Circles.

Bolt Circle (Pattern) The diameter of an imaginary circle drawn through the center of each lug hole or stud. See illustration below.




4 Lug
Middle of two holes directly across from one another




5 Lug
Back of hole to center of the second hole.

(Note: this is the easiest way we know to estimate the 5-Lug bolt circle.)



6 Lug
Same as 4-Lug



8 Lug
Same as 4-Lug



Bolt Pattern Diameter Lug Hole

Recommended Lug Nut Foot/lbs. Torque Specs.


Always refer to the Owner's Manual for proper factory specifications that take precedence over the listed recommendations.

12mm=80, $\frac{7}{16}$ =75, $\frac{1}{2}$ =90, 14mm/x1.5=95, 14x2.0=140, $\frac{9}{16}$ =115, $\frac{5}{8}$ =145


IMPORTANT NOTICE: As with all types of wheels retorque Lug Nuts after first 25 miles & at 100 mile intervals until torque is maintained.

Tighten Lug Nuts in a Criss-Cross Pattern for Best Equal Torque Distribution


LUG TORQUING PATTERNS




LUG



LUG



LUG



LUG

Note: 7-lug torque sequence similar to 5 lug.

It is extremely important to accurately measure a wheel to determine what Cragar® Forged Alloy wheel combinations will or will not work!

The most important considerations are the bolt pattern, hub diameter, rim width, rear or back spacing, lug nut type and wheel-load capacity. It is also good advice to double check the mounting surface to ensure that there is a flat mounting surface.

✖ The **Bolt Pattern** (or lug pattern) is determined by the number of bolt holes and the bolt circle diameter.

✖ The **Hub Diameter** or center bore is the hole at the center of the wheel.

✖ The **Rear Spacing** is the distance from the backside of the wheel mounting pad to the outside of the rim flange.

• **Offset:** The distance from the centerline of the wheel to the mounting surface of the wheel.

• **Negative Offset:** When the back of the bolt pad is closer to the inside of the wheel; when mounting surface is inboard of the rim centerline.


• **Positive Offset:** When the back of the bolt pad is closer to the street side of the wheel; when the mounting surface is outboard of the rim centerline.

• **To Convert Millimeters to Inches:** Divide by 25.4.

EXAMPLE: 100mm divided by 25.4 = 3.937

• **To Convert Inches to Millimeters:** Multiply by 25.4.

EXAMPLE: 4.750 X 25.4 = 120.65mm.



Vehicle Fitment

When determining that the selected Cragar® wheel meets the requirements of a particular vehicle, make sure it is compatible with the physical aspects, such as suspension clearance. Tie rod ends, A-arms, brake calipers, shocks and shock mounts may be potential trouble spots. Another area of concern is both the inside and outside of fender area. This should be checked with wheels turned lock to lock from left to right with car static and with suspension fully collapsed.

Plus One and Plus Two Concept: Explained.

The Plus One and Plus Two Concept allows a larger diameter wheel combined with a low aspect tire to effectively reduce tire sidewall flex. This concept allows vastly improved cornering ability, steering response and handling stability without having to make modifications to body or suspension systems. Plus One increases rim size (i.e. 15 to 16) which allows for a lower aspect tire to be used without changing the overall tire height from the original tire specs (i.e. 235/60R 15 to 255/50R16).

The Plus Two increases the rim diameter by two sizes (i.e. 15 to 17) allowing for a tire of even lower aspect (i.e. 235/60R15 to 245/45ZR17) again without changing the overall original tire height. Because overall tire height has not changed, there usually is no interference with fenders or inner panels, and speedometer/odometer accuracy is maintained.



CRAGAR® ACCESSORIES

FORGED ALUMINUM ALLOY WHEELS

Cragar® Super Truck Accessories

Optional Cover Cap Kits

Part No.	Description	MSRP Price
602-5310	Cover Kit - All 5 & 6 Lug w/o Lockouts - 4-2" Tall Closed Cover	\$ 85.00
602-5308	Cover Kit - All 5 & 6 Lug 4WD w/Lockouts-2-2" Tall Open (4.250" I.D. Bore), 2-2" Tall Closed	85.00
602-5309	Cover Kit - All 5 Lug Small B.C. w/Lockouts- 2-2" Tall Open (3.375" I.D. Bore), 2-2" Tall Closed Cover	85.00
602-5314	Cover Kit - To 98 Ford 8 Lug 2WD, 2-4" Closed and 2-6" Tall Closed Covers	95.00
602-5315	Cover Kit-To 98 Ford 8 Lug 4WD, 2-4" Open and 2-6" Closed Covers	95.00
602-5317	Cover Kit-All 7 Lug Ford F250 4-2" Tall Closed Covers w/Disc Brake Spacer	95.00
602-5414	Cover Kit-All GM/Dodge 8 Lug w/o Lockouts & 8 Lug Trailers, 4-4" Tall Closed	95.00
602-5415	Cover Kit-All GM/Dodge 8 Lug 4WDw/Locks 2-4" Tall Open & 2-4" Tall Closed Covers	95.00
602-5416	Cover Kit-All 99-up Ford F350 8Lug 2WD, 4-3" Tall Closed Covers	95.00
602-5417	Cover Kit-All 99-up Ford F350 8Lug 4WD, 2-3" Tall Open & 2-4" Tall Closed Covers	95.00
602-5425	Cover Kit - 8 Lug Trailer, 6-4" Tall Closed Covers	142.00

Push-Thru Center Caps

Part No.	Description	MSRP Price
602-5083	1-Cap fits 5x4.5, 5x4.75, 5x5 and 6x4.5 B.C. (3.195" Diameter)	\$ 6.85
602-5095	1-Cap fits 5x5.5 and 6x5.5 B.C. Wheels Closed (4.250" Diameter)	8.00
602-5065	1-Cap fits 5x5.5 and 6x5.5 B.C. Wheels Open (4.250" Diameter)	8.00
8 Lug Aluminum Center Caps		
602-0002	1-Cap fits All 8 Lug Closed End (5.150" Diameter x 5" Length)	10.50
602-0004	1-Cap fits All 8 Lug Closed End (5.150" Diameter x 6.5" Length)	12.00
602-0006	1-Cap fits All 8 Lug Med. Open (5.150" Diameter x 4.5" Length)	9.00

*Center Caps not used on 5x135, 6x135, 7x150, and 8x170 Bolt Circles.

Super Truck Chrome Lug Nuts

Part No.	Description	MSRP Price
602-1490	4-12mm x1.25 RH Acorn	\$ 3.00
602-1492	4-12mm x1.5 RH Acorn	3.00
602-1493	4-12mm x1.75 RH Acorn (97-99 Ford)	5.75
602-1494	4- ¹ / ₁₆ RH Acorn	3.00
602-1496	4- ¹ / ₂ RH Acorn	3.00
602-1405	4-14mm x1.5 RH Duplex Acorn	4.75
602-1406	4- ⁹ / ₁₆ RH X-L Duplex Acorn 8Lug	8.35
615-0420	4-14mmx2.0 RHDuplexAcorn	8.00

Cragar S/S®, Klassic™, ROD 50™ Accessories

S/S® Center Caps

Part No.	Description	MSRP Price
602-5082	3.180 for 5x4.50, 5x4.75, 5x5 BC	\$ 20.00
602-5092	3.430 for 5x135, 5x5.5 BC	25.00

Klassic™ / Rod 50™ Center Caps

Part No.	Description	MSRP Price
602-5082	3.180 for 5x4.50, 5x4.75, 5x5 BC	\$ 20.00
602-5092	3.430 for 5x135, 5x5.5 BC	25.00

Acorn Chrome Lug Nuts

Part No.	Description	MSRP Price
602-1490	4-12mm x1.25 RH Acorn	\$ 3.00
602-1492	4-12mm x1.5 RH Acorn	3.00
602-1493	4-12mm x1.75 RH Acorn (97-99 Ford)	5.75
602-1494	4- ¹ / ₁₆ RH Acorn	3.00
602-1496	4- ¹ / ₂ RH Acorn	3.00
602-1405	4-14mm x1.5 RH Duplex Acorn	4.75
615-0420	4-14mmx2.0 RHDuplexAcorn	8.00

Superlite II™ & Drag Star II™ Center Caps

All Wheel Styles Include Center Caps

Part No.	Description	MSRP Price
602-5083	1-Aluminum 5-lug Push-Thru Caps (Dia. 3.180)	\$ 6.85
602-5093	1-Aluminum 4-lug Push-Thru Caps (Dia. 2.930)	6.85

Drag Star II™ & Superlite II™ Lug Packs

Part No.	Description	MSRP Price
602-1410	4-12mm x1.25 RH Closed end w/cent. washers	\$ 8.55
602-1412	4-12mm x1.50 RH Closed end w/cent. washers	8.55
602-1414	4- ⁷ / ₁₆ x 20 RH Closed end w/cent. washers	8.55
602-1416	4- ¹ / ₂ x 20 RH Closed end w/cent. washers	8.55
602-1422	4-12mm x1.25 RH Open end w/cent.washers	8.55
602-1424	4- ⁷ / ₁₆ x 20 RH Open end w/cent. washers	8.55
602-1426	4- ¹ / ₂ x 20 RH Open end w/cent. washers	8.55

Center Caps Superlite FX™, Drag Star FX™

Part No.	Description	MSRP Price
602-5083	1- Aluminum Push-Thru Cap fits all 5x4.5/4.75 lug wheels (3.180 dia.)	\$ 6.85
602-5093	1- Aluminum Push-Thru Cap fits all 4 lug wheels (2.930 dia.)	6.85
602-5030	1- Aluminum Push-Thru Cap fits all 5x5 & 5x135, 6x135, 6x5.5	10.00

Lug Nuts Superlite FX™, Drag Star FX™

(1.5" Shank Length x .745" Diameter - 7/8" Hex)

Part No.	Description	MSRP Price
602-1910	4-12mm x 1.25 RH Duplex Closed End Nuts w/Washer	\$ 10.25
602-1912	4-12mm x 1.50 RH Duplex Closed End Nuts w/Washer	10.25
602-1913	4-12mm x 1.75 RH Duplex Closed End Nuts w/Washer	10.25
602-1914	4- ⁷ / ₁₆ RH Duplex Closed End Nuts w/Washer	10.25
602-1916	4- ¹ / ₂ RH Duplex Closed End Nuts w/Washer	10.25
602-1917	4-14mmx2.0 RH Duplex Closed End Nuts w/Washer	10.25
602-1918	4- 14mm x 1.50 RH Duplex Closed End Nuts w/Washer	10.25
602-1922	4-12mm x 1.50RH Open End w/Washer	12.00
602-1924	4- ⁷ / ₁₆ RH Open End Nuts w/Washer	12.00
602-1926	4- ¹ / ₂ RH Open End Nuts w/Washer	12.00

Wheel Plugs

602-5100	5-Chrome Superlite ³ / ₄ Wheel Plugs	7.50
602-5101	5-Red Anodized Superlite ³ / ₄ Wheel Plugs	8.50
602-5102	5-Blue Anodized Superlite ³ / ₄ Wheel Plugs	8.50

Flush Mount Valve Stems

Fits All CRAGAR® Alloy Wheels

602-5004	4-Valve Stems, 4-Flush Mount Valve Caps 1-Air Jack Filler Valve	\$ 15.35
----------	--	----------

Chrome Pull-Thru & Bolt-In Valve Stems

602-5413	Chrome Sleeve Pull-Thru Valve Stem (TR413C)4Pk	\$ 4.25
602-5463	Chrome Bolt-In Valve Stem (TR463C)4Pk	5.35

NOTE: Failure to use Cragar® large diameter washers **VOIDS** warranty!

SUPER STAR DRAG

FORGED ALUMINUM

The Super Star Drag is a True Competition Wheel

87



¥100% Forged center and rim

¥True, lightweight, and super strong

¥Brilliant, fully polished finish

¥Rolled rim edge for added strength for rim screws

¥Not for street use

Super Star Drag Lug Packs

Part #	Description	MSRP Price
602-1452	5-12mmx1.5 Open end nuts w/cent. washers	\$ 8.55
602-1454	5-7/16 RH Open end nuts w/cent. washers	8.55
602-1456	5-1/2 RH Open end nuts w/cent. washers	8.55
602-1462	5-5-12mm x 1.5 Closed end nuts w/cent. washers	8.55
602-1464	5-7/16 RH Closed end nuts w/cent. washers	8.55
602-1466	5-1/2 RH Closed end nuts w/cent. washers	8.55

Super Star Drag

Part Number	Size	Bolt Circle	Back Space	Weight	MSRP Price
87-15000	15x3.5	ANGLIA SP. MT.	1.75	9.5	\$ 450.00
87-15001	15x3.5	STRANGE SP. MT.	1.75	9.75	450.00
87-504200	15x3.5	5 X 4.5	1.25	9.82	220.00
87-504202	15x4	5 X 4.5	1.75	9.84	220.00
87-504270	15x3.5	5 X 4.75	1.25	9.82	220.00
87-504272	15x4	5 X 4.75	1.75	9.84	220.00
87-506206	15x6.25	5 X 4.5	3	10.13	305.00
87-506276	15x6.25	5 X 4.75	3	10.13	305.00
87-508208	15x8	5 X 4.5	4	10.32	365.00
87-508210	15x8.25	5 X 4.5	5	11.08	365.00
87-508276	15x8	5 X 4.75	3	10.27	365.00
87-508278	15x8	5 X 4.75	4	10.32	365.00
87-508280	15x8.25	5 X 4.75	5	11.08	365.00
87-510206	15x10	5 X 4.5	3	10.99	375.00
87-510208	15x10	5 X 4.5	4	11.05	375.00
87-510210	15x10	5 X 4.5	5	11.22	375.00
87-510212	15x10	5 X 4.5	6	11.36	385.00
87-510276	15x10	5 X 4.75	3	10.99	375.00
87-510278	15x10	5 X 4.75	4	11.05	375.00
87-510280	15x10	5 X 4.75	5	11.22	375.00
87-510282	15x10	5 X 4.75	6	11.36	385.00
87-510416	15x10	5 X 5.00	3	11.5	375.00
87-510418	15x10	5 X 5.00	4	11.71	375.00
87-510420	15x10	5 X 5.00	5	11.94	375.00
87-510422	15x10	5 X 5.00	6	12.09	385.00
87-512206	15x12	5 X 4.5	3	11.5	385.00
87-512208	15x12	5 X 4.5	4	11.71	385.00
87-512210	15x12	5 X 4.5	5	11.94	385.00
87-512212	15x12	5 X 4.5	6	12.09	395.00
87-512276	15x12	5 X 4.75	3	11.5	385.00
87-512278	15x12	5 X 4.75	4	12.36	385.00
87-512280	15x12	5 X 4.75	5	12.5	385.00
87-512282	15x12	5 X 4.75	6	12.45	395.00
87-512284	15x12	5 X 4.75	7	12.45	395.00

Super Star Drag

Part Number	Size	Bolt Circle	Back Space	Weight	MSRP Price
87-512416	15x12	5 X 5	3	12.75	\$ 385.00
87-514206	15x14	5 X 4.5	3	12.36	405.00
87-514208	15x14	5 X 4.5	4	12.5	405.00
87-514210	15x14	5 X 4.5	5	12.45	405.00
87-514212	15x14	5 X 4.5	6	12.75	415.00
87-514214	15x14	5 X 4.5	7	13.7	415.00
87-514276	15x14	5 X 4.75	3	12.36	405.00
87-514278	15x14	5 X 4.75	4	12.5	405.00
87-514280	15x14	5 X 4.75	5	12.45	405.00
87-514282	15x14	5 X 4.75	6	12.75	415.00
87-514284	15x14	5 X 4.75	7	13.7	415.00
87-514416	15x14	5 X 5	3	12.36	405.00
87-514418	15x14	5 X 5	4	12.5	405.00
87-514420	15x14	5 X 5	5	12.45	405.00
87-515206	15x15	5 X 4.5	3	12.75	415.00
87-515208	15x15	5 X 4.5	4	13.7	415.00
87-515210	15x15	5 X 4.5	5	13.05	415.00
87-515212	15x15	5 X 4.5	6	12.94	425.00
87-515214	15x15	5 X 4.5	7	14.03	425.00
87-515276	15x15	5 X 4.75	3	12.97	415.00
87-515278	15x15	5 X 4.75	4	12.76	415.00
87-515280	15x15	5 X 4.75	5	13.05	415.00
87-515282	15x15	5 X 4.75	6	12.94	425.00
87-515284	15x15	5 X 4.75	7	14.03	425.00
87-515416	15x15	5 X 5	3	12.97	415.00
87-515418	15x15	5 X 5	4	12.76	415.00
87-515420	15x15	5 X 5	5	13.05	415.00
87-515422	15x15	5 X 5	6	12.94	425.00
87-516278	15x16	5 X 4.75	4	13.37	435.00
87-516280	15x16	5 X 4.75	5	13.31	435.00
87-516282	15x16	5 X 4.75	6	13.54	445.00
87-516418	15x16	5 X 5	4	13.37	435.00
87-516420	15x16	5 X 5	5	13.31	435.00
87-516422	15x16	5 X 5	6	13.54	445.00

SUPERTRUCK Mojave

FORGED ALUMINUM

60



Shown w/optional cover cap above



Standard push-thru cap shown

NOTE: Aluminum center cap included in all wheels except 8 lug applications and 97-up 5, 6, 7, 8 lug Fords which must use optional lug cover kit. Lug nuts not included.

SuperTruck Mojave

Style Code	Part No.	Size	Bolt Circle	Rear Spg	Center Bore	Load Rate	MSRP Price
60-58206		15x8	5x4.5	3 ⁵ / ₈	3.18	2400	\$ 211.00
60-58208		15x8	5x4.5	4 ⁵ / ₈	3.18	2400	211.00
60-58278		15x8	5x4.75	4 ⁵ / ₈	3.18	2400	211.00
60-58416		15x8	5x5	3 ⁵ / ₈	3.18	2400	211.00
60-58556		15x8	5x5.5	3 ⁵ / ₈	4.25	2400	211.00
60-58626		15x8	6x5.5	3 ⁵ / ₈	4.25	2400	211.00
60-58628		15x8	6x5.5	4 ⁵ / ₈	4.25	2400	211.00
60-58668		15x8	6x4.5	4 ⁵ / ₈	3.18	2400	211.00
60-510206		15x10	5x4.5	3 ⁵ / ₈	3.18	2400	220.00
60-510416		15x10	5x5	3 ⁵ / ₈	4.25	2400	220.00
60-510556		15x10	5x5.5	3 ⁵ / ₈	4.25	2400	220.00
60-510626		15x10	6x5.5	3 ⁵ / ₈	4.25	2400	220.00
60-510628		15x10	6x5.5	4 ⁵ / ₈	4.25	2400	220.00
60-510668		15x10	6x4.5	4 ⁵ / ₈	3.18	2400	220.00
60-512206		15x12	5x4.5	3 ⁵ / ₈	3.18	2400	258.00
60-512556		15x12	5x5.5	3 ⁵ / ₈	4.25	2400	258.00
60-512626		15x12	6x5.5	3 ⁵ / ₈	4.25	2400	258.00
60-514556		15x14	5x5.5	3 ⁵ / ₈	4.25	2400	274.00
60-514626		15x14	6x5.5	3 ⁵ / ₈	4.25	2400	274.00
60-68538		16x8	*5x135	4 ⁵ / ₈	3.43	2800	255.00
60-68558		16x8	5x5.5	4 ⁵ / ₈	4.25	2800	255.00
60-68627		16x8	6x5.5	3 ⁵ / ₈	4.25	2800	255.00
60-68628		16x8	6x5.5	4 ⁵ / ₈	4.25	2800	255.00
60-68668		16x8	6x4.5	4 ⁵ / ₈	3.18	2800	255.00
60-68697		16x8	8x6.5	3 ⁵ / ₈	5.15	3200	255.00
60-68698		16x8	8x6.5	4 ⁵ / ₈	5.15	3200	255.00
60-68866		16x8	*8x170	3 ⁵ / ₈	4.93	3200	255.00
60-68918		16x8	*6x135	4 ⁵ / ₈	3.43	2800	255.00
60-69866		16x9	*8x170	3 ⁵ / ₈	4.93	3200	274.00
60-610538		16x10	*5x135	4 ⁵ / ₈	3.43	2800	274.00
60-610558		16x10	5x5.5	4 ⁵ / ₈	4.25	2800	274.00
60-610628		16x10	6x5.5	4 ⁵ / ₈	4.25	2800	274.00

*Hub Centric wheel, Center Cap not included, must order Cover Cap Kit.

Super Truck Mojave

Style Code	Part No.	Size	Bolt Circle	Rear Spg	Center Bore	Load Rate	MSRP Price
60-610698		16x10	8x6.5	4 ¹ / ₈	5.15	3200	\$ 274.00
60-610866		16x10	*8x170	3 ⁷ / ₈	4.93	3200	274.00
60-610918		16x10	*6x135	4 ¹ / ₈	3.43	2800	274.00
60-612628		16x12	6x5.5	4 ¹ / ₈	4.25	2800	296.00
60-612698		16x12	8x6.5	4 ¹ / ₈	4.25	2800	296.00
60-658696		16.5x8.25	8x6.5	3 ⁷ / ₈	5.15	2800	257.00
60-658866		16.5x8.25	*8x170	3 ⁷ / ₈	4.93	3200	257.00
60-659538		16.5x9.75	*5x135	4 ¹ / ₈	3.43	2800	285.00
60-659628		16.5x9.75	6x5.5	4 ¹ / ₈	4.25	2800	285.00
60-659700		16.5x9.75	8x6.5	4 ¹ / ₈	5.15	3200	285.00
60-659868		16.5x9.75	*8x170	4 ¹ / ₈	4.93	3200	285.00
60-659918		16.5x9.75	*6x135	4 ¹ / ₈	3.43	2800	285.00
60-652538		16.5x12	*5x135	4 ¹ / ₈	3.43	2800	331.00
60-652558		16.5x12	*5x5.5	4 ¹ / ₈	4.25	2800	331.00
60-652628		16.5x12	6x5.5	4 ¹ / ₈	4.25	2800	331.00
60-652700		16.5x12	8x6.5	4 ¹ / ₈	5.15	3200	331.00
60-652868		16.5x12	*8x170	4 ¹ / ₈	4.93	3200	331.00
60-654538		16.5x14	*5x135	4 ¹ / ₈	3.43	2800	368.00
60-654628		16.5x14	6x5.5	4 ¹ / ₈	4.25	2800	368.00
60-654700		16.5x14	8x6.5	4 ¹ / ₈	5.15	3200	368.00
60-654868		16.5x14	*8x170	4 ¹ / ₈	4.93	3200	368.00
60-78538		17x8	*5x135	4 ¹ / ₈	3.43	2800	273.00
60-78556		17x8	5x5.5	3 ⁷ / ₈	4.25	2800	273.00
60-78628		17x8	6x5.5	4 ¹ / ₈	4.25	2800	273.00
60-78698		17x8	8x6.5	4 ¹ / ₈	5.15	2800	273.00
60-78868		17x8	*8x170	4 ¹ / ₈	4.93	3200	273.00
60-78918		17x8	*6x135	4 ¹ / ₈	3.43	3200	273.00
60-710538		17x10	*5x135	4 ¹ / ₈	3.43	2800	302.00
60-710558		17x10	5x5.5	4 ¹ / ₈	4.25	2800	302.00
60-710628		17x10	6x5.5	4 ¹ / ₈	4.25	2800	302.00
60-710698		17x10	8x6.5	4 ¹ / ₈	5.15	2800	302.00
60-710868		17x10	*8x170	4 ¹ / ₈	4.93	2800	302.00
60-710918		17x10	*6x135	4 ¹ / ₈	3.43	2800	302.00

SUPERTRUCK II

FORGED ALUMINUM

The Supertuck II is loaded with great features. Truck tough Forged aluminum alloy that is 100% CNC machined to produce a balanced , lightweight, superstrong and show quality polished wheel. Load rated up to 3200lbs per wheel and handles up to 44 tall tires, the Supertuck II is a great choice for any 4x4 or SUV enthusiast who simply demands the best.

61



Standard push-thru cap shown



Shown w/ optional cover cap above

NOTE: Aluminum center cap included in all wheels except 8 lug applications and 97-up 5, 7, 6 lug Fords which must use optional lug cover kit. Lug nuts not included.-see pg 9

SuperTruck II

Style Part Code No.	Size	Bolt Circle	Rear Spg	Center Bore	Load Rate	W.D. Price
61-58206	15x8	5x4.5	3 ⁵ / ₈	3.18	2400	\$ 211.00
61-58208	15x8	5x4.5	4 ⁵ / ₈	3.18	2400	211.00
61-58278	15x8	5x4.75	4 ⁵ / ₈	3.18	2400	211.00
61-58416	15x8	5x5	3 ⁵ / ₈	3.18	2400	211.00
61-58556	15x8	5x5.5	3 ⁵ / ₈	4.25	2400	211.00
61-58626	15x8	6x5.5	3 ⁵ / ₈	4.25	2400	211.00
61-58628	15x8	6x5.5	4 ⁵ / ₈	4.25	2400	211.00
61-58668	15x8	6x4.5	4 ⁵ / ₈	3.18	2400	211.00
61-510206	15x10	5x4.5	3 ⁵ / ₈	3.18	2400	220.00
61-510416	15x10	5x5	3 ⁵ / ₈	4.25	2400	220.00
61-510556	15x10	5x5.5	3 ⁵ / ₈	4.25	2400	220.00
61-510626	15x10	6x5.5	3 ⁵ / ₈	4.25	2400	220.00
61-510628	15x10	6x5.5	4 ⁵ / ₈	4.25	2400	220.00
61-510666	15x10	6x4.5	3 ⁵ / ₈	3.18	2400	220.00
61-510668	15x10	6x4.5	4 ⁵ / ₈	3.18	2400	220.00
61-512206	15x12	5x4.5	3 ⁵ / ₈	3.18	2400	258.00
61-512556	15x12	5x5.5	3 ⁵ / ₈	4.25	2400	258.00
61-512626	15x12	6x5.5	3 ⁵ / ₈	4.25	2400	258.00
61-514556	15x14	5x5.5	3 ⁵ / ₈	4.25	2400	274.00
61-514626	15x14	6x5.5	3 ⁵ / ₈	4.25	2400	274.00
61-68538	16x8	*5x135	4 ⁵ / ₈	3.43	2800	255.00
61-68558	16x8	5x5.5	4 ⁵ / ₈	4.25	2800	255.00
61-68627	16x8	6x5.5	3 ⁵ / ₈	4.25	2800	255.00
61-68628	16x8	6x5.5	4 ⁵ / ₈	4.25	2800	255.00
61-68697	16x8	8x6.5	3 ⁵ / ₈	5.15	3200	255.00

*Hub Centric wheel, Center Cap not included, must order Cover Cap Kit.

SuperTruck II

Style Part Code No.	Size	Bolt Circle	Rear Spg	Center Bore	Load Rate	W.D. Price
61-68698	16x8	8x6.5	4 ⁵ / ₈	5.15	3200	\$ 255.00
61-68866	16x8	*8x170	3 ⁵ / ₈	4.93	3200	255.00
61-68918	16x8	*6x135	4 ⁵ / ₈	3.43	3200	255.00
61-69866	16x9	*8x170	3 ⁵ / ₈	4.93	3200	274.00
61-610538	16x10	*5x135	4 ⁵ / ₈	3.43	2800	274.00
61-610558	16x10	5x5.5	4 ⁵ / ₈	4.25	2800	274.00
61-610628	16x10	6x5.5	4 ⁵ / ₈	4.25	2800	274.00
61-610698	16x10	8x6.5	4 ⁵ / ₈	5.15	3200	274.00
61-610866	16x10	*8x170	3 ⁵ / ₈	4.93	3200	274.00
61-610918	16x10	*6x135	4 ⁵ / ₈	3.43	3200	274.00
61-658536	16.5x8.25	*5x135	3 ⁵ / ₈	3.43	2800	257.00
61-658626	16.5x8.25	6x5.5	3 ⁵ / ₈	4.25	2800	257.00
61-658696	16.5x8.25	8x6.5	3 ⁵ / ₈	5.15	2800	257.00
61-658866	16.5x8.25	*8x170	3 ⁵ / ₈	4.93	3200	257.00
61-659538	16.5x9.75	*5x135	4 ⁵ / ₈	3.43	2800	285.00
61-659558	16.5x9.75	5x5.5	4 ⁵ / ₈	4.25	2800	285.00
61-659628	16.5x9.75	6x5.5	4 ⁵ / ₈	4.25	2800	285.00
61-659700	16.5x9.75	8x6.5	4 ⁵ / ₈	5.15	3200	285.00
61-659868	16.5x9.75	*8x170	4 ⁵ / ₈	4.93	3200	285.00
61-659918	16.5x9.75	*6x135	4 ⁵ / ₈	3.43	3200	285.00
61-652538	16.5x12	*5x135	4 ⁵ / ₈	3.43	2800	331.00
61-652628	16.5x12	6x5.5	4 ⁵ / ₈	4.25	2800	331.00
61-652700	16.5x12	8x6.5	4 ⁵ / ₈	5.15	3200	331.00
61-652868	16.5x12	*8x170	4 ⁵ / ₈	4.93	3200	331.00
61-654700	16.5x14	8x6.5	4 ⁵ / ₈	5.15	3200	368.00
61-654868	16.5x14	*8x170	4 ⁵ / ₈	4.93	3200	368.00

The new Forged Klassic® and ROD 50 once again combine the past with the future. All the latest Forged Alloy technology with the classic rod look you have grown to love. Forged from 6061 aluminum and 100% CNC machined to everlasting perfection. Both the Forged Klassic® and the Rod 50™ are what the industry has been waiting for. A lightweight, superstrong, show quality polished wheel with all the performance for today and all the looks from yesterday.

KLASSIC®

FORGED ALUMINUM

132



ROD 50™

FORGED ALUMINUM

150



Forged Klassic®/ ROD 50™

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
*---56206	15x6	5x4.5	3.5	\$ 225.00
---56276	15x6	5x4.75	3.5	225.00
---56416	15x6	5x5	3.5	225.00
---57206	15x7	5x4.5	3.5	239.00
---57276	15x7	5x4.75	3.5	239.00
---57416	15x7	5x5	3.5	239.00
---57208	15x7	5x4.5	4.5	239.00
---57278	15x7	5x4.75	4.5	239.00
---57418	15x7	5x5	4.5	239.00
---58206	15x8	5x4.5	3.5	248.00
---58276	15x8	5x4.75	3.5	248.00
---58416	15x8	5x5	3.5	248.00
---58208	15x8	5x4.5	4.5	248.00
---58278	15x8	5x4.75	4.5	248.00
---58418	15x8	5x5	4.5	248.00
---510208	15x10	5x4.5	4.5	280.00
---510278	15x10	5x4.75	4.5	280.00
---510418	15x10	5x5	4.5	280.00
---510210	15x10	5x4.5	5.5	280.00
---510280	15x10	5x4.75	5.5	280.00
---510420	15x10	5x5	5.5	280.00
---512206	15x12	5x4.5	3.5	312.00
---512276	15x12	5x4.75	3.5	312.00
---512208	15x12	5x4.5	4.5	312.00
---512278	15x12	5x4.75	4.5	312.00
---512210	15x12	5x4.5	5.5	312.00
---512280	15x12	5x4.75	5.5	312.00
---514208	15x14	5x4.5	4.5	346.00
---514278	15x14	5x4.75	4.5	346.00
---514210	15x14	5x4.5	5.5	346.00
---514280	15x14	5x4.75	5.5	346.00
---68208	16x8	5x4.5	4.5	269.00

Forged Klassic®/ ROD 50™

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
*---68278	16x8	5x4.75	4.5	\$ 269.00
---68418	16x8	5x5	4.5	269.00
---68538	16x8	5x135	4.5	269.00
---68558	16x8	5x5.5	4.5	269.00
---77208	17x7	5x4.5	4.5	310.00
---77278	17x7	5x4.75	4.5	310.00
---77418	17x7	5x5	4.5	310.00
---78208	17x8	5x4.5	4.5	318.00
---78208	17x8	5x4.32	4.5	318.00
---78278	17x8	5x4.75	4.5	318.00
---78418	17x8	5x5	4.5	318.00
---78558	17x8	5x5.5	4.5	318.00
---78538	17x8	5x135	4.5	318.00
---785210	17x8.5	5x4.5	5.5	331.00
---785560	17x8.5	5x5.5	5.5	331.00
---79211	17x9	5x4.5	6	351.00
---79281	17x9	5x4.75	6	351.00
---795421	17x9.5	5x5	6	365.00
---795561	17x9.5	5x5.5	6	365.00
---795541	17x9.5	5x135	6	365.00
---88208	18x8	5x4.5	4.5	411.00
---88278	18x8	5x4.75	4.5	411.00
---88418	18x8	5x5	4.5	411.00
---88418	18x8	5x5.5	4.5	411.00
---88538	18x8	5x135	4.5	411.00
---885210	18x8.5	5x4.5	5.5	427.00
---885560	18x8.5	5x5.5	5.5	427.00
---89211	18x9	5x4.5	6	444.00
---89581	18x9	5x4.75	6	444.00
---895421	18x9.5	5x5	6	462.00
---895561	18x9.5	5x5.5	6	462.00
---895541	18x9.5	5x135	6	462.00

*INSERT PREFIX TO COMPLETE PART NUMBER

NOTE: Center cap included; order acorn (conical seat) lug nuts separately. - see page 10

SUPERLITE FX™

194

FORGED ALUMINUM

The new FX series Superlite and Drag Star are premium 100% Forged CNC machined aluminum alloy wheels engineered and designed for high offset and large brake applications. The FX series also features an exclusive rolled-lip for a smooth soft look that's 3-times stronger than a conventional rim edge. The FX series has a load rating of 2400lbs per wheel making it ideal for most cars, pickups and suv's; past and present



Cragar Superlite FX


Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
194-56346	15x6	5x4.5/4.75	3.5	\$ 220.00
194-56766	15x6	5x4.75/5	3.5	220.00
194-57346	15x7	5x4.5/4.75	3.5	234.00
194-57766	15x7	5x4.75/5	3.5	234.00
194-59350	15x9	5x4.5/4.75	5.5	252.00
194-59770	15x9	5x4.75/5	5.5	252.00
194-510348	15x10	5x4.5/4.75	4.5	275.00
194-510350	15x10	5x4.5/4.75	5.5	275.00
194-510768	15x10	5x4.75/5	4.5	275.00
194-510770	15x10	5x4.75/5	5.5	275.00
194-68348	16x8	5x4.5/4.75	4.5	264.00
194-68818	16x8	5x5/135	4.5	264.00
194-685040	16x8.5	4x108/4.5	5.5	275.00
194-685350	16x8.5	5x4.5/4.75	5.5	275.00
194-78348	17x8	5x4.5/4.75	4.5	313.00

Cragar Superlite FX

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
194-78818	17x8	5x5/135	4.5	\$ 313.00
194-785040	17x8.5	4x108/4.5	5.5	326.00
194-785350	17x8.5	5x4.5/4.75	5.5	326.00
194-785950	17x8.5	6x135/5.5	5.5	326.00
194-79351	17x9	5x4.5/4.75	6	346.00
194-795821	17x9.5	5x5/135	6	360.00
194-795951	17x9.5	6x135/5.5	6	360.00
194-88348	18x8	5x4.5/4.75	4.5	406.00
194-88818	18x8	5x5/135	4.5	406.00
194-885040	18x8.5	4x108/4.5	5.5	422.00
194-885350	18x8.5	5x4.5/4.75	5.5	422.00
194-885950	18x8.5	6x135/5.5	5.5	422.00
194-89351	18x9	5x4.5/4.75	6	439.00
194-895821	18x9.5	5x5/135	6	457.00
194-895951	18x9.5	6x135/5.5	6	457.00

NOTE: Failure to use Cragar large diameter washers VOIDS warranty!

NOTICE: All FX series Superlite and Drag Stars require 1.750 long shank x .750 diameter duplex mag style lug nuts and use the 1.260 O.D. x .166 thick washers.



DRAG STAR FX™

195

FORGED ALUMINUM

Cragar Drag Star FX

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
195-56346	15x6	5x4.5/4.75	3.5	\$ 220.00
195-56766	15x6	5x4.75/5	3.5	220.00
195-57346	15x7	5x4.5/4.75	3.5	234.00
195-57766	15x7	5x4.75/5	3.5	234.00
195-59350	15x9	5x4.5/4.75	5.5	252.00
195-59770	15x9	5x4.75/5	5.5	252.00
195-510348	15x10	5x4.5/4.75	4.5	275.00
195-510350	15x10	5x4.5/4.75	5.5	275.00
195-510768	15x10	5x4.75/5	4.5	275.00
195-510770	15x10	5x4.75/5	5.5	275.00
195-68348	16x8	5x4.5/4.75	4.5	264.00

Cragar Drag Star FX

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
195-68818	16x8	5x5/135	4.5	\$ 264.00
195-685350	16x8.5	5x4.5/4.75	5.5	275.00
195-78348	17x8	5x4.5/4.75	4.5	313.00
195-78818	17x8	5x5/135	4.5	313.00
195-785350	17x8.5	5x4.5/4.75	5.5	326.00
195-79351	17x9	5x4.5/4.75	6	346.00
195-795821	17x9.5	5x5/135	6	360.00
195-88348	18x8	5x4.5/4.75	4.5	406.00
195-88818	18x8	5x5/135	4.5	406.00
195-885350	18x8.5	5x4.5/4.75	5.5	422.00
195-89351	18x9	5x4.5/4.75	6	439.00
195-895821	18x9.5	5x5/135	6	457.00

NOTE: Failure to use Cragar large diameter washers VOIDS warranty!





DRAG STAR II™

FORGED ALUMINUM

Like lasting traditions - great styles never pass. The Drag Star II and the Superlite II combine both to make them the lightest classics of all street legal & race bred polished wheels.

These Sizes Suitable for Street/Drag

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
95-46206	14x6	5x4.5	3 1/2	\$ 192.00
95-46276	14x6	5x4.75	3 1/2	192.00
95-47206	14x7	5x4.5	3 1/2	196.00
95-47276	14x7	5x4.75	3 1/2	196.00
95-55206	15x5	5x4.5	3 1/2	196.00
95-55276	15x5	5x4.75	3 1/2	196.00
95-56206	15x6	5x4.5	3 1/2	196.00
95-56276	15x6	5x4.75	3 1/2	196.00
95-57206	15x7	5x4.5	3 1/2	202.00
95-57208	15x7	5x4.5	4 1/2	202.00
95-57276	15x7	5x4.75	3 1/2	202.00
95-57278	15x7	5x4.75	4 1/2	202.00
95-58206	15x8	5x4.5	3 1/2	207.00
95-58208	15x8	5x4.5	4 1/2	207.00
95-58210	15x8	5x4.5	5 1/2	207.00
95-58276	15x8	5x4.75	3 1/2	207.00
95-58278	15x8	5x4.75	4 1/2	207.00
95-58280	15x8	5x4.75	5 1/2	207.00
95-510206	15x10	5x4.5	3 1/2	247.00
95-510208	15x10	5x4.5	4 1/2	247.00
95-510210	15x10	5x4.5	5 1/2	247.00
95-510212	15x10	5x4.5	6 1/2	247.00
95-510276	15x10	5x4.75	3 1/2	247.00
95-510278	15x10	5x4.75	4 1/2	247.00
95-510280	15x10	5x4.75	5 1/2	247.00
95-510282	15x10	5x4.75	6 1/2	247.00
95-512206	15x12	5x4.5	3 1/2	266.00
95-512208	15x12	5x4.5	4 1/2	266.00
95-512210	15x12	5x4.5	5 1/2	266.00
95-512212	15x12	5x4.5	6 1/2	266.00
95-512214	15x12	5x4.5	7 1/2	266.00
95-512276	15x12	5x4.75	3 1/2	266.00
95-512278	15x12	5x4.75	4 1/2	266.00
95-512280	15x12	5x4.75	5 1/2	266.00
95-512282	15x12	5x4.75	6 1/2	266.00
95-512284	15x12	5x4.75	7 1/2	266.00

The Following for Drag Racing Only

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
95-54200	15x3 1/2	5x4.5	1 3/4	\$ 161.00
95-54270	15x3 1/2	5x4.75	1 3/4	161.00
95-54202	15x4	5x4.5	2 1/4	173.00
95-54272	15x4	5x4.75	2 1/4	173.00
95-514206	15x14	5x4.5	3 1/2	295.00
95-514208	15x14	5x4.5	4 1/2	295.00
95-514210	15x14	5x4.5	5 1/2	295.00
95-514212	15x14	5x4.5	6 1/2	295.00
95-514214	15x14	5x4.5	7 1/2	295.00
95-514276	15x14	5x4.75	3 1/2	295.00
95-514278	15x14	5x4.75	4 1/2	295.00
95-514280	15x14	5x4.75	5 1/2	295.00
95-514282	15x14	5x4.75	6 1/2	295.00
95-514284	15x14	5x4.75	7 1/2	295.00
95-515208	15x15	5x4.5	4 1/2	295.00
95-515210	15x15	5x4.5	5 1/2	300.00
95-515212	15x15	5x4.5	6 1/2	300.00
95-515214	15x15	5x4.5	7 1/2	300.00
95-515278	15x15	5x4.75	4 1/2	300.00
95-515280	15x15	5x4.75	5 1/2	300.00
95-515282	15x15	5x4.75	6 1/2	300.00
95-515284	15x15	5x4.75	7 1/2	300.00



SUPERLITE II™

FORGED ALUMINUM


These Sizes Suitable for Street/Drag

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
94-46036	14x6	4x4.25/4.5	3 1/2	\$ 177.00
94-46346	14x6	5x4.5/4.75	3 1/2	177.00
94-47346	14x7	5x4.5/4.75	3 1/2	182.00
94-55036	15x5	4x4.25/4.5	3 1/2	182.00
94-55346	15x5	5x4.5/4.75	3 1/2	182.00
94-56036	15x6	4x4.25/4.5	3 1/2	182.00
94-56346	15x6	5x4.5/4.75	3 1/2	182.00
94-57036	15x7	4x4.25/4.5	3 1/2	187.00
94-57038	15x7	4x4.25/4.5	4 1/2	187.00
94-57346	15x7	5x4.5/4.75	3 1/2	187.00
94-57348	15x7	5x4.5/4.75	4 1/2	187.00
94-57350	15x7	5x4.5/4.75	5 1/2	187.00
94-58038	15x8	4x4.25/4.5	4 1/2	194.00
94-58040	15x8	4x4.25/4.5	5 1/2	194.00
94-58346	15x8	5x4.5/4.75	3 1/2	194.00
94-58348	15x8	5x4.5/4.75	4 1/2	194.00
94-58350	15x8	5x4.5/4.75	5 1/2	194.00
94-59350	15x9	5x4.5/4.75	5 1/2	217.00
94-510040	15x10	4x4.25/4.5	5 1/2	231.00
94-510042	15x10	4x4.25/4.5	6 1/2	231.00
94-510346	15x10	5x4.5/4.75	3 1/2	231.00
94-510348	15x10	5x4.5/4.75	4 1/2	231.00
94-510350	15x10	5x4.5/4.75	5 1/2	231.00
94-510352	15x10	5x4.5/4.75	6 1/2	231.00
94-510354	15x10	5x4.5/4.75	7 1/2	231.00
94-512346	15x12	5x4.5/4.75	3 1/2	247.00
94-512348	15x12	5x4.5/4.75	4 1/2	247.00
94-512350	15x12	5x4.5/4.75	5 1/2	247.00
94-512352	15x12	5x4.5/4.75	6 1/2	247.00
94-512354	15x12	5x4.5/4.75	7 1/2	247.00

The Following for Drag Racing Only

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
94-54030	15x3 1/2	4x4.25/4.5	1 3/4	\$ 147.00
94-54340	15x3 1/2	5x4.5/4.75	1 3/4	147.00
94-54032	15x4	4x4.25/4.5	2 1/4	162.00
94-54342	15x4	5x4.5/4.75	2 1/4	162.00
94-55416	15x5	5x5	3 1/2	182.00
94-512422	15x12	5x5	6 1/2	247.00
94-512424	15x12	5x5	7 1/2	247.00
94-514346	15x14	5x4.5/4.75	3 1/2	273.00
94-514348	15x14	5x4.5/4.75	4 1/2	273.00
94-514350	15x14	5x4.5/4.75	5 1/2	273.00
94-514352	15x14	5x4.5/4.75	6 1/2	273.00
94-514354	15x14	5x4.5/4.75	7 1/2	273.00
94-514416	15x14	5x5	3 1/2	273.00
94-514418	15x14	5x5	4 1/2	273.00
94-514420	15x14	5x5	5 1/2	273.00
94-515348	15x15	5x4.5/4.75	4 1/2	279.00
94-515350	15x15	5x4.5/4.75	5 1/2	279.00
94-515352	15x15	5x4.5/4.75	6 1/2	279.00
94-515354	15x15	5x4.5/4.75	7 1/2	279.00

NOTICE: All Superlite II's and Drag Star II's Require 1.310 Long Shank x .687 Diameter Mag Style Lug Nuts and use the 1.250 O.D. x .187 Thick Washers.



NOTE: Failure to use Cragar large diameter washers VOIDS warranty!

THE ALL NEW *FORGED*

CRAGAR S/S[®] ALLOY

200



Cragar S/S[®] - The name is a legend among wheel styles. Now the famous Cragar S/S[®] look is available in a new Forged Alloy version that is engineered and designed to fit most of today's performance and late model vehicles. Lightweight, superstrong with a show quality polished finish, the new all Forged Alloy Cragar S/S[®] is available in 15 to 18 diameter with excellent brake clearance to be truck tough and street cool. Become part of the legend.

Cragar S/S[®] Forged Alloy

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
200-56206	15x6	5x4.5	3 1/2	\$ 225.00
200-56276	15x6	5x4.75	3 1/2	225.00
200-56416	15x6	5x5	3 1/2	225.00
200-57206	15x7	5x4.5	3 1/2	239.00
200-57276	15x7	5x4.75	3 1/2	239.00
200-57416	15x7	5x5	3 1/2	239.00
200-57208	15x7	5x4.5	4 1/2	239.00
200-57278	15x7	5x4.75	4 1/2	239.00
200-57418	15x7	5x5	4 1/2	239.00
200-58206	15x8	5x4.5	3 1/2	248.00
200-58276	15x8	5x4.75	3 1/2	248.00
200-58416	15x8	5x5	3 1/2	248.00
200-58208	15x8	5x4.5	4 1/2	248.00
200-58278	15x8	5x4.75	4 1/2	248.00
200-58418	15x8	5x4.5	4 1/2	248.00
200-510208	15x10	5x4.5	4 1/2	280.00
200-510278	15x10	5x4.75	4 1/2	280.00
200-510418	15x10	5x5	4 1/2	280.00
200-510210	15x10	5x4.5	5 1/2	280.00
200-510280	15x10	5x4.75	5 1/2	280.00
200-510420	15x10	5x5	5 1/2	280.00
200-512206	15x12	5x4.5	3 1/2	312.00
200-512276	15x12	5x4.75	3 1/2	312.00
200-512208	15x12	5x4.5	4 1/2	312.00
200-512278	15x12	5x4.75	4 1/2	312.00
200-512210	15x12	5x4.5	5 1/2	312.00
200-512280	15x12	5x4.75	5 1/2	312.00
200-514208	15x14	5x4.5	4 1/2	346.00
200-514278	15x14	5x4.75	4 1/2	346.00
200-514210	15x14	5x4.5	5 1/2	346.00
200-514280	15x14	5x4.75	5 1/2	346.00

Cragar S/S[®] Forged Alloy

Part Number	Size	Bolt Circle	Rear Spg	MSRP Price
200-68208	16x8	5x4.5	4 1/2	\$ 269.00
200-68278	16x8	5x4.75	4 1/2	269.00
200-68418	16x8	5x5	4 1/2	269.00
200-68538	16x8	5x135	4 1/2	269.00
200-68558	16x8	5x5.5	4 1/2	269.00
200-77208	17x7	5x4.5	4 1/2	310.00
200-77278	17x7	5x4.75	4 1/2	310.00
200-77418	17x7	5x5	4 1/2	310.00
200-78208	17x8	5x4.5	4 1/2	330.00
200-78278	17x8	5x4.75	4 1/2	330.00
200-78418	17x8	5x5	4 1/2	330.00
200-78558	17x8	5x5.5	4 1/2	330.00
200-78538	17x8	5x135	4 1/2	330.00
200-785210	17x8.5	5x4.5	5 1/2	343.00
200-785560	17x8.5	5x5.5	5 1/2	343.00
200-79211	17x9	5x4.5	6	351.00
200-79281	17x9	5x4.75	6	351.00
200-795421	17x9.5	5x5	6	365.00
200-795561	17x9.5	5x5.5	6	365.00
200-795541	17x9.5	5x135	6	365.00
200-88208	18x8	5x4.5	4 1/2	411.00
200-88278	18x8	5x4.75	4 1/2	411.00
200-88418	18x8	5x5	4 1/2	411.00
200-88418	18x8	5x5.5	4 1/2	411.00
200-88538	18x8	5x135	4 1/2	411.00
200-885210	18x8.5	5x4.5	5 1/2	427.00
200-885560	18x8.5	5x5.5	5 1/2	427.00
200-89211	18x9	5x4.5	6	444.00
200-89581	18x9	5x4.75	6	444.00
200-895421	18x9.5	5x5	6	462.00
200-895561	18x9.5	5x5.5	6	462.00
200-895541	18x9.5	5x135	6	462.00

NOTE: CENTER CAP INCLUDED; ORDER ACORN (CONICAL SEAT) LUG NUTS SEPARATELY! - SEE PAGE 10

THE HISTORY OF CRAGAR®

1920

Crane Gartz, the father of CRAGAR® began manufacturing high performance engine parts, notably cylinder heads, for the Model-T Ford engine in the 1920 s. These helped the T based dirt track racers of the day to win races against expensive purpose-built cars and engines. Yankee ingenuity became known as 'hot rodding' by the 1950 s. Cragar® continued to build engine parts such as supercharger drives for the growing sport of drag racing.



1964

In 1964, a new CRAGAR® product was born that is still popular to this day. The CRAGAR S/S® wheel was the brainchild of Roy Richter. It was a steel rimmed, Aluminum center, chrome plated wheel that became the darling of an industry and an icon on street and race machines alike. No wheel design had so captured the hearts and minds of car enthusiasts before.

1999

In 1999, Greg Weld, President/CEO of Weld Racing, acquired the rights to produce and sell Cragar® Forged Alloys and that division joined Weld Racing, Weld Race Components, and EVO as a division of Weld Wheel Industries Inc.



2002

Fast forward to 2002 and a NEW CRAGAR S/S® becomes aluminum alloy for low weight while maintaining its historic strength and classic looks. In addition, the classic Drag Star and Superlite are joined by new wheels for modern muscle cars and trucks in the FX series. For sport trucks and off-road trucks, the Super Billet and Super Truck wheels fill every need.

Cragar® met the needs of automotive enthusiasts for most of the last century, but the latest offerings demonstrate the best is yet to come. See for yourself in the catalog pages ahead.



Alcyon Speedway July 4th, 1946. Buster Williams, Walt Walker
and Markovich take the green flag.



Cragar Alloy Wheels is a Division of Weld Wheel Industries, Inc.

CRAGAR
FORGED ALLOYS

EFFECTIVE 11.01.01 1ST EDITION

2002