


Long Block PN: GX20
Short Block PN: GX20S

DETAILS ON PAGES 12 & 13!

GSport
MR. GASKET PERFORMANCE GROUP
CANDY FOR YOUR CAR!

GSport PRO
ADRENALINE FOR YOUR CAR!



Cleveland, Ohio
www.gsport-online.com

FOR THOSE WITH SERIOUS THRILL ISSUES!
WWW.GSPORT-ONLINE.COM

Performance Enhancement with only one dose... (W.O.O.D)

GUARANTEED!



TRANS ADRENALINE

Extends transmission life for high horsepower gear boxes by significantly reducing internal wear. A must when fast positive shifting is required.
Part #11034

LIQUID NITROUS

Specially blended for high performance sport compact engines it protects against detonation, pre-ignition and dry fuel for all turbo, nitrous and high compression applications.
Part #11035

COOLER ADRENALINE

Specifically developed for smaller sport compact systems makes it ideal for endurance racing events - virtually eliminates overheating!
Part #11032

ENGINE ADRENALINE

Perfect for engines exposed to hard acceleration and high RPM racing with a heavy-duty friction fighter and temperature coolant in one package.
Part #11033



For those with serious thrill issues!

TABLE OF CONTENTS

- G *FLEX™* Flexible Fluid Transfer systems2
- G *FLEX™* Billet Hose Covers3
- G *FLEX™* Replacement Connectors & Adapters3
- G *SLEEVE™* Hose and Cable Sleeving Kits3
- G *STRING™* Neon Rope Light4
- G *SPORT* Flexible Tubing And Tie Strap Kits5
- G *SPORT* Spark Plug Boot Insulators5
- G *SLEEVE* Trailer Hitch Wire Protection Kit5
- G *CAL*5
- G *MUFF Titan-Lite™*6
- G *MUFF Econo-Skin™*6
- G *MUFF Neo-Foam Insulator™*6
- G *MUFF G-Spray™*7
- G *SPORT* Hood and Panel Pinning Kits7
- G *SPORT* Super Security Hood Lock Kit7
- G *SPORT* Oil Caps7
- G *SPORT PRO* Professional Flexible Wire Covering Kit8
- G *SPORT PRO* Overkill Silicone Vacuum Hose Kit8
- G *SPORT PRO* by Lakewood Traction Bars for Ford Focus9
- G *SPORT PRO* by Lakewood Traction Bars for Hondas9
- G *SPORT PRO* Billet Throttle Body10
- G *SPORT PRO* Fuel Rail™10
- G *SPORT PRO* (High Torque) Honda B-series Starter11
- G *SPORT PRO* The BEAST SERIES Gauges11
- G *SPORT PRO* The BEAST Crate Engine12-13
- G *SPORT* Plan-o-gram #73931G14-16
- G *SPORT* Apparel17

**For other exciting products check out
www.mrgasket.com!**





G FLEX™ Flexible Fluid Transfer Systems

These 24" mix and match Flexible Fluid Transfer Systems are great-looking and functional. Not only do they create a unique look for air and fluid lines, but they also aid in cooling and withstand vibration. They are ideal for engine and radiator swaps, both import and domestic. The adapter system will accommodate from 1-1/8" to 1-3/4" applications. GFLEX cuts easily with a common fine tooth hack saw to the desired length and cleans easily with mild soap and water.

- Corrosion-resistant 300-series stainless steel
- Can be shaped in unlimited configurations, will hold its shape once formed
- Works for most sport compacts, light duty pickup trucks, race cars and domestic vehicles
- Universal fit with the insert sleeve system
- Hose covers machined from 6061-T6 billet aluminum
- Finishes are heat-resistant flexible high gloss powder coating, or triple chrome plated
- Kits include 24" length of GFLEX hose, (2) 3" connectors, (2) 1-1/8" & (2) 1-1/2" adapters, (4) Standard number 28 hose clamps
- Works for most upper and lower radiator applications - will work without billet covers if desired
- Kits include all components necessary to complete the job
- Use the Gsport mix & match color system for your own personal touch!



Kit without caps 11015R

Don't forget the matching Gsport tubing and sleeving kits!

RADIATOR HOSES WITH CAPS	
Description	Part Number
Hose, 12" radiator-w/alum caps	11009
Hose, 12" radiator-w/blue caps	11009B
Hose, 12" radiator-w/black caps	11009BL
Hose, 12" radiator-w/chrome cap	11009C
Hose, 12" radiator-w/green caps	11009G
Hose, 12" radiator-w/red caps	11009R
Hose, 12" radiator-w/yellow cap	11009Y
Hose, 24" radiator-w/alum caps	11010
Hose, 24" radiator-w/blue caps	11010B
Hose, 24" radiator-w/black caps	11010BL
Hose, 24" radiator-w/chrome cap	11010C
Hose, 24" radiator-w/green caps	11010G
Hose, 24" radiator-w/red caps	11010R
Hose, 24" radiator-w/yellow cap	11010Y
Hose, 36" radiator-w/alum caps	11011
Hose, 36" radiator-w/blue caps	11011B
Hose, 36" radiator-w/black caps	11011BL
Hose, 36" radiator-w/chrome cap	11011C
Hose, 36" radiator-w/green caps	11011G
Hose, 36" radiator-w/red caps	11011R
Hose, 36" radiator-w/yellow cap	11011Y
Hose, 48" radiator-w/alum caps	11012
Hose, 48" radiator-w/blue caps	11012B
Hose, 48" radiator-w/black caps	11012BL
Hose, 48" radiator-w/chrome cap	11012C
Hose, 48" radiator-w/green caps	11012G
Hose, 48" radiator-w/red caps	11012R
Hose, 48" radiator-w/yellow cap	11012Y
RADIATOR HOSE KITS WITHOUT CAPS	
Hose, radiator-L12" od1 3/4 blk	11014
Hose, radiator-L12" od1 3/4 blu	11014B
Hose, radiator L12" od1 3/4 cb	11014C
Hose, radiator L12" od1 3/4 grn	11014G
Hose, radiator L12" od1 3/4 red	11014R

RADIATOR HOSE KITS WITHOUT CAPS	
Description	Part Number
Hose, radiator L12" od1 3/4 ylw	11014Y
Hose, radiator L24" od1 3/4 blk	11015
Hose, radiator L24" od1 3/4 blu	11015B
Hose, radiator L24" od1 3/4 chr	11015C
Hose, radiator L24" od1 3/4 grn	11015G
Hose, radiator L24" od1 3/4 red	11015R
Hose, radiator L24" od1 3/4 ylw	11015Y
Hose, radiator L36" od1 3/4 blk	11016
Hose, radiator L36" od1 3/4 blu	11016B
Hose, radiator L36" od1 3/4 chr	11016C
Hose, radiator L36" od1 3/4 grn	11016G
Hose, radiator L36" od1 3/4 red	11016R
Hose, radiator L36" od1 3/4 ylw	11016Y
Hose, radiator L48" od1 3/4 blk	11017
Hose, radiator L48" od1 3/4 blu	11017B
Hose, radiator L48" od1 3/4 chr	11017C
Hose, radiator L48" od1 3/4 grn	11017G
Hose, radiator L48" od1 3/4 red	11017R
HEATER HOSES WITH CAPS	
Hose, 44" heater w/alum caps	11013
Hose, 44" heater w/blue caps	11013B
Hose, 44" heater w/black caps	11013BL
Hose, 44" heater w/chrome cap	11013C
Hose, 44" heater w/green caps	11013G
Hose, 44" heater w/red caps	11013R
Hose, 44" heater w/yellow cap	11013Y
HEATER HOSE KITS WITHOUT CAPS	
Hose, heater L44" od7/8 black	11018
Hose, heater L44" od7/8 blue	11018B
Hose, heater L44" od7/8 chrome	11018C
Hose, heater L44" od7/8 green	11018G
Hose, heater L44" od7/8 red	11018R
Hose, heater L44" od7/8 yellow	11018Y

G FLEX™ Billet Hose Covers

Create endless combinations of colors with these Billet Hose Covers — the perfect finishing touch for GFLEX Hoses! For those who like showing off what's under their hood, these solid 6061-T6 billet aluminum Billet Hose Cover Ends offer a sweet new look.

- Available in a beautiful triple chrome-plated finish or durable high-temp, high-gloss powder-coated finish in black, blue, red, green, yellow, and triple chrome-plated finish Incorporates no-slide clamp technology for a secure fit

Description	Part Number
Cap, Alum End -For 1 3/4 Hose BK	11019
Cap, Alum End -For 1 3/4 Hose BL	11019B
Cap, Alum End -For 1 3/4 Hose CH	11019C
Cap, Alum End -For 1 3/4 Hose GN	11019G
Cap, Alum End -For 1 3/4 Hose RD	11019R
Cap, Alum End -For 1 3/4 Hose YW	11019Y
Cap, Alum End -For 7/8 Hose BLK	11020
Cap, Alum End -For 7/8 Hose BLUE	11020B
Cap, Alum End -For 7/8 Hose CHRO	11020C
Cap, Alum End -For 7/8 Hose GRN	11020G
Cap, Alum End -For 7/8 Hose RED	11020R
Cap, Alum End -For 7/8 Hose YLW	11020Y



G FLEX™ Replacement Connectors & Adapters


Description	Part Number
CONNECTOR ID42.1 T5.2-6.0 L74M	11021
CONNECTOR ID19.1 T4.2-5.0 L58M	11022
ADAPTER ID16 OD19 L38MM 2PCS	11023
ADAPTER ID37 OD43 L38MM 2PCS	11024
ADAPTER ID31 OD43 L38MM 2PCS	11025

G SLEEVE™ Hose and Cable Sleeving Kits

Here's a unique, durable alternative to convoluted tubing. These kits protect hoses and cable, and are also a great way to organize electrical wiring.

- Resists oil, gas, and most chemicals, protects against mechanical abrasion
- Heat range: -40 degrees F to 200+ degrees F
- Abrasion, chemical and UV light resistant
- Conforms to FMVSS 302-Automotive Test
- Heavy-duty split Polyethylene convoluted construction
- Melt temperature of 446 degrees F
- Easy to cut with scissors or hot knife
- Cleans easily with mild soap and water
- Kit includes the following:
 - 10' of 1/4" (size range) Min. Diameter 1/8" Max Diameter 7/16"
 - 8' of 3/8" (size range) Min. Diameter 3/16" Max Diameter 5/8"
 - 6" of 1/2" (size range) Min. Diameter 1/4" Max Diameter 3/4"
 - 10" of 3/4" (size range) Min. Diameter 1/2" Max Diameter 1-1/4"
 - 4' of 1-1/4" (size range) Min. Diameter 3/4" Max Diameter 1-3/4"
 - 3' of 1-3/4" (size range) Min. Diameter 1-1/4" Max Diameter 2-3/4"
 - (6) 4" color coordinated re-usable nylon tie straps
 - Clear heat shrink termination kit (to seal the ends)

Color	Part Number
Pink	11004
Black	11004B
Clear	11004C
Green	11004G
Clear	11004L
Orange	11004N
Neon Blue	11004NB
Neon Green	11004NG
Neon Red	11004NR
Neon Yellow	11004NY
Purple	11004P
White	11004W
Yellow	11004Y



NOTE: GSleeve™ cuts easily with scissors, but we recommend a hot knife to prevent fraying.
 TIP: If a hot knife is not readily available, an inexpensive kitchen knife and a hardwood cutting board will work. Measure and mark location of cut, then heat the knife to a near red color with a butane torch and make the cut with GSleeve™ laying flat on the cutting board. Only about 3 inches of the knife edge needs heated. Use caution! Heat shrink cuts with scissors only!

G STRING™ Neon Rope Light

The latest and greatest way to accessorize your ride! Like tiny neon tubes, this 12v/24v EL Rope light not only illuminates your interior or exterior in 6 of the brightest and wildest colors, but it also flashes to the music! Bend it, twist it, mount it, hang it, then crank up the tunes.



- Made from Electro Luminescent technology, requires low voltage and low amperage draw
- Can be cut to accommodate equal lengths on each side of the controller
- Very long life
- Works well in extreme temperatures
- Music interface included to control base pulse, enables GString™ to flash with the music
- Installs easily with hot glue, clear double sided tape or for a permanent solution, super glue can be used. (Caution: Super Glue is permanent!)

Directions:

Mount the EL Rope Light in the desired location. Mount the Music Interface Sensor on the dash or in a balanced location to sense a music signal. Check power selector switch and make sure it is set in the off position. Insert the AC Power plug into the Accessory power source (cigarette lighter). Turn on the power by moving the selector switch to "MU" for the Music Interface or "ON" for constant illumination. To fine-tune the sensitivity of the Music Interface, adjust the "Min-Max" switch for the desired effect.

Color	5' Length	10' Length	15' Length
Pink	11001	11002	11003
Blue	11001B	11002B	11003B
Green	11001G	11002G	11003G
Orange	11001N	11002N	11003N
Purple	11001P	11002P	11003P
Red	11001R	11002R	11003R
White	11001W	11002W	11003W
Yellow	11001Y	11002Y	11003Y

Warning: GString™ can be used for exterior applications, but the controller needs to be mounted in a dry location.
 Caution: Turn off power when not in use. Continuous operation should not exceed 6 hours.
 For use in vehicles with 12 volt and 24 volt capabilities ONLY!

G SPORT Flexible Tubing And Tie Strap Kits

This flexible polyethylene tubing protects electrical wires from heat and abrasion. Slit for easy wire insertion and removal. Includes six reusable 4" length nylon tie straps to secure tubing. Available in 1/4", 3/8", 1/2", 3/4" ID diameters and black, red, blue, yellow, purple colors.

Diameter/Color	Length	Part Number
3/8" ID Red	12 Ft, w/6 Tie Straps	11041R
3/8" ID Blue	12 Ft, w/6 Tie Straps	11041B
3/8" ID Yellow	12 Ft, w/6 Tie Straps	11041Y
3/4" ID Red	6 Ft, w/6 Tie Straps	11042R
3/4" ID Blue	6 Ft, w/6 Tie Straps	11042B
3/4" ID Yellow	6 Ft, w/6 Tie Straps	11042Y



G SPORT Spark Plug Boot Insulators

- Guards spark plugs, boots and cable ends from extreme heat
- Protects expensive spark plug wires from tight-fitting aftermarket headers
- Tightly woven from durable fiberglass, then formed into a double-layered easy-on and off sleeve
- Resistant to burst temperatures up to 1200 degrees F, will protect continuously at 500 degrees F
- Inside diameter 3/4", finished length 7.5"
- Available in 4, 6, and 8 packs
- Made in USA



Great for most ACCEL plug wire applications!

Description	Part Number
Boot, SPBU Spark Plug 4pk natural	11005
Boot, SPBU Spark Plug 6pk natural	11006
Boot, SPBU Spark Plug 8pk natural	11007



G SLEEVE Trailer Hitch Wire Protection Kit

- Protects your important trailer hitch wires from abrasion, sunlight, heat and vibration
- Organizes all wires into one common harness
- Includes 4' for expandable PET sleeving and heat shrink sealing tube
- Made in USA



Description	Part Number
Trailer Hitch Kit, Retrofit BLK	11008



G CAL

- Show the world you know quality and fly the Gsport Windshield Decal!
- Includes 2 small 9.5" x 3.750" decals. (1) large 5" x 24" red, blue, yellow, silver, white, black.

Description	Part Number
GSport Windshield Decal Set BK	11026
GSport Windshield Decal Set BL	11026B
GSport Windshield Decal Set RD	11026R
GSport Windshield Decal Set SV	11026S
GSport Windshield Decal Set WH	11026W
GSport Windshield Decal Set YW	11026Y





G MUFF Titan-Lite™

Although extremely light-weight, Titan-Lite is a giant among dampening materials. It provides twice the dampening capability, and is 40% lighter than any of our competitors asphaltic product. Its aggressive adhesive withstands temperatures in excess of 250 degrees, and it stretches up to 40% for 100% bonding to irregular surfaces.

Benefits:

- Ultra light-weight material
- Extreme dampening properties
- Simple peel and stick design
- Resists water, fuel, and most solvents
- No harsh odors

Specifications:

Dimensions: 12" x 32"
 Thickness: .075"
 Weight: .6 lbs. Per sq. ft.
 Color: Black
 Chemical type: Mineral filled viscoelastic polymer

Sample Applications:

- Use on doors, floorpans, roof panels, deck lids, and sheet metal panels that are prone to flexing, marine hulls, sheet metal hoppers and ducting
- Great for sport compact, street rods, muscle cars, trucks, boats, and aircraft
- Great protection for drag car wheel tubs, without adding excessive weight

Titan-Lite™ Sound Damping Material VB-2 11027



G MUFF Econo-Skin™

Protect your stereo investment with this cost-effective peel and stick vibration damping material. Econo-Skin provides weight to the structure to lower its resonant frequency and significantly reduces structural fatigue. Ideally suited for irregular door and floor pans. Works great in sharp 90 degree bends. No harsh tar-like odors. Applies to clean sheet metal, fiberglass, wood or plastic surfaces without special tools.

Benefits:

- Greatly reduces structural fatigue and associated failures caused by flexing and vibration
- Simple peel and stick design
- Resists water, fuel, and most solvents

Specifications:

Dimensions: 12" x 32"
 Thickness: .075"
 Weight: .6 lbs. per sq. ft.
 Color: Black
 Chemical type: Mineral filled viscoelastic polymer

Sample Applications:

- Use on doors, floor pans, roof panels, deck lids, and sheet metal panels, that are prone to flexing, Marine hulls, sheetmetal hoppers and ducting
- Great for Sport Compact, Streetrods, Muscle cars, trucks, boats, and aircraft

Econo-Skin™ Sound Damping Material GS 11028



G MUFF Neo-Foam Insulator™

Effective anti-rattle, cushioning gasket material. 1/8" thick nitrile neoprene composite foam with pressure-sensitive adhesive backing.

Benefits:

- Aggressive adhesive withstands temperatures in excess of 250° F
- Simple peel and stick design
- Water resistant
- No unpleasant odors

Specifications:

Quantity: Four 10x10" sheets
 Thickness: 0.125"
 Weight (lbs/SQ.FT) 0.12 LBS
 Color: Black
 Chemical type: Neoprene Foam

Sample Applications:

Use between vehicles interior panels to cure annoying squeaks and buzzes. Exterior moldings, License plate frames and mounting surfaces. Under carpets and upholstery, speaker installations and subwoofer enclosures, under headliners, the possibilities are endless. Great for Sport Compact, Streetrods, Muscle cars, trucks, boats and aircraft.

Neo-Foam Insulator™ Sound Damping Material VB-5 11029

G MUFF G-Spray™

G-Spray is a vibration-dampening compound engineered specifically for spray applications. This product should not be confused with common rubberized undercoating. G-Spray visco-elastic spray contains a significant mineral load; it will convert vibration energy into low level heat, providing twice the dampening characteristics of other asphalt material. G-Spray also contains a corrosion inhibitor.

Benefits:

- Premium dampening in spray form, great for hard to reach locations. Perfect for extremely irregular shapes.
- Improves car audio performance by reducing ambient noise levels

Specifications:

Coverage: 4.5 Sq.Ft.4180m sq. per can.
 Thickness: 0.032" per coat
 Weight: 20 oz can
 Color: Black
 Chemical type: Viscoelastic compound
 Contains no CFC's

Sample Applications:

- Use on hard to reach or difficult contours exist. Inside doors, kick panels, trunk wheelwells subwoofer enclosures, body panels, marine hulls, and machinery enclosures.
- Works great on primed or coated metal, fiberglass, plastic and wood

G-Spray™ Sound Damping Material VB-1 Spray 11030



G SPORT Hood and Panel Pinning Kits

Take chances? Sure, but not with your hood security. GSport's hood pin kits hang out with the 200MPH gang at the racetrack because a hood in your face at that speed can really ruin your day. If they do the job there while still allowing quick access between heats, they will certainly work for you. Overall pin length of 4" with a 2-1/2" scuff plate will fit most applications.

- Secure hoods, rear hatch, trunk lids, and front clips
- Provides quick removal for the street or track

Kits includes:

- (2) chrome-plated 7/16"-20 x 4" pins with 2-1/2" of thread
- (2) chrome-plated heavy-duty torsion clips, (2) polished stainless steel scuff plates (8) mounting screws, and (4) 7/16"-20 mounting nuts

Description	Part Number
Hood and Panel Pinning Kit with torsion clips	11037
Hood and Panel Pinning Kit with spring safety pins	11038



11037



11038

G SPORT Super Security Hood Lock Kit

A great looking way to keep your hard earned under-the-hood stuff under the hood. Utilizes the same cylindrical key lock mechanism found in vending machines, virtually pick-proof. Works great for trunk lids, rear hatches and front clips.

Kit includes:

- (2) chrome-plated lock sets
- (2) fully threaded lock pins
- (4) adjustment nuts and
- (2) keys

Description	Part Number
Super Security Hood Lock Kit	11039

Caution: This kit should be used with factor hood latch assembly or deck pinning kits.



11039

G SPORT Oil Caps

The perfect upgrade for that boring OE oil cap. CNC-machined from quality 6061 billet aluminum and includes a neoprene o-ring for a leak-proof seal. Then we finish it off with a cool anodized or triple chrome-plated luster.

Description	Part Number
Honda, Acura, Nissan (Chrome)	11040C
Honda, Acura, Nissan (Anodized Blue)	11040B
Honda, Acura, Nissan (Anodized Red)	11040R





G SPORT PRO Professional Flexible Wire Covering Kit


This kit provides a professional OE look to added wiring projects. The system is complete with tee connectors, unions and two clip types. Resists oil, gas and most chemicals as well as mechanical abrasion.

- 25' of 1/2 I.D. split convoluted polyethene flexible tubing
- Temperature rating -40 degrees to 200+ degrees
- Only available in black, but connectors and tees can be use with any color of 1/2" GSport convoluted tubing
- Kit includes:
 - 25' for black convoluted tubing
 - 15 Screw mounted offset clips
 - 15 Rosebud clips (for 7/32" hole mount)
 - 5 inline union connectors.
- Made in USA

Installation Tips:

Cut to length with a sharp pair of scissors. Use tee connectors where needed. Tee connectors can be secured with sheet metal screws or rivets if desired. A 7/32" hole is needed if rosebud style clips are used. Offset clips can be fastened with sheet metal screws or rivets. Inlets are used for the connection of two sections of tubing or inlet of wire and termination for a clean look.

Description	Part Number
Professional Flexible Wire Covering Kit	11036



Overkill Silicone Vacuum Hose has great wall thickness!

G SPORT PRO Overkill Silicone Vacuum Hose Kit

This hose kit gives you over-the-top performance and durability. Made from a superior formula silicone compound, this vacuum hose kit can take the heat and then some, handling extremely high temperature applications from -65 degrees F all the way up to +350 degrees F. **Its ultra-thick walls prevent collapsing and kinking when used for tight radiuses**, and it is a perfect fit for all sport compact and domestic applications.

- Far superior performance to rubber type hoses
- Great elongation
- Cuts easily
- Will not fade, crack or harden
- Designed for demanding race cars as well as street

Kits contains:

- Kit contains enough hose to replace most of the dominant vacuum hoses.
- 10 feet of 3mm/1/8" hose
- 5 feet of 6mm/1/4" hose
- 2 feet of 10mm/3/8" hose

Instructions:

Remove intended hose and cut OVERKILL to the same length (TIP: an inexpensive cigar cutter works best and is safer, but a razor knife can be also used). Hose cuts very easily. Fully slide hose on fitting and you're done! Nylon tie wraps can be used

if needed. Remember, it's vacuum not pressure. Route from all exhaust contact. Works great for custom routing. Clean with common rubbing alcohol to preserve that just-installed look.

Warning: NOT FOR BRAKE, FUEL, OIL, OR ANY PRESSURE LINES.

Description	Part Number
Yellow	11031Y
Blue	11031B
Red	11031R
Black	11031
Green	11031G
Silver	11031S
Purple	11031P




G SPORT PRO by Lakewood Traction Bars for Ford Focus

These traction bars are designed to pre-load the front suspension, allowing the front tires to remain firmly planted to the pavement, eliminating wheel hop and maximizing traction potential during launch, resulting in reduced 60 foot times and quicker ET's. Fits 2000-03 Ford Focus (exc. SVT w/factory header pipe).

- "T" Bar design strengthens front end to eliminate chassis flex
- Fully adjustable for drag racing, road racing, and street applications
- High quality racing grade spherical rod ends
- Bolt-on design with no welding required for ease of installation



Description	Part Number
No-Hop Traction Bars for Ford Focus	50200



G SPORT PRO by Lakewood Traction Bars for Hondas

- Available for 1992-2000 Civic and 1994-2000 Acura Integra
- Features unibody cross over anchor and adjustable length lower control arm links
- Racing grade left and right threaded high quality spherical rod ends
- Pre-loads front suspension to completely eliminate wheel hop
- Allows the front tires to remain firmly planted to the pavement
- Maximizes traction potential during launch and drastically reduces 60ft times
- Ideal for Drag Racing as well as Autocross and Road Racing
- Available in both steel and light weight Titanium construction

Description	Part Number
Traction Bars for Honda - Steel	50100
Traction Bars for Honda - Titanium	50101

For truck and other applications see the LAKEWOOD catalog on www.mrgasket.com



**ULTRA STRONG!
ULTRA LIGHT
TITANIUM!**

G SPORT PRO Billet Throttle Body

- Engineered to deliver greater throttle response and increased airflow
- 3 sizes available (65mm, 68mm, 70mm)
- CNC-machined from 6061 T6 aluminum to O.E.M. fitment
- 8-12 horsepower gains
- Works with factory throttle cable and brackets
- Applications available for most Hondas and Acuras
- Quick and easy installation

Billet Throttle Body, Honda, B-series 70mm	11049
Billet Throttle Body, Honda, B-series 68mm	11050
Billet Throttle Body, Honda, B-series 65mm	11051



G SPORT PRO Fuel Rail™

- High flow design for added fuel pressure and engine performance
- CNC-machined from high quality 6061 aluminum that has been polished and Type 1 anodized to bring out a high-gloss finish
- 80% more flow than most competitors' rails
- Use with stock or external fuel regulator
- Includes extra port for fuel pressure gauge
- Includes mounting hardware (Replacement O-rings and crush washers)
- Offers both style and performance

Standard Bore		Large Bore	
All Years Acura Integra DOHC 4 CYL, 1998-2001 Honda Civic Si B16A VTEC		All Years, Acura Integra, DOHC, 4 Cyl., 1998-2001 Honda Civic Si B16A VTEC	
Blue	11043B	Blue	11046B
Red	11043R	Red	11046R
Polished	11043P	Polished	11046P
Titanium	11043T	Titanium	11046T
All Years, Honda Civic SOHC 4 Cyl.		All Years, Honda Civic SOHC 4 Cyl.	
Blue	11044B	Blue	11047B
Red	11044R	Red	11047R
Polished	11044P	Polished	11047P
Titanium	11044T	Titanium	11047T
All Years, Acura CL, DOHC 4 Cyl., All Years Honda Prelude DOHC 4 Cyl.		All Years, Acura CL DOHC 4 Cyl., All Years Honda Prelude DOHC 4 Cyl.	
Blue	11045B	Blue	11048B
Red	11045R	Red	11048R
Polished	11045P	Polished	11048P
Titanium	11045T	Titanium	11048T



ACCEL Fuel Injectors are a perfect match to the G Sport Pro Fuel Rail!



G SPORT PRO (High Torque) Honda B-series Starter

Think your OEM starter is up to the challenge to crank your higher compression N/A motor over? Better think again. It was designed to start your stock low HP engine. Bump the compression ratio up to 11.5:1 or higher and the OE starter is heavily taxed, not to mention longevity will suffer greatly. What about that Turbo motor? Yep, chances are you'll get heat soak, this greatly effects the performance of the OE starter. We've solved all of the potential problems with our Gsport Pro (High Torque) Starter. Want 18:1 compression ratio? We can crank it. Got a 500 HP plus turbo motor, Yep we can start that too! Race cars don't use OEM starters for a reason, doesn't your high performance Honda deserve a high performance starter?

- Benefits:
- Highest torque available
 - Highest efficiency
 - 4.4:1 Gear reduction ratio
 - Cranking power for up to 18:1 compression ratio
 - Each starter goes through a complete dyno test
 - 200 ft-lbs. of torque
 - Billet aluminum drive end
 - Amp draw equals OEM starter
 - Natural aluminum finish
 - Eliminates heat soak problems

Honda B-series Starter

11065



G SPORT PRO The BEAST SERIES Gauges

Even if you don't have a Beast engine, your car deserves the finest instrumentation on the planet! These are extremely accurate gauges made right here in the USA. Silver bezels, bright white faces with black numerals with neon red pointers make this a very easy to read gauge. At night the fun starts when the white faces turn into a brilliant blue-green glow, thanks to the Electro-Luminescent membrane. This provides outstanding low light readability. Gauges include all necessary installation components and instructions. Works for all applications.

Description	Part Number
Gauge, 2-1/16" 30 PSI boost	11043
Gauge, 2-1/16" 100psi oil presr	11044
Gauge, 2-1/16" 100-250f wtr tem	11045
Gauge, 2-1/16" egt w/ probe	11046
Gauge, 2-1/16" fuel prsr 100psi	11047
Gauge, 2-1/16" ntrs prsr 0-1600	11048
Meter, 2-1/16" air/fuel	11059
Meter, 2-1/16" volt(8-18 volts)	11060
Tach, 5" shift light	11061



GSPORT PRO

THE BEAST GX20 Honda Crate Engine

From the belly of the high performance giant Mr. Gasket, emerges a milestone in sport compact technology appropriately named "The Beast". Born from a coalition of racing engine experience so strong that its performance and reliability are truly indisputable. So confident are we in this Beast's abilities, we also back it with a 12 month or 12 thousand mile warranty.

Built from the finest hand-picked components in the world, every part is brand spankin' new, right down to the last oil pan bolt. We did our homework to ensure that you receive the most reliable high performance Honda* replacement available anywhere, starting with the design and development at PAYN Technologies, Inc. Cutting corners is a concept that is totally foreign to Tom Payn, and his uncompromising standards were just what we needed for this project. Tom is the master of finding horsepower in the details, using only the highest quality aerospace materials and checking specs down to a number so small it makes your head spin. Just when you think the stone can't bleed anymore, Tom can get another drop.

Building a close-tolerance, high performance engine in volume can't be performed in a back yard. Mr. Gasket searched long and hard to locate the best company for the job, finally stopping in Livonia, Michigan. Performance Assembly Solutions got the nod hands down. You might not be aware of this company directly but you will be soon! Performance Assembly Solutions is a joint venture with Uni Boring and Roush Industries Inc. PAS is a QS9000/ISO9002 registered company that specializes in niche performance builds, performing work for GM, Indian Motorcycles, and Roush crate engines. And you should see their surgical-clean build facilities. Amazing! We doubt your mom's kitchen was ever this clean.

Every Gsport Pro engine is shipped to you in this sweet crate that would look great in your living room as a coffee table — no really! OK, we know, get to the good part. Yes, this engine #@&\$in' ROCKS! And we hope you like to buy tires. Each performance component has been custom made for this Gsport engine. Starting with the super-strong block from Dart Machinery, Gsport Pro rods from Oliver Racing, Gsport Pro pistons from WISECO, Gsport Pro spec crank, Gsport spec cams, and a host of Mr. Gasket gaskets. Like we said, this truly is a coalition of the world's best. You have our word on it.

The Beast Specs and pricing
The Beast is available in two configurations currently:
GX20 Long block (B18 V-TEC GSR Head)
With warranty (12 month 12,000 mile)
GX20S Short block (B18 Dart block)
Both part numbers are naturally aspirated applications.
BORE: 3.307" or 84mm
Stroke: 3.504" or 89mm
Rod Length: 5.543" or 140.8mm
R/S ratio: 1.58:1
Compression ratio: 11.5:1
Intake Valve size: 34mm
Exhaust valve size: 28mm
BHP: 270 @ 7800 RPM
Peak torque: 185 ft-lbs. @ 6000 RPM
No warranty is offered for the short block other than material and workmanship.
Short block is fully assembled and decked ready for final assembly.



Long Block PN: GX20
Short Block PN: GX20S

Honda is a registered trademark of the American Honda Motor Co., Inc.

The Beast GX20 Specifications

Assembly:

- Each engine is meticulously hand-blueprinted and assembled using state-of-the-art precision measuring equipment in a hospital-like controlled environment
- Cylinder heads receive precise porting designs using high tech wet and dry flowbench technology
- Each engine is put through an ultra-modern testing station ensuring perfect oil pressure, cylinder leakdown, and coolant leaks
- Camshafts and valvetrain package are engineered to deliver the perfect combination and broadest possible torque curve in a streetable package

Cylinder Head:

- Starting with a factory new Honda GSR casting
- CNC and hand blended porting
- State-of-the-art valvetrain, specially designed for Gsport
- Custom ground cold chilled camshafts, specially ground for the GX20 crate engine
- Highest quality cam gears made

Block:

- Dart B18 stock deck height, built for Gsport in conjunction with Tom Payn of Payn Technologies
- Bunker buster proof!
- Manufactured from aerospace quality C55-T6 virgin aluminum alloy for maximum strength
- Replaceable ductile iron dry sleeves are fully supported to reduce bore distortion and enhance ring seals
- Closed deck design increases rigidity and improves head gasket sealing
- Steel main caps with high-strength bolts increase bottom end strength and minimize bearing bore distortion
- Extra large water jackets increase coolant circulation around cylinders to ensure proper cooling in high horsepower applications
- Standard piston oil sprayers reduce piston temperatures to extend life and prevent detonation
- Accepts all stock components including oil pans, oil pump, water pump, alternator, and timing belt tensioner

Connecting Rods:

- Specially developed for Gsport by Oliver
- Parabolic design is the strongest beam section made
- FEA testing
- Balanced to .5 grams on each end
- Tightest tolerances by state-of-the-art CNC machines
- Made from certified quality E4340 Chrome Moly Billet
- Heat-treated to a 100% martensite grain structure

Pistons:

- Specially developed for Gsport by Wiseco
- Designed specifically for high revving engines with small bores and multi-valves
- World class forging facility, latest technology, advanced materials, and featured aligned grain flow technology
- Pistons designed to optimize squish or quench during compression/combustion cycle event, resulting in high resistance to detonation and pre-ignition; this equals longer engine life and increased horsepower potential
- Piston crown shapes designed to promote maximum intake charge efficiency through scavenging mixture, "Cross Flow" during intake and exhaust valve overlap, More fuel and air equals more horsepower!

Crankshaft:

- Specially designed for Gsport by Eagle
- Forged from 4340 Non-twist steel
- 10% lighter than stock
- Large radius journals for increased strength
- 100% x-rayed, Magnafluxed and sonic tested for unsurpassed quality
- Multi-stage heat-treated process
- Micropolished and Nitride-treated for low friction and superior wear resistance
- Full counterweight design for perfect balance
- Chamfered oil holes for improved oiling

Gasket:

- A host of Mr. Gasket gaskets, including Mr. Gasket perfect sealing MLS head gasket

Bearing:

- Honda Motor company





G SPORT
Plan-o-gram #73931G, Panel A

11002B G-String Neon Rope 10 Feet Blue	11002Y G-String Neon Rope 10 Feet Yellow	11002R G-String Neon Rope 10 Feet Red	11031Y Silicone Vacuum Hose Yellow
11002 G-String Neon Rope 10 Feet Pink	11002P G-String Neon Rope 10 Feet Purple	11002G G-String Neon Rope 10 Feet Green	11031B Silicone Vacuum Hose Blue
11003B G-String Neon Rope 15 Feet Blue	11003Y G-String Neon Rope 15 Feet Yellow	11003R G-String Neon Rope 15 Feet Red	11031R Silicone Vacuum Hose Red
11003 G-String Neon Rope 15 Feet Pink	11003P G-String Neon Rope 15 Feet Purple	11003G G-String Neon Rope 15 Feet Green	11031S Silicone Vacuum Hose Silver
11031 Silicone Vacuum Hose Black	11031G Silicone Vacuum Hose Green		

G SPORT
Plan-o-gram #73931G, Panel B

11015Y Hose Kit 24" without billet covers Yellow	11019C Billet Hose end Cover Chrome	11019C Billet Hose end Cover Chrome	11015C Hose Kit 24" without billet covers Chrome
	11019Y Billet Hose end Cover Yellow	11019Y Billet Hose end Cover Yellow	
11015B Hose Kit 24" without billet covers Blue	11019B Billet Hose end Cover Blue	11019B Billet Hose end Cover Blue	11015R Hose Kit 24" without billet covers Red
	11019G Billet Hose end Cover Green	11019G Billet Hose end Cover Green	11015 Hose Kit 24" without billet covers Black
11015G Hose Kit 24" without billet covers Green	11019R Billet Hose end Cover Red	11019R Billet Hose end Cover Red	
11031P Silicone Vacuum Hose Purple	11019 Billet Hose end Cover Black	11019 Billet Hose end Cover Black	11036 Wire Cover Kit Black
	11019C Billet Hose end Cover Chrome	11019C Billet Hose end Cover Chrome	



Part # **Display Assortment (Panel "A"):**
Product Description

11002B	GString, Neon Rope Blue, 10'
11002Y	GString, Neon Rope Yellow, 10'
11002R	GString, Neon Rope Red, 10'
11002	GString, Neon Rope Pink, 10'
11002G	GString, Neon Rope Green, 10'
11002P	GString, Neon Rope Purple, 10'
11003B	GString, Neon Rope Blue, 15'
11003Y	GString, Neon Rope Yellow, 15'
11003R	GString, Neon Rope Red, 15'
11003	GString, Neon Rope Pink, 15'
11003G	GString, Neon Rope Green, 15'
11003P	GString, Neon Rope Purple, 15'
11031Y	Silicone Vacuum hose kit (Yellow)
11031B	Silicone Vacuum hose kit (Blue)
11031R	Silicone Vacuum hose kit (Red)
11031	Silicone Vacuum hose kit (Black)
11031G	Silicone Vacuum hose kit (Green)
11031S	Silicone Vacuum hose kit (Silver)

Part # **Display Assortment (Panel "B"):**
Product Description

11015Y	24" Hose kit, without billet covers, Yellow
11015C	24" Hose kit, without billet covers, Chrome
11015B	24" Hose kit, without billet covers, Blue
11015R	24" Hose kit, without billet covers, Red
11015G	24" Hose kit, without billet covers, Green
11015	24" Hose kit, without billet covers, Black
11019C	Billet, hose end cover, chrome plated
11019Y	Billet, hose end cover, Yellow powder coated
11019B	Billet, hose end cover, Blue powder coated
11019R	Billet, hose end cover, Red powder coated
11019G	Billet, hose end cover, Green powder coated
11019	Billet, hose end cover, Black powder coated
11036	Wire cover kit, Black
11031P	Silicone Vacuum hose kit (purple)



G SPORT
Plan-o-gram #73931G, Panel C

11038 Hood Pins 7-1/6"-20 w/safety pins	11037 Hood Pins 7-1/6"-20 w/torsion clips	11039 Super Security Hook Lock Kit	11040C Oil Cap Chrome	11040B Oil Cap Blue	11040R Oil Cap Red
11004 Hose Sleeving Kits Yellow	11004W Hose Sleeving Kits White	11004P Hose Sleeving Kits Purple	11004B Hose Sleeving Kits Black		
11004NR Hose Sleeving Kits Neon Red	11004NB Hose Sleeving Kits Neon Blue	11004NG Hose Sleeving Kits Neon Green	11004G Hose Sleeving Kits Green		
11041Y Convoluted tubing 3/8" ID 12 Feet Yellow	11041B Convoluted tubing 3/8" ID 12 Feet Blue	11041R Convoluted tubing 3/8" ID 12 Feet Red			
11042Y Convoluted tubing 3/4" ID 6 Feet Yellow	11042B Convoluted tubing 3/4" ID 6 Feet Blue	11042R Convoluted tubing 3/4" ID 6 Feet Red			

Panel C

Display Assortment (Panel "C")

Part #	Product Description
11037	Hood and Deck Pinning kit 7/16"-20 with torsion clips
11038	Hood and Deck Pinning kit 7/16"-20 with safety pins
11039	Super Security Hood Lock Kit
11040C	Oil cap, Honda, Acura, Nissan-Chrome
11040B	Oil cap, Honda, Acura, Nissan-Blue
11040R	Oil cap, Honda, Acura, Nissan-Red
11004	Hose sleeving Kits, (poly) Yellow
11004NR	Hose sleeving Kits, (poly) Neon Red
11004NB	Hose sleeving Kits, (poly) Neon Blue
11004B	Hose sleeving Kits, (poly) Black
11004W	Hose sleeving Kits, (poly) White
11004NG	Hose sleeving Kits, (poly) Neon Green
11004P	Hose sleeving Kits, (poly) Purple
11004G	Hose sleeving Kits, (poly) Green
11041Y	Convoluted tubing kit, Yellow 3/8" ID 12'
11041B	Convoluted tubing kit, Blue 3/8" ID 12'
11041R	Convoluted tubing kit, Red 3/8" ID 12'
11042Y	Convoluted tubing kit, Yellow 3/4" ID, 6'
11042B	Convoluted tubing kit, Blue 3/4" ID, 6'
11042R	Convoluted tubing kit, Red 3/4" ID, 6'

G SPORT Apron

Here's an apron with attitude! Stay clean while working on your sport compact with this full-length adjustable apron made from a 65% cotton/35% polyester blend. Features two pockets and adjustable straps. **73831G**



G SPORT Flame Dress Shirt

Sport compacts and flames — a great combination! This black button-down shirt features muted flames that just scream attitude, performance and style. The GSPORT lady logo is embroidered on the left chest, along with the Beast logo on the left sleeve.

Small	73906G
Medium	73907G
Large	73908G
XLarge	73909G
2XLarge	73910G
3XLarge	73911G

G SPORT T-Shirt

Our GSPORT accent and performance products for sport compacts will sweeten up any machine — that's why we call it "Candy For Your Car". Show off your taste for serious speed and style with this hot new T-Shirt.

Small	73658G
Medium	73659G
Large	73660G
XLarge	73661G
2XLarge	73662G
3XLarge	73663G
4XLarge	73664G

G SPORT Skull Cap

Sport the hottest new logo in the sport compact market! Show off your attitude with this short beanie (approx. 9 inches), made from 100% Acrylic with a wool feel. **73824G**

G SPORT Logo Cap

Hot new head gear! Made with premium quality materials and construction. Hats feature a one size fits all solid elastic band. **74027G**

