

### What's Inside?


1-Pc Pushrods	Distributors, HEI Ford16	Oil Dipstick & Tube Kits
2-Pc Pushrods	Distributors, HEI Chrysler16 Distributor Accessories16	Oil Pans 7,28
		Performance Rebuild Kits, Carburetors11
2-Pc Valve Covers <i>NEW!</i> 1	Distributor Tune-Up Kits	Piston Tools, Filer, Installer19, 20
Adjustable A N Wrenches21	•	Planograms, Carburetor Tuning <i>NEW!</i> 9
Adj Secondary Cam Brackets10	Electric Fans, Bowtie Emblem <i>NEW!</i> 6	Planograms, Bowtie Chrome26
Air Bleed Tuning Kits11	Electric Fans 6,14	Planograms, Tools26
Air Breathers5, 27	Electric Water Pumps, Bowtie Emblem NEW!7	Planograms, Rotating Electrical26
Air Cleaner Base4, 25	Electric Water Pumps, Chevy 7,14	Planograms, Valve Train26
Air Cleaners	Electric Water Pump, Ford NEW!14	Planolog, Catalog, P.O.P. <i>NEW!</i> 26
Air Cleaner Center Nuts4,27	Electric Water Pump, Chrysler NEW!14	Pans, Transmission, Oil
Alternators Bowtie Emblem 6	Engine Building Tools <i>NEW!</i> 19-24	Poly Locks, Rocker Arms18
Alternators	Fabricated Aluminum Valve Covers 1	Pulleys, Mustang12
Aluminum Fuel Bowls 8	Fans, Electric	Pushrods
Banners, Trackside/In-Store25	Freeze Plug Inserts, Bowtie Emblem NEW! 5	Pushrod Tools21,22
Battery Hold Downs28	Fuel Filters, 2-Stage10	Race Series Carburetors8
Billet Metering Blocks11	Fuel Pumps, Mechanical10	Rebuild Kits, Carburetor11
Billet Throttle Base Plates10	Fuel Pumps, Electric10	Rocker Arms, Chevy18
Billet Jet Plates11	Funnel, No-Mess™20	Rocker Arms, Ford18
Billet Electric Chrysler Water Pump 14	Gaskets, Collector <i>NEW!</i> 10	Rocker Arms, Chrysler Shaft Mt18
Billet Fuel Log, Adjustable10	Gaskets, Header <b>NEW!</b> 10	Rocker Arm & Pushrod Kits18
Billet HEI Distributors15	Gear Drives25	Scales, Balancing/Weighing19
Bolts & Fasteners2, 27	GM Licensed Parts NEW! 1-7	Shift Lights, Adjustable RPM13
Brass Freeze Plug Kits25	Grommets	Shifters Rillet 12 25
Catalogs, Merchandisers26	•	Shifters, Billet
Caps, Breather/Oil	Harmonic Balancers25	Starters, Mini, High-Torque13
Carburetors, Race Series 8	Harmonic Balancer Covers 5,27	Starters, High Compression13
Carburetors, Street NEW! 9	Harmonic Balancer Tools19	Stud Girdles18
Carburetors, Spacer Kit NEW! 8	Ignition, Distributors15-17	Tachometers, 5 inch Racing13
Carburetor, Main Bodies 9	Ignition, Accessories16-17	Timing Chain Covers
Carburetors, Tools 10, 24	Key Chains, Collectibles25	Timing than covers
Carburetor, Tuning Planogram <b>NEW!</b> 9	•	Timing Light, Self-Powered23
Carburetor Accessories/Service Parts 11	Master Cylinder Covers	Timing Pointers 6,28
Chrome Parts, Licensed NEW!1-7	Mechanical Water Pumps14	Tools, Engine Building NEW!19-24
Chrome Parts, PROFORM27-28	Mechanical to Electrical Conv Kits14	Two-Piece Valve Covers <b>NEW!</b>
Coils, Ignition16,17	Media, Sales, Training DVDs26	Tuff Hook™ Truck Accessories <i>NEW!</i> 25
Cooling, Fans & Water Pumps NEW! 6-7	Micrometers, Tools23	
Control Arms, Mustang12	Miscellaneous25-26	Vacuum Advance, HEI Adjustable
Decals25	Mustang Parts12	Valve Covers NEW! 1-3,28
Degree Wheels/Kits20		Valve Covers, Circle Track <b>NEW!</b>
Differential Covers28	No-Mess Funnel, Patented NEW!20	Valve Cover Accessories2-5,27,28
Dipsticks, Oil & Trans	No-Mess Oil Pan Plug, Patented27	Waterpumps 7,14
Distributors, HEI GM15	Oil Caps 5,27	Waterneck's 7,28
NOTE: Part numbers with suffix "C" in	dicate the product is supplied in a durab	ole, clear plastic clamshell package.
<b>NEW!</b> You'll find <b>new products</b> in these sections		, principle promise

HOW TO USE THE PROFORM WEBSITE: Visit www.proformparts.com for latest product information, valuable retail rebate coupons, printable installation instructions, Grand Prize Giveaways, and more including In The News, to see what the magazines are saying, and How to Buy to find your local PROFORM dealer!

**ON-LINE RETAIL REBATE COUPONS:** Look for this symbol on our website, in our ads, and in various show and event publications! Print and

send in the coupon with your retail receipt and bar code from the Proform box, and we'll put cash in your pocket! See www.proformparts.com for

parts sellers.



Visit www.proformparts.com to find your closest independent retailer, mail order retailer, e-commerce retailer and chain store retailer.

= These parts are Made In the U.S.A.

Front Cover Photo: This 1972 "Heavy Chevy" Chevelle, is a life-time Michigan car. It is photographed in front of the Historic Capitol Theatre in downtown Flint, Michigan. It is owned by Steve and Ginny Yaklyvich of Burton, MI.

**Back Cover Photo:** Blue 1968 Camero courtesy of owner and photographer, Robby Siple.

**LIMITED WARRANTY:** Specialty Auto Parts U.S.A., Inc. will, within a reasonable period of time, repair or replace free of charge any part listed in this catalog which upon careful inspection is found, in our sole judgement, to have material or manufacturing defects, provided it is received within thirty (30) days of date of purchase accompanied by a sales slip, the original packaging, and an authorized Return Merchandise Authorization number (RMA). End-users should return the part to the seller from whom they made their purchase. The seller will obtain an RMA by calling (586) 774-2500. To make a warranty claim, the seller must return the part to **Specialty Auto Parts U.S.A., Inc., 26708 Groesbeck Highway, Warren, MI 48089**, freight prepaid.

There is absolutely no warranty for the following conditions: (1) Any parts used on racing applications, (2) Any part that has been physically or mechanically altered, (3) Any part that has been improperly installed or maintained, (4) Any part used in improper applications or not used in conjunction with the proper parts.

There are no implied warranties of merchantability or fitness for a particular purpose. There are no warranties, which shall extend beyond the warranty description herein. Specialty Auto Parts U.S.A., Inc. will not be responsible for incidental damages, consequential damages, property damages, or personal injury damages to the extent permitted by law. PLEASE NOTE: SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG IMPLIED WARRANTIES MAY LAST OR DO NOT ALLOW EXCLUSIONS OR LIMITATIONS OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THOSE EXCLUSIONS OR LIMITATIONS MAY NOT BE APPLICABLE TO YOU.

SOME OF THE PARTS LISTED IN THIS CATALOG ARE NOT LEGAL FOR SALE OR USE IN CALIFORNIA OR ANY POLLUTION CONTROLLED VEHICLES. INSTALLATION OF PROFORM AND PROFORM FACTORY PERFORMANCE PARTS MAY ADVERSELY AFFECT THE WARRANTY COVERAGE ON YOUR VEHICLE. SPECIALTY AUTO PARTS U.S.A., INC. ASSUMES NO LIABILITY FOR ERRORS MADE IN COMPONENT SELECTIONS OR INSTALLATIONS. Specialty Auto Parts U.S.A., Inc. reserves the right to make necessary changes in products it manufactures and markets at any time to improve product performance.

PROFORM and Factory Performance Parts are registered trademarks of Specialty Auto Parts U.S.A., Inc.

General Motors Trademarks used under license to Specialty Auto Parts U.S.A., Inc. License No. 27-2401-51955.

©2007-2008 Specialty Auto Parts U.S.A., Inc. All rights reserved.



CHEVROLET

# SUPER-LIGHT, FABRICATED ALUMINUM VALVE COVERS

These precision-welded fabricated aluminum valve covers are offered in two designs: For racing with no holes, and for street (where permitted) with the traditional 1.22' hole and GM-designed baffle. They have recessed Bowtie<sup>TM</sup> and CHEVROLET® Emblems, inlaid with classic Chevrolet red, billet mounting rails for maximum leak resistance, and weigh approximately 3 lbs (45%) less than stamped steel die-cast pairs! All valve covers with baffle come with baffle and grommets. Sold in pairs.

### For Chevy® small-block V8, 1958-86



141-800......Fab aluminum, S/B, tall, clear anodized, no baffle

141-801......Fab Aluminum, S/B, tall, clear anodized, with baffle (not shown)



141-802......Fab aluminum, S/B, tall, black, no baffle (not shown)

141-803......Fab aluminum, S/B, tall, black, with baffle

### For Chevy big block, 1965 - later, tall



141-805.......Fab aluminum, B/B, tall, clear anodized, no baffle

141-808......Fab aluminum, B/B, tall, clear anodized, with baffle (not shown)

141-806......Fab aluminum, B/B, tall, black, no baffle (not shown)

141-807......Fab aluminum, B/B, tall, black, with baffle (not shown)

### Stamped Valve Covers

These CHEVROLET Bowtie valve covers are made of heavy-gauge steel, 20% thicker than typical aftermarket valve covers, greatly reducing the likelihood of leakage around the valve cover flange area caused by fasteners being over-torqued. The chrome plating meets GM quality specifications. All valve covers hear the powerful Bowtie and CHEVROLET Emblems

ers bear the powerful Bowtie and CHEVROLET Emblems.

Black crinkle valve covers, with their distinctive look and boldly striking Bowtie and CHEVROLET Emblems, inlaid with classic Chevrolet red, are CED painted for long-term corrosion resistance, and then black crinkle painted on the outer surface.

resistance, and then black crinkle painted on the outer surface. Stamped valve covers are offered in either tall or production height (short). Oil restricting baffles are offered in many valve covers for those who wish to maintain the PCV hookup. All valve covers are sold in pairs, equipped with air breather and PCV grommets, unless specified otherwise. All valve covers with baffle come with baffle and grommets.

**Technical Note:** Production height Chevy small-block valve covers and valve covers with baffles will not clear most stud girdle applications. "Chevy small-block" or "S/B" refers to 1958-1986 engines. "Chevy big-block" or "B/B" refers to 1965-1996 engines, unless otherwise specified.



141-102...... Chrome, S/B, short, with baffle

### 2-Piece Die-Cast Aluminum Valve Covers

2-Piece valve covers with the popular CHEVROLET and Bowtie Emblems. Now you can easily check your valve train while the engine is running. The diagonal cut of the top section ensures no mess.

Each valve cover features oversize bolts for fast removal, a top and bottom section, and a retained gasket for a tight seal. Will clear roller rockers and stud girdles and available in six choices.

Comes with required Allen wrench.

Fits Chevy small-block 1958 to 1986 engines.

Removable OEM style baffle. Tall. All valve covers come equipped with baffle and grommets. Sold in Pairs. U.S. Pat. D543,998S *Technical Note:* Will not fit cylinder head 12340034 or similar (with three rectangular raised internal sections near the valve cover mounting surface),unless such sections are milled off.



141-910......2-Piece, polished, S/B, tall, recessed emblem, with baffle



141-911......2-Piece, black crinkle, S/B, tall, recessed emblem, with baffle



141-913......2-Piece, polished, S/B, tall, raised emblem, with baffle



# 141-915......2-Piece, polished, S/B, tall, no emblem, with baffle

141-916......2-Piece valve cover replacement gasket kit (2) (not shown)

141-912......2-Piece, chrome, S/B, tall, recessed emblem, with baffle (shown above)

### Stamped Valve Covers



141-103....... Chrome, S/B, tall with baffle



141-905......Chrome, S/B, tall, with baffle black lettering, red bowtie emblem 141-899......Chrome, S/B, short, with baffle black lettering, red Bowtie Emblem, (not shown)



141-114...... Chrome, B/B, short, with baffle



141-115......Chrome, B/B, tall, with baffle



141-812......Chrome, B/B, short, with baffle, black lettering, red Bowtie Emblem



141-813......Chrome, B/B, tall, with baffle, black lettering, red Bowtie Emblem
141-107.....Center hold-down, S/B, '87-current, short, with baffle, chrome, (not shown)
141-907.....Center hold-down, S/B, '87-current, short, with baffle, black crinkle, (not shown)



141-908......Center hold-down, S/B, '87-current, short, with baffle, metallic gray

# **GM PERFORMANCE PARTS**



141-750...... Black crinkle, S/B, short, with baffle



141-751......Black crinkle, S/B, tall, with baffle



141-810...... Black crinkle, B/B, short, with baffle



141-811......Black crinkle, B/B, tall, with baffle



141-361..... Metallic gray, S/B, tall, with baffle



141-814...... Metallic gray, B/B, short, with baffle



141-815...... Metallic gray, B/B, tall, with baffle



**Die-Cast Circle Track Valve Covers** 



### **Die-Cast Valve Covers**

These premium valve covers are die-cast aluminum, manufactured to GM specifications, equipped with internal oil drippers (small-block only) and GM-designed baffles. They have recessed Bowtie and CHEVROLET Emblems, inlaid with classic Chevrolet red. All valve covers with baffle come with baffle and grommets. Sold in pairs.



141-108...... Polished, S/B, tall, with baffle



141-116...... Black crinkle, S/B, tall, with baffle



141-117...... Chrome plated, S/B, tall, with baffle



141-142..... Polished, B/B, tall, with baffle



141-141...... Black crinkle, B/B, tall, with baffle



141-140......Chrome, B/B, tall, with baffle

### **Late-Model Die-Cast Valve Covers**

Center hold-down. Tall. Supplied with mounting bolts, stainless steel & rubber washers (also available separately below as 141-133). All valve covers with baffle come with baffle and grommets. S/B, '87-current. Sold in pairs.



141-130...... Center hold-down, polished, S/B, with baffle



141-131...... Center hold-down, black crinkle, S/B



141-132...... Center hold-down, chrome, S/B with baffle



141-133.......Replacement bolt & washer kit for center hold-down valve covers 141-130, 141-131, 141-132 and 141-139

### Slant-Edge Die-Cast Valve Covers

Angled edges and a progressive design give this new die-cast valve cover an aggressive and modern look. All covers have a raised "CHEVROLET," Bowtie emblem, and baffle. Tall. Sold in pairs. 2008 release date to be determined.

### Chevrolet Small-Block V-8, 1958-1986

CHEVIOLET	IIIaii-Diuck V-0, 1930	1300
141-920	Polished	
141-921	Black powder coated	Register at www.proformparts.com for Giveaways, Contests and More L
141-922	Chrome plated	and More!
141-923	Metallic gray powder coated	
141-924	Orange powder coated	9.0
141-925	Cast gray crinkle	9 7 3
141-926	Polished, no emblem	100



### **Dress-Up Kits**



For Chevrolet® small-block V8, 1958-86. Includes two short baffled Bowtie valve covers, plus Bowtie timing chain cover with GM production oil seal installed, two black/red Bowtie 4-wire looms, one Bowtie push-in air breather. oil dipstick. timing tah for 8" Balancer, and two grommets (air breather cap and PCV).

### 141-001...... Dress-Up Kit w/ timing cover

### Parts available separately

A. 141-636 .... Wire looms

B. 141-102 .... Valve covers, short, with baffle

C. 141-215 .... Timing chain cover, S/B, '69-91

D. 141-616 .... Breather cap, push-in, 3" dia. E. 141-202 .... Timing tab, S/B, 8" dia.

F. 141-550 .... Oil dip sitck, S/B V8





For Chevrolet® Small-Block V8, 1958-86. Includes two short baffled Bowtie valve covers, plus eight Bowtie valve cover wing nuts, four valve cover hold-down clamps, two black/red Bowtie 4-wire looms, one Bowtie push-in air breather cap, oil dipstick, and two grommets (air breather cap and PCV).

### 141-002...... Dress-Up Kit w/ wing nuts

### Parts available separately

A. 141-636 .... Wire looms

B. 141-102 .... Valve covers, short, with baffle C. 141-600\*\* .Bowtie valve cover wing nuts,chrome

D. 141-610\*\* . Hold-down clamps. chrome

E. 141-616.... Breather cap, push-in, 3" dia. F. 141-550.... Oil dip sitck, S/B V8

### Street Performance Chrome Kit



### High-Tech Collector's Series

Give your engine a truly unique and striking look. These stamped steel bolt-on parts are electrostatically painted & baked with durable high-tech, gray epoxy, finished with the famous Chevrolet and Bowtie Emblems.



141-360...... Full Kit. Includes one set of valve covers, air cleaner, timing chain cover, breather cap, 8 wing nuts, and 8 hold-down clamps.

### Parts available separately

A. 141-361 .... Chevy Bowtie, metallic gray valve covers,

tall with baffle. Chevy S/B V8. Chevy 14" classic, metallic gray air cleaner kit w/ Bowtie center nut. B. 141-362 ...

C. 141-363 ... Chevy Bowtie timing chain cover, metallic gray, Chevy S/B V8 '69-'91 and V6/90°. Chevy Bowtie valve cover wing nuts,

D. 141-364\*\*.. metallic gray chevy S/B, B/B & V6. Chevy Bowtie push-in air breather cap,

metallic gray, 3" diameter. F. 141-366\*\*.. Chevy valve cover hold-down clamps, metallic gray, chevy S/B V8 & V6/90

### Black Crinkle Kit

One of the most popular and durable dress-up kits available today! This black crinkle kit, with its distinctive look and boldly striking wording, comes with everything you need for race



141-758..... . Full Kit. Includes one set of valve covers, air cleaner, timing chain cover, breather cap, 8 wing nuts, and 8 hold-down clamps.

### Parts available separately

A. 141-751\*...Chevy bowtie, black crinkle, valve covers tall with Baffle, Chevy S/B

B. 141-753 ... Chevy Bowtie timing chain cover, black crinkle, Chevy S/B V8 '66-'91 and V6/90° C. 141-752 ... Chevy 14" Classic, Black Crinkle Air Cleaner

kit with Bowtie center nut

..Chevy Bowtie valve cover wing nuts, black crinkle, S/B & B/B V6.

. Chevy Bowtie push-in air breather cap, black crinkle. 3" diameter

F. 141-757\*\*.. Chevy Bowtie valve cover hold-down clamps, black crinkle, S/B & B/B V8/90° thru '86.

\* Available separately with short height, as PN 141-750

\*\* Packaging contains 4 pcs. Order 2 packages per engine.





### **Air Cleaners**

These air cleaner kits are offered in two styles, the "classic," which reflects many years of GM air cleaner styling, and the newer "high-performance" look. They are equipped with the CHEVROLET Emblem, and they are supplied with genuine GM (AC) air filter elements for maximum airflow. Both the tops and the bases are chrome plated to exacting standards for long-lasting appearance, and each kit is supplied with necessary mounting hardware. The classic air cleaner kits are supplied with special die-cast Bowtie center nuts (also offered separately).

The 14" air cleaner kits are supplied with 3" tall filter GM P/N 6421746 (AC P/N A212CW). For buyers wishing a taller (4-1/32") filter, purchase GM P/N 8997189 (AC P/N A697C). The bases of the 14" air cleaner kits are recessed for a low profile appearance, maximum performance and hood clearance.

**Technical Note:** After installing a new air cleaner kit, always lower the hood slowly to confirm sufficient clearance visually. Minimum clearance of 3-3/4" is required from the top of the carburetor gasket area to the underside of the hood.



141-302......14" Classic with Bowtie Center Nut



141-307......14" High-performance



141-906......14" Classic with red Bowtie Emblem and black CHEVROLET lettering



Black crinkle air cleaner kits, similar to 141-302, offer a distinctive look and boldly striking Bowtie and CHEVROLET Emblems, inlaid with classic Chevrolet red. They handsomely complement black crinkle die-cast or stamped valve covers.



The 10" air cleaner kits are supplied with a 2-53/64"-tall filter GM P/N 25040929 (AC P/N A773C). Taller filter (3-17/32") GM P/N 6419892 (AC P/N A178CW) is also available.

### Super-Light 14" Air Cleaners

SAVE critical front-end pounds! PROFORM offers you a choice of five race-winning combinations: air cleaner lids ranging from genuine composite-fiber to aircraft aluminum, with or without the famous Bowtie and CHEVROLET Emblems, in black or clear-anodized finishes; plus a 3" tall genuine AC filter (AC P/N A697C); plus a color-matched, super-deep aluminum base for maximum hood clearance when using optional, extra-tall air filter elements. These weight-saving high-performance air cleaner kits blend traditional OEM appearance profiles with optimized air-flow dynamics to achieve checkered-flag results. Supplied with necessary mounting hardware and center nuts as shown.



### **Valve Cover Wing Nuts**



The Bowtie Emblem is cut sharply into the top of each wing nut. The lower ends of the shafts are manufactured with wide shoulders for broad load distribution, and each wing nut is supplied with a separate stud which permits precise gasket positioning on the head prior to mounting the valve covers. Fits Chevrolet small and big block, and V6. 1/4" x 20 threads. 4 per package.

141-600...... Wing nuts, chrome
141-756...... Wing nuts, black crinkle
141-364..... Wing nuts, metallic gray
141-902..... Wing nuts, chrome, red Bowtie

### **Air Cleaner Nuts**

Available with the distinctive GM and Chevrolet Bowtie Emblems, these chrome plated zinc die-cast air cleaner center nuts are offered in three popular styles, in both large and small sizes. The large size is recommended for 14" and 10" air cleaner kits, and the small for smaller air cleaner kits.







### **Valve Cover Hold-Down Clamps**



By spreading the load over a wider area, these clamps minimize distortion of the valve cover flanges, thereby decreasing the possibility of oil leakage. Fits Stamped Valve Covers Chevrolet small-block V8 and V6/90<sup>e</sup> engines through 1986. 4 per package.

141-610...... Hold-down clamps, chrome
141-757..... Hold-down clamps, black crinkle
141-366..... Hold-down clamps, metallic gray
141-903..... Hold-down clamps, chrome, red Bowtie

### **Air Breather Caps**







The top of each air breather cap is embossed handsomely with a raised Bowtie Emblem to match the genuine factory-parts appearance of the engine. Black crinkle breather cap is the perfect complement to die-cast or stamped black crinkle valve covers. For use in valve covers with grommets fitting 1.22" holes. **Technical Note:** Use with grommet in Grommet Set PROFORM P/N 141-615.

141-616......Push-in, 3" dia. 141-754......Push-in, 3" dia., black crinkle 141-365......Push-in, 3" dia., high-tech gray

For use in valve covers with grommets fitting 1.22" holes. Technical Note: Use with grommet in Grommet Set PROFORM P/N 141-615.

141-619.....Push-in, rectangular



For use with oil filler tube (PROFORM P/N 66020) or 1.82 opening.

1.62 opening. 141-617......Push-on, 3" dia.

For use with Chevrolet style holes. Technical Note: Manufactured with non-asbestos gaskets. It may be necessary to remove one gasket for proper clearance. 141-618......Twist-on, 3" dia.







These popular push-in filter air breathers, with the raised Bowtie Emblem stamped prominently in the top, are offered in two styles: with the heat-shield hood and without. 3" diameter. Fits valve covers with 1.22" holes.

141-621......Push-in, filter, with hood
141-622......Push-in, filter, without hood
141-625......Clamp-on, filter, with hood, 1 3/8"

(not shown)

### **Bowtie Emblem Freeze Plug Inserts**

Give your engine block the ultimate trick look with PROFORM's machined billet aluminum Bowtie Emblem Freeze Plug Inserts.

Choose from either the popular recessed emblem or the new black with raised emblem.

Fits all Chevy small block engines except LS-series. **Technical Note:** This is not a freeze plug replacement.

141-233......Bowtie emblem freeze plug Inserts with recessed red emblem, 2 per pkg.

141-232......Bowtie Emblem freeze plug Inserts with raised emblem, black, 2 per pkg.

Billet aluminum insert hides unsightly freeze plugs. Two inserts per package.

# NEW!

### **Push-In Oil Filler Cap**



Chevrolet Bowtie embossed and raised on top. For valve covers with 1.22" diameter hole.

141-630..... Oil filler cap

### Twist-On Oil Filler Cap



This large oil filler cap has a large white-on-blue epoxycoated GM Emblem in the center. For Chevrolet style holes. Manufactured with a non-asbestos gasket.

141-631...... Oil filter cap

### **Linear Wire Looms**

Using the valve cover mounting bolts, these handsome Chevrolet chrome looms are positioned along the valve cover to hold the wires in a neat parallel arrangement. The epoxy-coated Bowtie Emblem is centrally located for maximum visibility. The wire holders are opened and closed individually with a patented nylon wedge to permit the chrome tops to have a smooth surface free of screw holes. Manufactured under U.S. design patents 298,798 and 284,262 and 311,487. 1 pair per package. Technical Note: Before purchasing, check exhaust manifold for correct usage. For clearance reasons, the manifold must not be much higher than the valve cover mounting flanges.



141-638......S/B V8, 1959-86



141-639.....B/B, 1965-91

### **Grommet Set**



One for push-in air breather and one for PCV valve. 141-615......Grommet set

### **Ignition Wire Looms**



Using the divisional red color, the CHEVROLET and Bowtie Emblem are molded onto the black nylon head of each wire loom, mounted on chrome stems. Fits Chevrolet small-block V8 1958-'86 and Chevrolet big-block V8 1965-'91. 4-wire looms, 2 per package.

141-636...... Wire Looms

### HARMONIC BALANCER COVERS



These patented harmonic balancer covers offer improved readability, more stable Top Dead Center indication and timing accuracy, enhanced appearance for a previously ignored underhood area, and the elimination of timing tapes which are inevitably flung off. They are available in chrome and black, resulting in parts with the appearance of \$200 balancers.

Each cover is distinctively marked with the famous Bowtie Emblem, Top Dead Center and the proper timing degrees. Using this cover improves timing accuracy because over time the etched outer inertia ring of a typical harmonic balancer may slip in relation to the center hub of the balancer, causing the etched markings to provide an inaccurate indication of Top Dead Center for the #1 piston. Mounted directly through the center hub, this cover eliminates the affect of any outer inertia ring slippage. Aluminum. U.S. Patent 5,675,078.

6-3/4" Chevy™ small-block 141-727......Black 141-725......Chrome

8" Chevy™ small-block 141-728...... Black 141-726..... Chrome

Chevy™ big-block 141-730......Black 141-729......Chrome



### **100% NEW CHROME ALTERNATORS**

It is now possible to obtain four sought-after and popular features in one alternator! 100% NEW with absolutely no re-built components. Assured quality with generous, over-spec amperage, a machined pulley, and the popular Chevy Bowtie Emblem in red. Each unit is supplied with its own individual Quality Assurance graph documenting it operating performance. For a new level of functionality, insist on these 100% new Bowtie alternators!



141-656 GM	<b>Bowtie Emblem</b>	ı '73-'86 internal regulatı
141-657 GM	<b>Bowtie Emblem</b>	100 AMP, 1-wire
141-658 GM	<b>Bowtie Emblem</b>	60 AMP, 1-wire
141-659 GM	<b>Bowtie Emblem</b>	80 AMP, 1-wire
4.44 CCO CM	Danitia Emblani	120 AMD 1 wire

Alternator RPM	1800	2000	3000	4000	5000	6000
Amperage	59	72	104	115	119	121
Amps	P	erforma	nce Curv	'e		
125						7
100						
75	,					
50						
25						
0 10	000 200	00 300	00 400	0 500	0 000	O RPM

### **Alternator Brackets**

Made of heavy steel and offered for the most popular Chevrolet small block V8 applications, these brackets become a very noticeable addition to every chrome-accessorized engine. Technical Note: Before purchasing, visually compare your original bracket style with catalog photo to insure proper part selection. Use a steel straightedge to verify alignment with crankshaft and water pump pulleys.

For use when top bracket bolts to intake manifold. Includes upper and lower brackets.


Technical Note: Engineered to fit applications with a distance of 4" between the center of the hole in the intake and the front of the mounting node on the water pump.

For different distances due to water pump variations, minor modifications or shimming of the bracket may be necessary.

141-402 ..... Alternator bracket

For use when top bracket bolts to neck (except Corvette). Includes upper and lower brackets.

Technical Note: Engineered to fit applications with a distance of 6-3/4 between the center of the hole in the water neck and the front of the mounting node on the water pump.



### **Bowtie High Performance Electric Fans**

These fans help prevent overheating in stop-and-go traffic. Designed to fit the most popular cars and trucks, increases gas mileage, improves engine performance, frees the waterpump pulley for more RPM, and installs easily within minutes using simple hand tools. The 10", 12", 14", and 16" fans are reversible (mount in front or back of radiator). Ultra-thin design to fit cramped locations. Reinforced glass filled polypropylene blade and plastic housing for minimized weight. Nylon tie mounting kit included. Each fan features the popular Chevy Bowtie Emblem in red.

D. 141-646 Bowtie 16-inch Electric Fan
NEW! >

A. 141-641 .... Bowtie 10-inch Electric Fan

B. 141-642 .... Bowtie 12-inch Electric Fan

C. 141-644 .... Bowtie 14-inch Electric Fan

Diameter	10"	12"	14"	16"
Thickness	2-1/2"	2-1/2"	4"	4"
Motor RPM	3000	3000	2500	2000
AMP Draw	7	7	8	9
Fuse Size AMP	25	25	30	30
CFM	1000	1200	1650	2100







### 15-Inch Electric Fans with Thermostat





Your stock fan robs your engine of up to 15 or more horsepower! Replace it with a rugged, Bowtie Emblem, universal-fit fan equipped with an adjustable 180°-240°F. thermostat. Bolts to your radiator supports using sturdy brackets. With a heavy-duty motor, highly angled blades, and 15" diameter, this unit pulls up to 2,800 cfm of air, cooling engines with up to 250+ HP (without air) and 220+ HP (with air). Overall: 18" x 16-1/8" x 4". Amp draw, 14 amps.

141-647.....Bowtie 15-inch Electric Fan with thermostat

### **Timing Chain Covers**



For use on Chevrolet small-block V8 1969-91 and V6/909 engines, with CHEVROLET & Bowtie Emblems. Engineered to GM standards for reliable installation, these stamped steel covers are supplied with a GM production oil seal installed, and are direct replacements for all late model stamped smallblock and V6/90º front covers that use bolt-on timing pointers.

Black crinkle timing cover offers a distinctive look and boldly striking Bowtie and CHEVROLET Emblems, inlaid with classic Chevrolet red. It provides an award-winning total look when used with a black crinkle air cleaner and valve covers.

Technical Note: Replacement oil seal: GM P/N 10111769.

A.141-215 ..... S/B. '69-91, chrome

B. 141-753 .... S/B, '69-91, black crinkle

C. 141-904 .... S/B, '69-91, chrome, red Bowtie, black CHEVROLET

D. 141-363....S/B, V8 '69-91 and V6/90°, metallic gray, blue Bowtie, red CHEVROLET



For use on Chevrolet big-block, 1965-90 with Chevrolet & Bowtie Emblems. Replacement oil seal: GM P/N 3860095.

141-216......B/B, '65-90, chrome





Striking die-cast timing covers, supplied with separate GM production oil seal. Bowtie Emblem directly cast into the upper surface.

141-217......S/B, '65-90, polished

141-218......S/B, '65-90, chrome plated, (not shown)

### **Timing Chain Pointers**



For Chevrolet small-block V8 or V6/90°, with 6-3/4" or 7" balancer, 1969-90; or with 8" balancer, 1969-91

Technical Note: May be used for some pre-'69 engines by relocating top dead center on the balancer.

141-200......S/B, 6-3/4" or 7'

For Chevrolet big-block with 8" balancer, 1965-'91.

141-201.....B/B, 8



### **Electric Water Pumps (Small-Block)**

Eliminates unnecessary weight and impeller-drag experienced at high RPM, pumps up to 35+ gallons of water per minute, and delivers the cooling that can make the difference between a win and second place! Durable but light-weight die-cast aluminum, epoxy powder coated for corrosion resistance in the color of your choice. Each unit comes with the popular Chevy Bowtie Emblem in red. Race or street. Fitting (1\* pipe to 13/4\* hose) included.



141-653...... Chevy S/B Bowtie electric water pump, blue



141-651......Chevy S/B Bowtie electric water pump, black



141-652...... Chevy S/B Bowtie electric water pump, red



141-650...... Chevy S/B Bowtie electric water pump, chrome

141-654...... Chevy S/B Bowtie electric water pump, polished (not shown)

### **Electric Water Pumps (Big-Block)**

Eliminates unnecessary weight and impeller-drag experienced at high RPM, pumps up to 35+ gallons of water per minute, and delivers the cooling that can make the difference between a win and second place! Durable but light-weight die-cast aluminum, epoxy powder coated for corrosion resistance in the color of your choice. Each unit comes with the popular Chevy Bowtie Emblem in red. Race or street. Comes with FREE inlet fitting (1" pipe to 1 3/4" hose) and mating weather-tight connector







water pump, chrome





141-673...... Chevy B/B, Bowtie Emblem,



141-674...... Chevy B/ B, Bowtie Emblem, electric water pump, black

### Master Cylinder Covers



These GM dual line master cylinder covers are offered for the most popular applications. Supplied with clips and a precisely positioned GM Emblem. PDB = Power Disk Brakes.

141-225...... Single clip, 5" x 2-3/8", PDB 141-226...... Double clip, 5-3/4" x 3", PDB 141-227..... Single clip, 5-5/8" x 3", PDB or manual



The large GM Emblem is stamped prominently onto these finned pans for maximum visibility. Stock-pan depth. Chrome drain plug makes it easier to change the fluid and filter.

A. 141-250 .... Turbo 350 B. 141-251 .... Turbo 400

### **Fuel Pump Block-Off Plates**

For use on Chevrolet V8s. Stamped with the handsome Chevrolet Bowtie, these plates are supplied with special non-asbestos gaskets.



141-210......S/B 141-211.....B/B

### Oil Dipstick Kits



Available for a wide selection of popular Chevrolet small and big block engines, these kits consist of both the stick and the tube. The sticks have classic hook handles with the Bowtie Emblem stamped near the fill indicator mark.

141-550...... S/B V8 thru 1977 141-551..... S/B V8 1978-81 141-553..... B/B V8 1965-91

### **Water Necks**



These Chevrolet water necks utilize neoprene O-ring gaskets instead of regular gaskets eliminating leakage. Supplied with chrome bolts. *Technical Note:* For replacement O-ring, order PROFORM P/N 66610.

141-500....... V8 1955-'65; Chevy II V8 '64; Corvette '56-63

141-501...... Chevrolet, Camaro, & Chevelle V8s '66-75



# **Carburetors / Race Series / Accessories**



# TRACKSIDE CARB SPACER KITS Easily optimize your flow rates with the new PROFORM modular 1" carb spacer kit! Each kit comes with one frame and 3 popular inserts: open, 4-hole, and tapered 4-hole. Various engine combinations have various fuel and air distribution requirements for maximum performance. Lightweight heat-resistant phenolic.



67160C ...... Carb spacer frame with open, 4-hole, and 4-hole tapered inserts







NEW from PROFORM! Lightweight aluminum center-hung fuel bowls with sight glass windows for easy visual float adjustment. Kit comes with two (2) fuel bowls and two (2) gaskets and anodized aluminum fuel inlets. Fits PROFORM, Quick Fuel, and Holley® Double-Pumper carburetors.

67162 ...... Aluminum Fuel Bowl Kit with Sight Glass Windows

# Carburetors/Street/Planograms/Main Bodies





You'll also find the popular billet throttle body for superior strength, coupled with precision throttle shafts to ensure long term performance. All PROFORM carburetors have easy access adjustable secondary air flow. Other carburetors require special tools or removal of the carburetor to accomplish this simple adjustment.

restrictions further expand the idle adjustment capabilities.

most performance retail outlets.

Conventional service and tuning components are available in

The package is completed with high quality, light weight die-cast aluminum fuel bowls with fuel level windows for quick visual reference. Float level changes do not require removal of a sight plug with the risk of fuel spilling all over the top of your engine. Bowls come equipped with 3/8" inverted flare fuel inlet fittings and will except all conventional dual feed fuel lines compatible with Holley® four barrel carburetors.

Like all PROFORM™ carburetors, service parts are readily available however, should you not find PROFORM™ service parts, our carburetors are compatible with any modular carburetor service parts available at your local parts store or favorite retail outlet.

### Mechanical Secondary Street Carburetors with electric choke

67211 600	<b>CFM Mechanical</b>	Secondary Street Carburetor
67212 650	<b>CFM Mechanical</b>	Secondary Street Carburetor
67213 750	<b>CFM Mechanical</b>	Secondary Street Carburetor
67214850	<b>CFM Mechanical</b>	Secondary Street Carburetor

### Vacuum Secondary Street Carburetors with elecric choke

67206 600	CFM	Vacuum	<b>Secondary</b>	Street	Carburetor
67207 650	CFM	Vacuum	<b>Secondary</b>	Street	Carburetor
67208750	CFM	Vacuum	Secondary	Street	Carburetor

Thirteen Reasons to Buy Proform Street Carbs over the Competition at NO EXTRA COST!

- 1. Electric Choke on all models!
- 2. Die-cast aluminum fuel bowls!
- 3. Fuel level sight glass windows!
- 4. Changeable idle air bleeds!
- 5. Billet Metering Blocks!
- 6. Changeable idle feed restrictors!
- 7. Billet base plates!
- 8. Serviceable throttle lever!
- 9. Easy Access Secondary idle air flow!
- 10. Enhanced look with bright anodizing!
- 11. Changeable high speed bleeds!
- 12. Notched secondary floats!



Carburetors / Accessories

CARB TUNING
PLANOGRAM

Now Available!

NEW in 2008! Everything the performance shop needs for the racing customers to custom tune their carburetors. Over 30 carb tuning products including the wildly popular billet base plates, jet kits, metering blocks, idle feed restriction kits, and much more. All parts come in secure clamshell packages with the purple inserts.

Make a statement with this planogram particulates.

Planogram includes the following part numbers, 67115C, 67148, 67150C, 67155, 67156, 67160C, 67220, 67221, 67222, 67223, 67224, 67226, 67227, 67228, 67229, 67232, 67234, 67235, 67236, 67237, 67238, 67239, 67240, 67241, 67242, 67243, 67244, 67247, 67248, 67249, 67250, 67251, 67251, 67251, 67252, 67251, 67251, 67252, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67252, 67251, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67252, 67251, 67251, 67251, 67251, 67251, 6

NOTE: Fits a 4 x 4 space. Sold at a discount. Contact your sales rep for details. Planogram set does not include carburetor.

### PROFORM® Carburetor Main Bodies

Direct Replacement Components to turn a street carburetor into a high-performance carb: get that extra performance out of your ride in less than 30 minutes! Add up to 25-50 HP with PROFORM's 100% NEW, high-performance carburetor main body (no re-built components). Easy swap-in, swap-out installation utilizing existing metering blocks, fuel bowls, and base plate. Involves only 14 screws. Has adjustable screw-in air bleeds, high-performance down-leg boosters. Get maximum air flow with no air horn, choke tower, or choke control. Comes in clamshell package with instructions, all necessary non-stick replacement gaskets and high-performance jet kit.

PROFORM is a registered trademark of Specialty Auto Parts USA, Inc. Holley® and Double Pumper® are registered trademarks of Holley® Performance Products, Inc. This product is manufactured by Specialty Auto Parts USA, Inc. and it is not made by or endorsed by any other carburetor manufacturer.


Technical Note: Main body does not retain vacuum advance port in original metering block.





Component for use on Holley® 650 CFM (#4777), 700 CFM (#4778), 750 CFM (#4779) and 800 CFM (#4780) Double Pumper® with Mechanical Secondary applications.

850 CFM (requires 1 3/4 throttle body) Component for use on Holley® 750 CFM (#3310) Vacuum Secondary Carburetors.
67101C ........750 CFM Vacuum Secondary Carb





# Gaskets, Fuel Products, Carburetor Products

### **Soft Conforming Aluminum Collector Gasket Kits**



PROFORM's soft conforming aluminum gaskets easily conform to the collector flanges for a superior seal. Durable, theft-resistent clamshell packaging. Each kit comes with 2 gaskets and six nuts and bolts.



### ..... Aluminum, 3-inch collector gasket kit .... Aluminum. 3.5-inch collector gasket kit

### **Soft Conforming Aluminum Header Gasket Kits**





. Chevy, S/B, Aluminum header gasket 67923 . Chevv. B/B. Aluminum header gasket

Chrysler, S/B. Aluminum header gasket.

67932 Ford, S/B. Aluminum header gasket.

Ford, S/B, Aluminum header gasket,

### 2-Stage In-Line Fuel Filters

Fits 5/16" & 3/8" Hose. Clear glass for fast inspection. Equipped with two replaceable filter elements: 50-micron for standard filtering and 30-micron for super-fine filtering.



66655 ..... Red/blue filters



66656 Light gray/dark gray filters



66659 ...... Replacement red/blue filters w/ O-rings 66660 ...... Replacement light gray/dark gray filters w/ 0-rings



### **Electric Fuel Pumps**



Standard Pressure Electric Fuel Pump Perfect for street applications the PROFORM 97 GPH electric fuel pump is set at 7 psi, flows 67 GPH at 5 psi, and free-flow capacity is 97 GPH. Regulator not required with this unit. Amp draw is 2 amps (7 1/2 amp fuse recommended), and it includes the check valve and filter screen, 3/8" NPT ports, including bracket.

67380 ..... Standard Pressure Electric Fuel Pump



High Performance Electric Fuel Pump This new race-ready unit from PROFORM is set at 14 psi, flows 70 GPH at 9 psi with a free-flow of 110 GPH. Amp draw is only 3 amps (7 1/2 amp fuse recommended). Includes regulator, 3/8" NPT ports and mounting bracket.

67381 ..... High Performance Electric Fuel Pump

### High-Flow Fuel Pressure Regulator

For single 4-bbl engines up to 900 HP. 3/8" NPT ports, .220" restriction, and includes mounting bracket.



67383 ...... High-Flow Fuel Pressure Regulator

### **Heavy-Duty Mechanical Fuel Pump**



A strong running Chevy needs plenty of gas! This high-capacity mechanical fuel pump, with its proven OEM design, will satisfy the fuel requirements of a fuel-hungry 500 hp Chevy small-block V8. The pump's lower housing can be rotated to reposition the inlet and outlet fittings. Rated up to 7 PSI. Technical Notes: use fuel pump with GM pushrod #3704817. Do not install on V6/90 degree engines. This pump should not be mounted upside down. For gas only, not alcohol. Usable only in applications without vapor return line. No pressure regulator required.

66654 ...... Chevy Small-Block Fuel Pump

### Adjustable Secondary Cam Bracket

This newly designed secondary pump cam bracket features a mechanical idle enabling you to manually adjust the secondary throttle plates on your Holley® 4150 carbs and PROFORM carburetors



67237 ..... Adjustable Secondary Cam Bracket for Holley® 4150 and PROFORM carburetors

### **Billet Throttle Base Plates**





Upgrade your carb with PROFORM's new Billet Throttle Base Plate! Made from solid billet construction versus die cast aluminum for added strength and durability this base plate comes with button torx head throttle plate screws, adjustable secondary air flow cam bracket, timed and full vacuum tubes for accessories and tuning, slip link mechanical secondary linkage, and power valve blow out protection!

Component for use on Holley® 750 CFM vacuum secondary carburetors.

67148 ...... 750 CFM vacuum secondary

Component for use on Holley® 650 CFM through 800 CFM Double Pumper® with Mechanical Secondary applications, and PROFORM® Carburetor Main Body, part number 67100C. ..........650 CFM, 700 CFM, 750 CFM & 800 CFM

Component for use on Holley® 850 CFM and 950 CFM Holley® Double Pumper® with Mechanical Secondary applications.

67156 ...... 850 CFM and 950 CFM

### **Carb Float Adjustment Tool**



No more slight-of-hand tricks! Easily adjust your carburetor float level with this hand float adjustment tool. 5/8" socket and built-in screwdriver blade protects your engine and hands

67443 ..... Carb Float Adjustment Tool

### Aluminum Power Valve Remover Tool





Never damage your metering blocks again! PROFORM's new aluminum power valve remover tool makes power valve removal a snap. Simply place the tool over the power valve and give it an easy turn.

67454 ..... Aluminum Power Valve Remover Tool



# **Carburetor Tuning Products**



### **Billet Metering Blocks**





### **Race-Oriented Calibration**, **Emulsion**

Still using 1950's technology? Upgrade your carburetor with PROFORM's new race-oriented billet metering blocks. Each unit is CNC machined from solid billet aluminum for added strength and durability and features changeable idle feed restriction, 4 emulsions for more aggressive tuning, and additional racing application upgrades.

67150C ...... Race-Oriented Calibration Billet Metering Block, 1-pc per package

### Standard Replacement Series

Primary metering block for all 2300, 4150, 4160 models except carburetors with an accelerator pump transfer tube or "reverse" idle mixture system. Uses standard fuel bowl and metering block gaskets. Timed spark or ported vacuum tube in original location. Improved throttle response over stock "universal" performance carburetor metering block.

67166C ...... Standard Replacement Series Billet Metering Block, 1-pc per package

### **Secondary Conversion Series** for Single Inlet Carburetors

For single inlet vacuum secondary carburetors to replace the original metering plate with a billet metering block. Kit includes longer fuel bowl screw, longer transfer tube and all necessary gaskets, seals, etc.

67164C ...... Secondary Conversion Single Inlet Series Billet Metering Block, 1-pc per package

### **Secondary Conversion Series**

### for Dual Inlet Carburetors

For dual inlet vacuum secondary carburetors to replace the original metering plate with a billet metering block. Kit includes all necessary gaskets for conversion. NOTE: This conversion will require a longer dual feed line (See P/N 66636 on page 28!).

67163C ...... Secondary Conversion Dual Inlet Series Billet Metering Block, 1-pc per package

### Double Pumper™ Conversion Kit

Upgrade your Double Pumper™ with race-ready billet metering blocks! Primary block retains the original vacuum provisions. Secondary block has no power valve provision to fit the latest generation of carburetors. Kit includes necessary gaskets for conversion. These blocks have a four corner idle system provision (you must have the correct throttle body for the four corner idle system to work).

67165C ...... Double Pumper™ Billet Metering Block Conversion Kit, 2-pcs per package


### **Billet Jet Plate**



Lightweight jet storage plate holds up to 22 pairs of jets. Never lose or damage another jet again! A must-have for the carburetor tuner. Jet plate does not come with jets.

67115C ...... Billet Jet Plate

# Billet Metering Plate Conversion Kit



67146 ...... Billet Secondary Metering Plate Conversion Kit

### Throttle Shaft Conversion Kits



Upgrade your PROFORM or Holley® carburetors (up to 1 3/4' throttle bores) to achieve higher air flow by reducing the size of the throttle shaft. Each kit includes button head (Torx) throttle plate screws, universal lever, and slip link secondary activation system. The High-Flow kit includes stainless steel button head screws.



A. 67243......Throttle Shaft Conversion Kit B. 67244...... High-Flow Throttle Shaft Conversion Kit

### Carburetor Tuning Accessories

### Non-Stick Gasket Kit

2 non-stick fuel bowl and 2 non-stick metering block gaskets.

....Gasket Kit

### **Gas Jet Kits**

Precision manufactured to exacting flow for better tunability. Each kit comes with 2 jets. Comes with billet jet plate.

67226 ......Jet Kit, No. 70 - No. 80 67227 ..... Jet Kit, No. 80 - No. 90 67228 ...... Jet Kit, No. 90 - No. 100

Increase fuel flow and quicker response time resulting in precise calibration and predictability. Each power valve is hand tested in the U.S.A. to ensure quality.

67229 ..... Power Valve No. 2.5 67232 ..... Power Valve No. 3.5 67233 ..... Power Valve No. 4.5 67234 ..... Power Valve No. 6.5

### **Needle and Seats Assemblies**

Precision machined for exacting fuel flow with larger stem base on the needle for accurate response to float arm movement. For gasoline applications with Viton tip

67238 ......0.110 adjustable 67239 ......0.120 adjustable 67240 ......0.130 adjustable

### AN Fuel Inlet Fittings Kit

Extended length fittings that can be easily tightened for an exact seal without damaging the fuel bowl. Each kit comes with 1 inlet fitting

67241 ..... # 6 AN Inlet, 7/8"-20 fuel bowl 67242 ...... # 8 AN Inlet, 7/8"-20 fuel bowl

### Idle Feed Restriction Kits

For PROFORM carburetors and PROFORM metering blocks, each kit comes with 4 of each installed in a billet plate threaded to 6-32.

67247 ..... 0.029 67248 ..... 0.031" 67249 ..... 0.033" 67250 ..... 0.035" 67251 ..... 0.037" 67252 ..... 0.039'

### Adjustable Vacuum Secondary Housing Assembly

A complete bolt-on for any vacuum secondary carburetor. A simple one-screw adjustment varies initial point and opening rate.

67235 ...... Adjustable Vacuum Secondary Housing

Replacement Secondary Diaphragm
Fits all PROFORM carburetors and all Holley® vacuum secondary carburetors except six pack, 3 bbl, and early Mopar applications.

67236 ...... Replacement Secondary Diaphragm

### Performance Rebuild Kits



Performance rebuild kits include machined needle and seat assemblies, accelerator pump diaphragms, and non-stick precision die-cut gaskets with nylon inlet nut and bowl screw gaskets. Can be used with any racing gasoline.

Fits Holley® vacuum secondary 4 bbl, 450, 550, 600, 750, & 780 CFM (includes early versions of the list 3310 as well as universal carbs upgraded with secondary metering block) Fits Holley® Double-Pumper carbs 600 - 850 CFM Fits PROFORM 650 & 750 CFM as well as the 67223 ..... Holley® HP Series of the same size Fits PROFORM 850 & 950 CFM as well as the Holley® HP Series of the same size

### **Carburetor Adapters**



Precision machined and final-finished for increased flatness and maximum sealing. Includes all necessary hardware.

66251 ...... Adapt any 4 Bbl. carb to any 4 Bbl. manifold. 66252 ...... Adapt any 4 Bbl. carb to any 2 Bbl. manifold & 2 Bbl. manifold to 4 Bbl. carb. Adapt Holley® & AFB 4 Bbl. carb to Quadrajet 4 Bbl. manifold.

### Air Bleed Tuning Kit



### Want to be the next PROFORM Catalog Cover Car?

Send your high-res photos and description to: CatalogCover@ProformParts.com today!

No. 65 - 75







### **100% New Chrome Alternators**

A manufacturing break-through has enabled PROFORM to offer 100% NEW alternators with the same affordability as our popular re-built models! Each unit is supplied with its own individual Quality Assurance graph documenting its performance and is easily identified by the machined pulley.

### For a new level of quality and reliability, insist on 100% NEW!



GM '73-'86 Internal Regul 66445.1N......GM 100 AMP, 1-wire 66445.8N GM 80 AMP, 1-wire .GM 60 AMP, 1-wire 66445.6N. ...GM 120 AMP, 1-wire ...GM 140 AMP, 1-wire

Alternator RPM	1800	2000	3000	4000	5000	6000
Amperage	59	72	104	115	119	121
Amps	P	erforma	nce Curv	'e		
125						7
100					4	
75	/		66	445. st Se	IN	2
50	-/	3	Be	st Se	llet:	
25			- 1			
0						

### 100 AMP Alternators - 100% NEW



100% New 100 AMP GM alternator. GM internal regulator. Available for about 1/2 the cost of competitive models, these reliable internal-fan units are compact and powerful. Use existing mounting brackets and electrical hook-up

66438 ...... Regular 66439 ..... Chrome

### **Chrome Alternator Case Kits**



Includes front and rear housing, fan, and single groove pulley. Fully show polished, including backside and recessed areas.

66440 ...... GM '66 - 72 External Regulator (except 70 AMP) 66441 ......GM '73 - 86 Internal Regulator 66442 ..... Ford '65 - 86 with 61 AMP

66443 ..... All Chrysler with 60 AMP

### **Alternator Brackets**

Chevrolet small-block lock thru '68.



66114 ...... Short Water Pump & Headers



66661 ...... Side-mount with Headers



66179 Universal Cut-To-Size Spacer

Chevrolet Small Block '69 to date, except Corvette. All kits below include upper and lower brackets



66176 ......Top Bracket Bolts to Intake, OEM Style



66177 ...... Top Bracket Bolts to Water Neck, OEM Style

All kits below include upper and lower brackets.



. Chevy B/B w/ Long Water Pump, 66646 ..... Upper Bracket only, OEM Style



66625 ..... Chrysler S/B V8



### **MUSTANG PARTS**

### Heavy Duty Mustang Control Arms



Kit includes upper and lower rear control arms. Strengthen your Mustang suspension by replacing your "flimsy" control arms with our strong .120" wall control arms.

68070 ...... Mustang '79-98

### Adjustable Pinion Snubber

This simple device helps you control wheel hop. The will also help keep the rear axle from rotating during hard acceleration. 68080 ...... Mustang '85-93



### Ford Under Drive Pulley Kit

This steel pulley kit reduces the drive RPM from 14% to 22% which will increase your performance. May be used with the stock serpentine belt. 68090C ......5.0 Mustang'87-93



### Air Pump Idler Bracket

This unit is a direct bolt-in when you eliminate the air pump. Uses standard serpentine belt.

68110 ......302 & 351 Mustangs



### Shifters


Billet aluminum shifters with stainless steel handles. These short-throw shifters are strong enough to take most any abuse. The base is constructed of sturdy billet aluminum, and the shifter handle is manufactured with a tough, high-grade steel. The base will retain factory console boot. All hardware included except shifter knob.





### 15-inch Mustang 5.0 Fan w/Thermostat

Your stock fan robs your engine of up to 15 or more horsepower! Replace it with a rugged, universal-fit fan equipped with an adjustable 180°-240°F. thermostat. Bolts to your radiator supports using sturdy brackets. With a heavyduty motor, highly angled blades, and 15" diameter, this unit pulls up to 2,800 cfm of air, cooling vehicles with up to 250+ HP (without air) and 220+ HP (with air). Overall: 18" x 16-1/8" x 4".







### Ford Street & Strip Oil Pan and Pickup

Fits '81 and later Mustangs, T-Birds, and Cougars. Rear sump is 8-1/4" deep, zinc iridite.

68050....7-Quart Ford S/B Oil Pan (289-302)

68051....Oil Pick-up for 68050



### Additional Mustang Parts

66270 ..... Ford SB/BB V8, 1.4 KW, auto trans, high output starter 66442 ..... Ford '65 - '86 with 61 AMP chrome alternator case kit Ford SB/BB V8, 1.4 KW, std trans, high output starter Ford Alum Rocker Arms 1.6 Ratio, 3/8" stud 66911C ... . Ford Alum Rocker Arms 1.6 Ratio, 3/8" stud. Clamshell package. Ford Alum Rocker Arms 1.6 Ratio, 7/16" stud.

66912C ... Ford Alum Rocker Arms 1.6 Ratio, 7/16" stud.

Clamshell package. 66425C ... Ford 289-302 2-pc pushrods, 3/8" adj. mech. shell. 66426C ... Ford 289-302 2-pc pushrods, 3/8" adj. hydraulic.

See also Ford HEI Distributors on page 14!

# Shift Lights / Tachs / Starters



### Adjustable RPM Shift Lights

Adjustable RPM Shift Light. Affordable performance: Set shift point without a tachometer! Dial in desired shift point – light flashes on. At pre-set RPM, light will flash on. Range is 3-12,000 (X200) RPM. No racing tach needed! Does not require separately purchased RPM modules! Some applications may need a late-model tach adapter.



67005SC...... Shift Light, Silver, 5" W x 2.75" H w/base



67005BC...... Shift Light, Blue, 5" W x 2.75" H w/base



67005RC......Shift Light, Red, 5" W x 2.75" H w/base



67005C......Shift Light, Black, 5" W x 2.75" H w/base

### Suffix "C" = Clamshell Packaging

### 5" 11,000 RPM Racing Tachometers

### Slim-Design Series

This new generation, slim design tachometer is 35% thinner than competitive models. It offers improved windshield clearance in dash and pillar-mounted applications, and improved dash clearance in steering column mounted applications. For all 4-6-8 cylinder engines. Modern touch pad controls. 30% lighter than competitive models. Includes mounting bracket. These tachs are available in three versions: memory recall of highest RPM, memory recall with adjustable external shift light, and memory recall with adjustable internal shift light. Perfect for sport compacts too!



67002C...11,000 RPM, Memory



67003C...11.000 RPM Memory, External



35%

Thinner than



Internal

### **STARTERS**

High-torque, gear-reduction design. 100% NEW, not rebuilt. Offset design results in more clearance between the oil pan and the starter, and can be rotated for additional chassis clearance. The high-torque, high-output motor spins the engine over faster than stock starters, delivering 40-50% more cranking power. 3.75-to-1 sealed gear-reduction drive and full ball bearing construction. Includes shims to set pinion-gear engagement (when necessary). Approved by all leading sanctioning organizations



Fits all Chevy V6 and small and big block V8 engines using 153 or 168 tooth flywheels. Heavy-duty PROFORM P/N 66258 weighs 1-1/2 lbs. more and is 1" longer than P/N 66256. 12V 1.4 KW motor

15:1

1111



66258 ...... Heavy Duty 12V 2.0 KW motor



66259 ...... Chrome, 12V 1.4 KW motor



......Replacement Pinion for above 66256P 66256SS......Spring & Clip Kit for 66256P 66256S Replacement Solenoid for 66256, 66270, 66271



66268 ...... Staggered Bolt Pattern. 10:1 compression.

Fits Chevy small block and big block engines. Compact and 30% lighter than typical high-torque,

mini starters. Strong enough to crank 11:1 compression. This compact unit has 12 adjusting positions for maximum installation clearance, and it utilizes reliable permanent magnet technology to achieve such extraordinary weight-to-torque performance. 66272 ..... Permanent Magnet



Fits Ford small and big block V8 and 221-351 small block V8 engines



Ford, 1.4 KW motor, auto trans.



66271 ..... Ford, 1.4 KW motor, std. trans.



Fits Chrysler. Lightweight. .....V6 &V8

18:1

### **High-Compression Racing Starters**

For engines with monster cubic inches or compression ratios, these 100% NEW starters challenge the specifications, durability, and reliability of anything on the market. Built from scratch with all-new components, the torque rating is a healthy 4.41:1 gear reduction, capable of cranking engines up to a whopping 18:1 compression, Comes in the NEW Race Box Packaging! Fits Chevy small and big block engines. Fits Chevy V8.





67050 ......168-tooth flywheel



67052 ...... Staggered mount, with 168-tooth flywheel



= Maximum Recommended Compression Ratio

18:1



# **Cooling: Water Pumps / Electric Fans**

NEW

### **Electric Water Pumps (Small-Block)**

Eliminates unnecessary weight and impeller-drag experienced at high RPM, pumps up to 35+ gallons of water per minute, and delivers the cooling that can make the difference between a win and second place! Durable but light-weight die-cast aluminum, epoxy powder coated for corrosion resistance in the color of your choice. Race or street. Draws 6 amps. Fitting (1" pipe to 13/4" hose) included.





66225B ...... Electric Water Pump, Blue 66225BK...... Electric Water Pump, Black 66225R ...... Electric Water Pump, Red 66225CR...... Electric Water Pump, Chrome 66225P ...... Electric Water Pump, Polished (not shown)

### **Electric Water Pumps (Big-Block)**

NEW in 2007! All the same great features in our wildly popular Chevy small- block water pump now available for the bigblock!. Eliminates unnecessary weight and impeller-drag experienced at high RPM, pumps up to 35+ gallons of water per minute, and delivers the cooling that can make the difference between a win and second place! Durable but light-weight die-cast aluminum, epoxy powder coated for corrosion resistance in the color of your choice. Race or street. Comes with mating weather-tight connector. Draws 6 amps. Fitting (1" pipe to 13/4 hose) included.



. Chevy B/B, electric water pump, chrome

.Chevy B/B, electric water pump, polished

(not shown)

(not shown)

### Ford Small-Block **Electric Water Pumps**

New in 2007! Based on the popular Chevy versions the new Ford small -block electric water pump features a durable 12-volt motor pumping up to 35+ gallons of water per minute. Each pump is made from durable but light-weight die-cast aluminum with epoxy powder coating for corrosion resistance. Comes with FREE billet aluminum backing plate mating weather-tight Connector and inlet fitting.

Draws 6 amps. Available in .Ford S/B, electric water pump, blue, (not shown) 68220BK..Ford S/B, electric water pump, black 68220R... Ford S/B, electric water pump, red, (not shown) 68220C... Ford S/B, electric water pump, chrome, (not shown)
68220P....Ford S/B, electric water pump, polished (not shown)
66219.........Billet Electric BB Chrysler Water Pump

Billet Electric Big-Block Chrysler Water Pump

This all new PROFORM billet electric big block Chrysler water pump features the durable PROFORM 12-volt motor, billet mounting plate for added strength, and pumps up to 35+ gallons of water per minute. Fits B, RB and Hemi engines.



### High Performance Electric Fans

These reversible fans help prevent overheating in stop-and-go traffic, designed to fit the most popular cars and trucks, increases gas mileage, improves engine performance, frees the waterpump pulley for more RPM, installs in minutes with simple hand tools, 10", 12", 14" and 16" fans are reversible (mounts in front or back of radiator). Ultra thin design to fit cramped locations.

Reinforced glass filled polypropylene blade and plastic housing for minimized weight. Nylon tie mounting kit included. Nominal fan size is based upon approximate overall assembly diameter.

A. 67010	10-inch Electric Fan
B. 67012	12-inch Electric Fan
C. 67014	14-inch Electric Fan
D. 67016	16-inch Electric Fan

Part No.	67010	67012	67014	67016
Diameter	10"	12"	14"	16"
Thickness	2-1/2"	2-1/2"	4"	4"
Motor RPM	3000	3000	2500	2000
AMP Draw	7	7	8	9
Fuse Size AMP	25	25	30	30
CFM	1000	1200	1650	2100











### 15-Inch Electric Fans with Thermostat





Your stock fan robs your engine of up to 15 or more horsepower! Replace it with a rugged, universal-fit fan equipped with an adjustable 180°-240°F. thermostat. Bolts to your radiator supports using sturdy brackets. With a heavy-duty motor, highly angled blades, and 15" diameter, this unit pulls up to 2,800 cfm of air, cooling vehicles with up to 250+ HP  $\,$ (without air) and 220+ HP (with air). Overall: 18" x 16-1/8" x 4". Amp draw, 14 amps.

67015 ......15-inch Mustang™ Fan w/ Thermostat 67017 ...... Universal 15-inch Fan w/ Thermostat

### High Flow Aluminum Water Pumps

PROFORM's new high flow mechanical water pumps feature a CNC cast iron impeller spinning on heavy duty ball bearings for up to 40% more coolant flow giving you real performance value for your dollar. Available in the stock cast look or the wildly popular polished.

A. 67264..... Aluminum Chevy S/B Polished, Long B. 67265......S/B, Satin Finish, Long



### Universal Billet Aluminum Electric Water Pump Kit

You've been robbed! That's right, your current water pump is stealing up to 15 horsepower from you each time. This all-new affordable (don't get robbed again!) kit comes with a durable billet bracket in anodized red, blue, or natural billet finish; pulleys, 12-volt electric motor, belts, fasteners, and switch.



66235BLT..... Univ Billet Alum Electric Water Pump Kit. Billet



### Replacement parts for water pump kit

66223...Water pump pulley

66224...Electric motor

pulley

66229...Replacement beİt

66232...Renlacement toggle switch

68230R

68230C

68230P



### **Billet Aluminum Chevy HEI Electronic Distributors with Coil**



Choose from 3 custom-curved billet aluminum distributors, calibrated for your specific Chevy small or big block application without the high prices of the modified stock distributors our competitors offer. Equipped with premium red cap with brass terminals, adjustable vacuum advance, 50,000 volt highoutput coil, and low saturation ignition module. Select from the following curves:

- . (H) Heavy vehicles high load low vacuum camshaft. • (M) Medium weight vehicles - short duration - high torque
- cam. Most popular.
- (L) Light vehicle -rapid acceleration -typical race profile cam. 66996 .....(H) Chevy S/B & B/B Billet Distributor 66997 ......(M) Chevy S/B & B/B Billet Distributor 66998 .....(L) Chevy S/B & B/B Billet Distributor

Same as above, but without vacuum advance: 66999 .....(H) Chevy S/B & B/B Billet Distributor 67019 .....(M) Chevy S/B & B/B Billet Distributor 67020 .....(L) Chevy S/B & B/B Billet Distributor

### **Chevy V8 Late Model Distributors**

Designed for 1987 - 1995 GM Trucks and 1987 - 1993 cars. Used in applications with external coil (such as PROFORM P/N 66937C). Comes with small-sized, premium quality cap with brass terminals. Available with a highly polished die-cast aluminum shaft to present a billet-look, or with an unpolished factory-look.



66938R ......Red Cap, Polished 66938RC......Red Cap, Polished



66939BK......Black Cap, Unpolished 66939BKC ..... Black Cap, Unpolished

### **Chevy V8 HEI Hi-Performance** Distributors



Fits '55 - 82 Chevy small block and big block engines. NO rebuilt components: 100% NEW! It has a high-performance control module, a hardened gear, a capacitor that prevents radio static, a high-dielectric cap with brass terminals, and a premium rotor (except where otherwise specified).

66940 ..... Tan cap 66940C ...... Tan cap 66940R ......Red cap 66940RC......Red cap 66940B ...... Blue cap 66940BK......Black cap 66940WO..... No cap or rotor



### **GM Vortec Distributor**

100% NEW (no rebuilt components!) high-performance GM Vortec Distributor for 1996 through 2003 small block and big block engines and 1996 Corvettes! I ncludes cap and rotor.



### **GM HEI Street/Strip Distributors**

These units offer calibrated advance curves that are optimized for maximum combustion efficiency and for the elimination of detonation damage and throttle ping. Assembled from precision-made parts for advance curve smoothness. Offers longer term durability and a higher voltage spark that permits a bigger spark plug gap, resulting in more power and reduced plug fouling. Each unit includes a high-power coil, a premium hi-dielectric red cap with brass terminals, and a low-saturation ignition module. 67080 ..... Chevy V6, 262 cid

67081 ..... Chevy Inline 6 Cylinder 67082 ...... Chevy V6, 173 cid 67084 ...... Chevy V6, 200-229 cid



67088 ...... Buick V8, 215-350 cid 67089 ...... Buick V8, 455 cid 67090 ..... Buick V6, Even Fire 67091 ..... Buick V6, Odd Fire 67093 ...... Pontiac/Chevy 4 Cyl., 151 cid

### **Chevy HEI Electronic Racing** Distributors With Coil, 100% New!

Designed to meet the high performance demands of racing competition, these units fit Chevy small block and big block engines. These 100% NEW distributors have all the reliable components of the 66940, but they also include a high power 50,000 volt coil. This high-per-formance distributor produces a 50,000 volt spark through 7,500 RPM with true spark alignment for instantaneous response, a high performance curve, a premium cap with brass terminals, and a low-saturation ignition module. All have die-cast aluminum housings, polished to a brilliant billet-look appearance, except as noted.



66941R 66941RC **Red Cap** New Lowe 66941B Blue Cap 66941BC Blue Cap 66941BK Black Cap 66941BKC Black Cap 66941BKU Black Cap, Unpolished 66941BKUC Black Cap. Unpolished 66941CC.. . Clear Cap 66941TU... Tan Cap, Unpolished 66941TUC ..... Tan Cap, Unpolished

Same as above, but without vacuum advance: uses nylon lock-out. Comes in the Race Box packaging. w/o Mech. Adv. Red Cap

66941BM w/o Mech. Blue Cap 66941BKM w/o Mech. Adv., **Black Cap** 

67022C ..... Distributor Vacuum Advance Lockout, GM HE

### **Pontiac HEI Electronic Distributor**

Fits Pontiac small block and big block engines. Supplied with 50,000 volt coil and rotor. 66953 ..... Red Cap



### Olds HEI Electronic Distributor

Fits Oldsmobile V8 engines. Supplied with 50,000 volt coil and rotor.

Red Can





# **Distributors / Distributor Products**

### Ford HEI Street/Strip Distributors, 100% NEW!

Fits Ford 289 - 302 (5.0). Utilizing the durable and dependable High Energy Ignition (HEI) system pioneered by GM, these distributors avoid the unsightly wiring of stock Ford electronic ignition systems by installing this one-piece distributor with an internally positioned coil and module. Easy to install: just connect one 12-volt hot wire to the distributor (has optional tach hook-up). These units offer calibrated advance curves that are optimized for maximum combustion efficiency and for the elimination of deto-nation damage and throttle ping. Assembled from precision-made parts for advance curve smoothness. Offers longer term durability and a higher voltage spark that permits a bigger spark plug gap, resulting in more power and reduced plug fouling. Each unit includes a high-power coil, a premium hi-dielectric cap with brass terminals, and a low-saturation ignition module. By eliminating the stock-Ford ballast resistor, more ignition voltage results in improved spark. Incorporates easily found High Energy Ignition (HEI) replacement parts. Assembled with upper and lower bushings (stock Ford distributors have only a single bushing).



Technical Note: Gear not compatible with roller cams. If using

roller cams, please contact the cam manufacturer for proper

### Ford 351W Distributor





### Ford 351M - 460 Distributor

Fits Ford 351M - 460, 1974 - '80. High performance blueprinted design. 66965 ..... Red Cap



### Chrysler Electronic HEI Street/Strip Distributor

This 100% NEW high-performance distributor produces a 50,000 volt spark through 7,500 RPM. Easy 1-wire hookup, low-saturation ignition module, premium cap with brass terminals and high-power coil! 67040 ...... 273-318-340-360

### **Chrysler Electronic Distributors**

Vacuum advance models. Each high performance, blueprinted distributor is factory set with a high-performance advance curve. Includes an adjustable vacuum advance unit, a premium tan cap with brass inserts for maximum conductivity, and rotor.

66990 ......273-318-340-360 66992 ......361-383-400 66994 .......413-426W-440-426 Hemi



### **Chrysler Electronic Conversion Distributor Kits**



These complete high performance distributor kits will convert your old point-type ignition to new electronic ignition. Each kit includes distributor with high performance advance curve along with an electronic control unit, wiring harness, ballast resistor, and detailed installation instructions.

66991 ...... 273-318-340-360 66993 ...... 361-383-400

66995 ...... 413-426W-440-426 Hemi

### **AMC HEI Street/Strip Distributors**

Utilizing the durable and dependable High Energy Ignition (HEI) system pioneered by GM, these units offer calibrated advance curves that are optimized for maximum combustion efficiency and for the elimination of detonation damage. Durable onepiece design: the coil and module are mounted internally for easy one-wire hook-up. Each unit includes a high-power coil, a premium hi-dielectric red cap with brass terminals, and a low-saturation ignition module. By eliminating the stock- AMC ballast resistor, more ignition voltage results in improved spark that permits a bigger spark plug gap, resulting in more power and reduced plug fouling. Incorporates easily found High Energy Ignition (HEI) replacement parts.



67185 ..... AMC 290-304-343-360-390-401 67186 ...... AMC 232-258 Inline 6 Cylinder



### **High-Performance External Coil**



Fits late model GM. Replaces stock coils with 35,000 Volts. 66937C ......45,000 Volts

### High-Power 50,000 Volt HEI Coil and Cap Kits



50,000 Volt coil and premium hi-dielectric caps with brass terminals, and premium rotor, Supplied in clamshell packaging.

.....Blue Cap 66942BKC ..... Black Cap 66942RC...... White Cap

### GM High-Performance 50,000 Volt HEI Coil



Results in more completely burned fuel. Offers 15,000 more volts than stock.

50 000 V Coil 66943C

### **High-Performance Ignition Module**



Engineered with low saturation for maximum spark intensity.

66944C ...... Ignition Module

### **GM HEI Distributor Tune-Up Kits**







GM V8 HEI electronic tune-up kit: Contains high-power 50,000 volt HEI coil; superior "no arc" rotor; coil dust cover; high-performance, low-saturation control module; adjustable vacuum advance unit; HEI bushing; wire harness & capacitor; highperformance advance spring & weight set; and mounting hardware.

66945BC......Blue Cap 66945BKC ..... Black Cap 66945RC......Red Cap Same as above but for GM V6.

66949RC......GM V6 HEI Dist Tune-Up Kit, Red cap

# **Distributor Products / Pushrods**



### **Wire Harness and Capacitor**



Wire Harness and Capacitor. When upgrading your distributor, don't overlook this essential component.

### Cap & Rotor Kit



Fits GM V8. 66947BC ...... Blue Can 66947BKC ..... Black Cap 66947RC.....Red Cap 66947CC...... Clear Cap

### **HEI Advance Curve Kit**



HEI Advance Curve Kit. Offered with three sets of springs for custom curving your own distributor. 66948C ...... Advance Kit

### **HEI Adjustable Vacuum Advance**



Fits GM. For fine-tuning your vacuum advance for optimum performance.

..... Vacuum Advance

### **Universal High-Performance Chrome Coil**



Rated at 45,000 volts. Universal. Cylinder style. ..... Universal Coil

Suffix "C" = Clamshell Packaging.

### Ford High-Performance Coil



High-performance Ford Mustang coil, rated at 45,000 volts.

### **Chevy Iron Distributor Gear**



Fits Chevy small block and big block engines with 0.491" shaft. Replacement component. 66961C ...... Distributor Gear

### **GM V8 HEI Dust Cover**





66957C ...... Dust Cover

### **Hold Down Clamps**



Includes Clamp, Stud, Nut and Washer.

A. 66247......Chrysler S/B B. 66248......Ford

C. 66249...... Chevrolet



Fits Chevrolet. S/B, V6/90°, B/B. Includes Clamp, Stainless Steel Stud, Nut and Washer.

66985 ..... Billet Look 66986 ...... Blue 66987 ..... Red

### **PUSHRODS**



### 1-PIECE PUSHROD SETS

Heat-treated .065 wall thickness 4130 chrome moly, for use with guide plates. 25% thicker walls than a major competitor's brand. Gloss black finish. Premium one-piece pushrods for the price of competitors' 3-piece! Each end is precision formed with specified radius for optimum wear characteristics with minimal metal-to-metal friction. 16 pieces per package.



### 2-Piece Pushrod Sets

66427C ......3/8". 260-403. 1964-84



Heat-treated .065 wall thickness 4130 chrome moly, for use with guide plates. These pushrods are manufactured with one end having a heat-treated insert, and the other end precisionformed to meet friction-reducing specified radius. 16 pieces.

### Fits Chrysler engines.

66421C ......3/8", RB 413-426-440, adj. hydraulic 66422C ...3/8", RB 413-426-440, mechanical Fits Ford 289-302 engines. Heat-treated. 16 pieces. 66425C ......3/8", FE-Ford, adj. mech. shell 66426C ......3/8", FE-Ford, adj. hydraulic



Premium high-grade steel. Tips welded on, not pressed on. Heat treated for use with guide plates.

Fits Chevy Small Block and V6/90°. 66889C ......5/16" +.100 S/B 5/16" Stock Length

Fits Chevy Big Block.



### **Aluminum Stud Girdles**



Stud Girdles reduce flex and part breakage. Increased valvetrain rigidity helps minimize energy loss. Each set comes with aluminum stabilizers and poly locks. Two pieces per set. Fits Chevy™ small block.

66950 ..... For use with 3/8" stud 66951 ..... For use with 7/16" stud



### **Chevy Guide Plates**



Fits Chevrolet small block engines 5/16". Hardened. These precision stampings are carefully formed for exact fit. Each guide plate has been heat treated to increase the hardness and minimize wear. 8 pieces per package.

66880 ......5/16" S/B, Flat 66881 ......5/16" S/B, Raised

### Screw-In 16-pc Rocker Stud Sets



Fits Chevy S/B and Ford. 66870C ......3/8" Studs



Fits Chevy S/B & B/B. 66871C ......7/16" Studs

# Heavy-Duty Extruded Aluminum Roller-



Designed for up to 10,000 RPM. This heavy duty design features an oversized body and fulcrum with a triangulated profile for additional rigidity and strength. Accommodates most oversized valve springs. American-made roller bearings are in self-contained bearing-cups for extra low friction wear. Each set includes 16 extruded aluminum roller rockers and 16 poly locks.

If you would like to order a single roller rocker, please use your applicable part number and add a "P" at the end (ie "67708P").

### Fits Chevy™ small block engines.

66928	1.5 Ratio, 3/8" Stu	d
66928C	1.5 Ratio, 3/8" Stu	d
66929	1.6 Ratio, 3/8" Stu	d
66929C	1.6 Ratio, 3/8" Stu	d
66930	1.5 Ratio, 7/16" St	ud
66930C	1.5 Ratio, 7/16" St	ud
66931	1.6 Ratio, 7/16" St	ud
66931C	1.6 Ratio, 7/16" St	ud

### **Extruded Aluminum Roller-Rocker Arms**





Rid your engine of internal friction with roller-tipped rocker arms. The race-proven full needle bearing, fulcrum and roller tip not only unleash horsepower, they also lengthen valve train component life and reduce wear and tear on valve stem tips. Precision machined to insure consistency and ratio accuracy. 16 extruded aluminum roller rockers and 16 poly locks.

### Fits Chevy small block engines.

1.5 Ratio 3/8" Stud (8 pcs) & 1.6 Ratio 3/8" Stud (8 pcs)



### LS1/LS6 Shaft mount/Pedestal mount.

67940	 1.7	Ratio
670/11	1 0	Datio





Fits Chevy small block engines w/ center hold-down valve covers.

66914 1.5	Ratio	3/8"	Stud.	Self	Aligning
66914C1.5	Ratio	3/8"	Stud,	Self	Aligning
66915 1.6	Ratio	3/8"	Stud,	Self	Aligning
66915C 1.6	Ratio	3/8"	Stud.	Self	Alianina

009156 1.0 Hatto 3/8" Stud, 8	eit <i>i</i>
Fits Chevy big block engines.	
669131.7 Ratio 7/16" Stud	

### 66913C ......1.7 Ratio 7/16" Stud .... .

FITS FORG SMAII DIOCK ENGINES.							
66911	1.6 Ratio 3/8" Stud						
66911C	1.6 Ratio 3/8" Stud						
66912	1.6 Ratio 7/16" Stud						
660400	4 C Della 7/401 Child						

66912C ......1.6 Ratio 7/16" Stud Fits Ford Alum. S/B Pedestal Mt. '77-'94, 302HO & 351W Hyd.

& Roller Cams. 66879 ......1.6 Ratio 5/16" Stud 66878 ...... 1.7 Ratio 5/16" Stud

Fits Ford 302 Boss 351C, 429-460. 66861C ...... 1.73 Ratio 7/16" Stud





Fits Chrysler. Supplied with hardened shaft and hardware.

66869 ......1.5 Ratio for S/B 66868 ......1.5 Ratio for B/B

Fits Oldsmobile 350-455. 66860C ......1.6 Ratio 7/16" Stud

Fits AMC 287-401 67480 ...... 1.6 Ratio 3/8" Stud

Fits Pontiac 265-455

67481 ......1.5 Ratio 7/16" Stud 67482 ......1.65 Ratio 7/16" Stud

### Cast Chrome Moly Roller-Rocker Arms



These rocker arms are cast of tough chrome moly alloy. Perfect for the average street engine. More rigid and durable than the stock, stamped variety. Roller tip reduces friction.

### Fits Chevy small block engines.

009336	1.0	nauu	<b>J</b> /0	Stuu		
66925C	1.6	Ratio	3/8"	Stud		
66926C	1.5	Ratio	3/8"	Stud,	Self	Aligning
66927C	1.6	Ratio	3/8"	Stud.	Self	Aligning

### Stamped Roller-Tip Rocker Arms





The super affordable way to reduce internal valve train friction and valve stem wear. Extra long slot eliminates rocker to stud interference when using high lift cams. 16 rockers, anti-gall grooved balls and nuts per package.

### Fits Chevy small block engines.

	1.5		•	
66906C	1.5	Ratio	3/8"	Stud
66922	1.6	Ratio	3/8"	Stud
66922C	1.6	Ratio	3/8"	Stud

### Stamped Stock Long-Slot Rocker Arms



For use when roller tip is not required. Proven OEM quality. Extra long slot eliminates rocker to stud interference when using high lift cams. 16 rockers, grooved balls and nuts per

### package. Fits Chevy small block engines.

	,	0			····	٠	9
66905			1.	5	Rati	o 3	3/8"
67300			1	6	Rati	n 3	2/2"

### Poly Locks for Roller-Rocker Arms



Fits most extruded aluminum rocker arms. 16 per package.

•••	••••	 •		
69	35	 	.3/8"	
60	36		7/16	

### **Rocker & Pushrod Kits**

Rocker (Long Slot) & Heat-Treated Pushrod Kit Fits Chevy small block engines.

3/8" Stud







# **Engine Builders' Tools** One for every toolbox!

PROFORM's extensive line of quality engine builders' tools are now affordable enough for every engine builder. Trackside on race day or in your garage on Saturday - you'll now find PROFORM Engine Building Tools in every gearhead's hand. From our new Heavy-Duty Rod Splitting tool to our Bench Top Spring Testers to Hot Selling Piston Ring Filers and A N Hex Wrench sets; tools that were once only available to a few, are now affordable enough for every toolbox!

### **Digital Engine Balancing Scale**



These precision scales are perfect for balancing pistons, rods, clutch weights, etc. Digital models are powered by one 9-volt battery or an optional AC adapter. Use with Connecting Rod Balancer, P/N 66844.

66466 .....2000G x 1G 66467 ......3000G x 1G 66473 ...... 2000G x 0.1G

### AC Adapter - Engine Balancing Scale



AC Adapter for engine balancing scales, P/Ns 66466, 66467, 66473

..... AC Adapter 66468.

### **Digital Scale Carrying Case**





Foam Padded for extra safety. Fits P/Ns 66466, 66467, 66473.

66469

### **Connecting Rod Balancer**



This fixture holds each end of the connecting rod on the scale separately, for weighing the big and small ends. It comes with two mandrels to cover most popular engines, and it is ordinarily used with a digital or mechanical weighing scale.

### Rocker Stopper Tool



Easily plug oil holes in ball joint rocker arms. These spring steel clips with attached gaskets stop leaking hot oil while you adjust clearance. Use with hollow, oil-fed push rods.

66822 ...... Rocker Stopper Tool 8 pc set.

### Spark Plug Hole Thread Chaser



Avoid stripped spark plug holes with our affordable spark plug hole thread chaser. Double ended to fit 14mm and 18mm

66821 ..... Spark Plug Hole Thread Chaser

### Harmonic Balancer Installer/Puller



Works with all Ford, GM, and Chrysler engines. This heavy-duty, professional tool, equipped with roller thrust bearings, can also be used as a universal puller! Includes 7/16" - 20, 5/8" x 18, and 3/4" x 16 adapters and various removal hardware. May also be used for steering wheel and pulley installation and removal. Maximum recommended torque is 150 ft. lbs.

66514 ..... Installer/Puller

### **Harmonic Balancer Installation Tool**



This tool makes installing the harmonic balancer simple; just thread the proper end into the crankshaft, and then rotate the nut which presses the bearing against the balancer which will slide onto the crankshaft smoothly.

66515 ..... Installation Tool

### Crank Gear Installation Tool

This heavy-duty crank gear installation tool makes it easy to press gears on straight. Use this tool with PROFORM's harmonic balancer installer set, p/n 66514.



67453 ..... Crank Gear Installation Tool

### Pipe Plug Removal Tool

Easily remove male and female plugs with PROFORM's new pipe plug removal tool. 1/2" drive impact socket with retractable 1/4" steel bit.

67447 ..... Pipe Plug Removal Tool, 1/4"

### **Heavy-Duty Piston Installation Tool**



The PROFORM piston installation tool features nylon-composite construction so you can knock away all night without any damage to your expensive pistons! This affordable tool weighs just under 2 pounds, features steel-shot filled chamber, and an easy-grip handle.

67571 ..... Piston Installation Tool

### Adjustable Ring Compressor



Putting the connecting rod through first, simply place the piston (with rings) into the tapered end of the ring compressor. Tighten the compressor snugly around the base of the piston. Then lay the compressor flat on the engine cylinder bore.

66766 .......4.000" - 4.090" Blue 66767 ......4.125" - 4.205" Gold 66768 ...... 4.205" - 4.310" Red

### Valve Lash Wrench Set



T-Handles. This simple T-handle and wrench set makes adjustment very easy, cutting the adjusting time in half. Simply position the adjusting handle wrench over the rocker arm lockdown (make sure you have purchased the set with the proper sized wrench), and drop the appropriate T-handle down through the hole in the wrench - with one hand doing the job of two! Then make the lash adjustment with a feeler gauge according to the camshaft manufacturer's specifications.

66778 ......1/2" with 3/16" and 1/8' 66779 ......7/16" with 1/8" 66780 ......9/16" with 3/16" and 7/32" 66781 ...... 5/8" with 3/16" and 7/32"

### Manual Piston Ring Filer

To assure proper piston ring end-gap, the piston ring filer enables the user to file piston rings quickly and accurately icluding LS1 engines. Position the piston ring firmly against the dowel pins, crank the handle to turn the abrasive wheel. Using a feeler gauge, file the piston ring to meet the manufacturer's specification. 66785 ...... Ring Filer, Manual

### Replacement 120-grit Grinding Wheel



Optimize the performance of Piston Ring Filers P/N 66785 and 66765 with these replacement grinding wheels.

66786 ...... Grinding Wheel for Manual P/N 66785 66762 ..... Grinding Wheel for Electric P/N

### Universal Camshaft Installation Handle



This easy-to-use universal camshaft installation tool comes with five adapters for most domestic V-6 and V-8 engines including LS1 engines. The heavy-duty easy-grip handle keeps the job comfortable and provides plenty of support.



### PROFORM® Patented No-Mess™ **Funnel**

How many times has this happened to you? You're filling up the reservoir (trans, oil, etc.) and suddenly it's full but you have a half-full funnel in your hands. How do you get that back into the jug without making a mess? Yet another patented idea from PROFORM is the trick new No-Mess™ funnel allowing you to fill anything without worrying about overspills. The patented ball-n-hook design shuts off flow and retains the excess fluid when lifted. U.S. Patent No. 5,950,697 & 6,341,631. Award winning funnel POP display available. Call your rep for more details!



68068 ......... PROFORM® Patented No-Mess™ Funnel 68069 ...... No-Mess Funnel in-store merchandiser with 100 funnels, Dimensions: 21"x 21"x 39 68071 ...... No-Mess Funnel hanging clipstrip with 12 funnels

68072 ...... No-Mess Funnel 12 Pack, 11 funnels + 1 funnel Free, Refill for 68071

### **Electric Piston Ring Filer**



Accurately set end gap with PROFORM's powerful electric ring filing tool. Powered by a 12 volt, rechargeable battery. Offers maximum speed and affordability. Comes with two (2) 120-grit grinding wheels (p/n 66762) and battery recharger. Portable or can be bench mounted.

66765 ...... Piston Ring Filer, Electric

### **Universal Degree Wheel Kit**

For use with heads on engine. This kit contains all the tools needed to degree cams in the most popular engines, assuring proper cam timing and lobe lift. Features deluxe components including 9' degree wheel, dial indicator, dial indicator mount, 2 valve check springs, clamp kit, 14mm top dead center locator, wire degree wheel pointer, detailed

instructions, and a durable foam padded carrying case.

66787 ..... Degree Wheel Kit

### Degree Wheel, 9"

Use this Degree Wheel to find top dead center or for checking camshaft timing. Follow our detailed step-by-step instructions included with each Degree Wheel

66791 ..... Degree Wheel



### **Professional Crankshaft Turning** Sockets

Professional grade crankshaft socket with degree wheel attachment.

67491 ..... Chevy S/B . Chevy B/B 67493 ..... Chrysler V-8



### Professional 16" Billet Aluminum Degree wheel

Oversized wheel with large numbers makes reading this billet aluminum degree wheel easy!

67490 ......16" degree wheel



### **Rod Bolt Stretch Gauge**



0.001 Dial indicator. Check rod bolts the proper way, because sometimes torque readings may vary. Using the stretch factors supplied by rod bolt manufacturers, this stretch gauge offers a highly accurate way to measure torque pre-load. With a special, high-tension spring, this gauge remains conveniently positioned on the bolt during tightening, with adjustability for bolts up to 2.75" long. Simply position the stretch gauge over the length of the rod bolt before applying torque, take a reading, and record it. Then torque down to the proper torque setting, and take another reading with the stretch gauge. Calculate the difference and check the manufacturer's specification

66788 Stretch Gauge

### **Push Rod Length Checker**

For Chevy™ small block and big block engines. Proper push rod length is absolutely critical for peak performance – minimizing bent or broken valve stems, guide wear, and energy-wasting valve

side-loading	triction.		
66789	3/8" studs,		
	small block		
66790	7/16" studs,		
	small block		
66806	7/16" studs,	big	block
	66789	667907/16" studs, small block	667893/8" studs, small block 667907/16" studs,

### Valve Check Spring

These light-pressure springs make the assembly of components much easier. They provide enough pressure to hold the valve assembly together when checking camshaft figures, installed height, etc. 2 Pcs



### **Universal Cam Bearing Driver Kit**



Drive camshaft bearings easily with one complete, universal kit. Now you can remove or insert camshaft bearings in nearly all engines from sport compacts and muscle cars to heavyduty trucks. The expander arm has a neoprene sleeve with the split driving plugs mounted and expanded to size. Kit comes with two sets of rubber sleeves for each expanding driver. Use the brown sleeves for thin wall bearings and the black sleeves for thick wall bearings. Range 1.25" to 2.69" (28.58 - 68.3mm). Includes: Driving shaft, driving shaft extension, expander unit, five (5) split driving plugs, two driving collars, centering cone and handy carrying case.

66820 ...... Universal Cam Bearing Driver Kit

### **Cam Bearing Installation Tool**

For Chevy small block engines. This kit contains everything a professional needs to remove old cam bearings and to install new ones This task is easily accomplished by following our step-by-step instructions. Contains an arbor with drive mount, 2 drive spools, 2 spool stabilizers, and a drive cap. 66794 ..... Cam Tool



### **Connecting Rod Vise**

Holding connecting rods securely without damaging them is necessary for removing or installing rod bolts, beam polishing or machining. This aluminum vise is designed for all sizes of aluminum or steel rods, and can hold several at once. It will mount in a bench vise or can be permanently mounted.

66769 ..... Connecting Rod Vise



### Heavy-Duty Connecting Rod Vise

The new PROFORM heavy-duty rod vise is designed to hold two aluminum or steel rods securely. Complete with an easy grip handle and fast release latch for high-production output. Made of high-grade aluminum this vise can be mounted in a bench vise or permanently bench mounted.

66771 ..... Heavy-Duty Connecting Rod Vise

### Oil Pump Primer with Bushing



For Chevy V8 and V6 90° engines. This Oil Pump Primer offers a superior design: it includes a bushing to pressurize the valve train, and it primes the oil pump directly through the distributor hole, using a 3/8" drill.

### **Camshaft Installation Handle**



For Chevy V6 and V8 engines (except hydraulic roller camshafts). Providing a solid grip, this hex design handle makes it easy to install or remove your camshaft. Installation bolts included in handle.

.... Camshaft Tool

### Crank Shaft Turning Socket

Engine work requires repeated crankshaft rotation. This nonmarring, aluminum tool rotates the crankshaft the proper way, when the balancer is off. Making sure to have the proper size, position this socket over the end of the crankshaft, so it can be turned using a 1/2" breaker bar or drive ratchet.

66899 ...... Chevy B/B (1.610" ID with 3/16" keyway) 66900 ...... Ford S/B, Buick, and Pontiac (1.385" ID with 3/16" and 1/4" keyways)

66901 ........ Chevy S/B &I V6 and GM 4-cylinder engines (1.255" ID with 3/16" keyway)

### **Tall Valve Spring Height Micrometer** (0.001")

Measure installed valve spring height conveniently and accurately. Simply install the height micrometer instead of a valve spring, and the rotate the clearly engraved dial to



expand the tool to seat the valve, locks and retainer. . Range: 1.600" - 2.100" (for most

V8 engines) . Range: 1.400" - 1.800" (for most 4 and 6 cylinder engines)

# **Engine Builders' Tools**



### **Pinion Setting Tool**



For rear ends. Universal pinion setting tool so you can measure pinion depth of most automobiles and trucks. ..... Pinion Setting Tool

### **Universal Dial Indicator**



Universal Dial Indicator, graduation: 0.001". 66962 ...... Range 0 to 1.000" 66963 ...... Range 0 to 0.250

### A N Hex Wrenches

Affordable A N Hex Wrenches. Color coded for fast identification, these PROFORM® wrenches offer resistance to scratching hose fittings as they are being tightened and loosened.

66970C ...... Alum Hex Wrench #3 1/2' 66971C ...... Alum Hex Wrench #4 9/16" 66972C ...... Alum Hex Wrench #6 11/16" 66973C ...... Alum Hex Wrench #8 13/16" 66974C ...... Alum Hex Wrench #10 1" 66975C ...... Alum Hex Wrench #12 1-1/4' 66976C ...... Alum Hex Wrench #16 1-1/2" 66977C ...... Alum Hex Wrench #20 1-3/16



66978 ..... Full Set in Fold-Over Pouch

### Adjustable Aluminum A N Wrenches

PROFORM's new aluminum adjustable wrenches are a perfect fit for any under hood plumbing project. They are especially useful when trying to prevent scratching expensive hose fittings, fuel log adjustment, and tightening fuel inlet fittings. Key features include adjustable, non-marring, and anodized for durability. Durable, theft-resistent clamshell packaging. These handy wrenches are available individually or together at a discounted price



. 10AN-20AN adjustable wrench ...... Wrench set that includes 67727 & 67728

### Universal Push Rod Straightness Checker



Easily check concentricity to discard any power-robbing, bent push rods; insert pushrod between spring-loaded holders, spin the pushrod, and read the re-positionable dial indicator (.001"). Dial indicator 66962 included.

66979 ...... Universal Straightness Checker

### Stud Extracting Tool

Easily allows removal of stubborn studs, such as rocker or cylinder head studs. .... Stud Extracting Tool



### **Magnetic Deck Bridge**





This will go over cylinder bores up to 4-1/2". This is used to check piston-to-deck clearance, and it is magnetic so it holds firmly in place. Dial Indicator 66962 is sold separately. 66797 ..... Magnetic Deck Bridge

### **Deck Bridge without Magnetic Base**

This will go over cylinder bores up to 4-1/2". This is used to check piston-to-deck clearance. Does not have a magnetic base. Dial Indicator 66962 is sold separately. 66798 ...... Deck Bridge w/o Magnetic Base



### **Top Dead Center Locator**

This tool provides a positive stop for the piston when locating top dead center. It screws into the spark plug hole. 66792 ..... Chevy TDC Locator 67581 ..... Chrysler TDC Locator



### **Top Dead Center Locater**



Easily checks top dead center by bolting down across cylinder bore. (Used w/ heads off)

66799 ......Top Dead Center Locater

### Cam Checking Fixture

(with cylinder head off) Includes 0-1.000" Dial Indicator 66962 (0.001")! No more fumbling with a magnetic base and a dial indicator to measure cam lift. This fixture maintains and holds the dial indicator and 5" extension (included) in the precisely correct position over the lifters, assuring proper geometry. Supplied with 1/2" and 7/16" adapters for use with any engine block.



### **Engine Lift Plate**



PROFORM's new steel lift plate fits most engines with Holley® 2 barrel and 4 barrels as well as the Dominator.

67457 ..... Engine Lift Plate

### Spark Plug Indexing Tool

High compression engines run better with the spark plugs indexed. This way spark plugs can be properly set so there is no piston dome interference. 66795 ..... Spark Plug Indexing Tool



### Flywheel/Flexplate Turning Tool



The new PROFORM spring-loaded universal flywheel tool makes manually turning your flywheel a snap. 67462 ..... Flywheel Turning Tool

### Stud Mount Valve Spring Compressor



For all 3/8" and 7/16" Rocker Studs. Remove valve spring from an assembled engine for checking or replacing quickly and easily. Press down to compress coil spring, then remove valve keepers. Release slowly.

66784 ..... Spring Compressor

### Heavy-Duty Valve Spring Compressor



This heavy-duty, simple-to-use, manual valve spring compressor makes short work of even monstrous springs. The compressor arm slides for adjustment, employing a locking pin for rapid, easy operation.

66832 ...... Valve Spring Compressor

### Valve Spring Pressure Tester



Need to check spring pressure at the track? No problem with the PROFORM stud style valve spring compressor. This fully adjustable tool fits easily onto your rocker arm for pressure checks and will measure pressure up to 600 lbs. 67597 ...... Valve Spring Pressure Tester

### Mini Spring Testers

Here's the affordable, portable way to test springs. The hex-design body is very versatile: use it in a vise or an arbor press. These hydraulic models are supplied complete with a recalibration feature and a rubber gauge protector.

66834 ..... 0-700 x 10lb **Spring Tester** 0-300 x 10lb 66835 **Spring Tester** 







### **Universal Piston Ring Installer**



Easily install piston rings with PROFORM's new universal piston right compressor/installer. Kit includes one adjustable clamp that fits 3 7/8 to 4 3/8 bore sizes and one ring compressor. Just slide the clamp over the piston, tighten down to size, and tap into bore. It's that easy!

67725 ...... Universal Piston Ring Installer

### **Heavy-Duty Rod Splitting Fixture**



Let's face it, connecting rods rarely come apart easily. That is until now. Quickly separate the cap from the rod without damage using PROFORM's new Heavy-Duty Rod Splitting Tool. Simply loosen the rod nuts a couple of turns, place the rod not the splitting fixture, and pull the handle. Portable, for use with your bench top vise. Go to www.proformparts.com/TECH for a slideshow presentation on this too!!

66773 .....Rod Splitting Fixture

# Economy Valve Spring Compressor, Stud Style



Here's your affordable yet durable way to change out the springs with heads on the engine. This heavy-duty, stud-style compressor will easily compress any spring. Works with Chevy SB & BB, Ford, and Pontiac engines.

 $\textbf{66848} \dots \dots \textbf{Economy Valve Spring Comp, Stud-Style}$ 

### **Cam Checker Tool**



Includes 0-1.000" Dial Indicator 66962 (0.001")! With 0-rings on each end to assure securing positioning, this unit slides down into the lifter bore and sits atop the camshaft for accurate measurement of lobe lift and base circle runout. Supplied with two followers, one for flat tappet or hydraulic cams, and the other for roller cams. Designed for GM (.842" dia.) and Ford (.875" dia.) applications.

66838 .....GM/Ford Cam Checker Tool

### Heavy-Duty Bench Top Spring Testers



Accurately check spring height versus spring pressure with our new heavy-duty bench top spring tester. Check springs up to 2' in diameter and 4' in height. Separate part numbers for up to 300 lbs and 700 lbs spring pressures. Can be bench or vise mounted. Test springs available at powerhouseproducts.com.

66774 ...... Spring Tester, 300 lbs spring pressure 66775 ...... Spring Tester, 700 lbs spring pressure-

### **Chevy B/B Oil Pump Pick-Up Driver Tool**



No more banged up oil pickups and punctured tubes. Easily installs oil pickup tube. For Chevy big block engines.

66480........Chevy B/B Oil Pump Pick-Up Driver Tool

# Heavy-Duty Aluminum Head Holders, V-Style



### **Tubing and Pipe Notcher Tool**



Designed for the serious fabricator. 0 to 45 degree, 1 degree increments, adjustable vise and made of high-grade aluminum.

66482 ..... Tubing and Pipe Notcher Tool

### **Professional Rocker Arm Stud Remover**



### Cylinder Head Work Stands, Adjustable



Our heavy-duty cylinder head work stand is great way to hold your cylinder heads above your workbench while working on them. The adjustable arms allow you to set the proper height and maintain stability.

66483 ...... Cylinder Head Work Stand, Adjustable

### Pushrod Slotting Tool, Chevy S/B



Easily modify your heads for 1.6 ratio rockers with this handy pushrod slotting tool. Simply use a 5/16' drill bit to correctly lengthen the pushrod slot with precision. Recommended usage is one tool for each set of heads.

66485 ...... Pushrod Slotting Tool, Chevy S/B

### **Air Hold Adapter Set**



Now that you have the PROFORM Valve Spring Tester you'll need a set of PROFORM Air Hold Adapters to remove your springs with the heads on the engine. It's a simple 3-step process: screw the air hold adapter into your spark plug hole, attach air fitting, and then an air hose. The air pressure will hold up your valves while you get to work!

67400 ..... Air Hold Adapter Set

### Tire Pressure Gauge 0 - 100 lbs.



We got you under pressure! Even a little tire pressure change can dramatically affect you on race day. Quickly and easily gauge tire pressure with PROFORM's 0 to 100 lbs tire pressure gauge. Extra large face and heavy-duty shatterproof glass make this tool a must have on race day.

67402 ...... Tire Pressure Gauge 0 - 100 lbs.

# Want to be the next PROFORM Catalog Cover Car?

Send your high-res photos and description to: CatalogCover@ProformParts.com today!



# **Engine Builders' Tools**



### **Tire Pressure Gauges**



Don't let a little tire pressure change affect you on race day! Quickly and easily gauge tire pressure with PROFORM's easy-to-use, hose-equipped tire pressure gauges. 1 1/2" diameter face and heavy-duty shatterproof glass make this tool a must have for every tool box.

A. 67403...... Tire Pressure Gauge 0 - 60 lbs. B. 67404...... Tire Pressure Gauge 0 - 15 lbs.

### **Oil Pressure Tester**



### **Remote Starter Switch**



No more jumping from under the hood, to the front seat, to the under the hood! Easily test your engine with the PROFORM Remote Starter Switch.

67406 ....... Remote Starter Switch

### 14MM Adapter



This long reach 14MM adapter allows you to easily work on long spark plug holes. The adapter screws into 14MM spark plug holes.

67407 ......14MM Adapter

### **12 Volt Circuit Tester**



Quickly check any 6 and 12 volt system with power on to locate shorts, grounds, and open circuits.

67408 ...... 12 Volt Circuit Tester

### **Dial Indicator Magnetic Base**

Engine building work requires a dial indicator, but precise engine buildingwork demands a dial indicator magnetic base. This PROFORM tool will hold your dial indicator in nearly any position. The magnetic base has 100 lbs of pull and comes with an easy on/off switch for portability.

67425 ..... Dial Indicator
Magnetic Base



### SELF-POWERED TIMING LIGHT



PROFORM's affordable self-powered timing light eliminates the difficulty of setting your ignition timing. Each light weight designed unit comes standard with 2 D-size batteries, built-in flashlight and spare bulb, and protective rubber bezel. No battery leads needed, so it's easy to use! Effortless 1-wire hookup, simply connect slide trigger open, place over # 1 wire, and close! Durable, theft-resistent clamshell packaging.

67414 ..... Self-Powered Timing Light

### **Dual-Gauge Leakdown Tester**



This dual-gauge leakdown tester measures the condition of your head gaskets, piston rings, and valves. The gauge records incoming air pressure, and the right gauge records individual cylinder pressure - and the difference is your leakdown.

66839 ...... Dual-Gauge Leakdown Tester

### **Vacuum Pressure Gauge**



Perfect for a variety of automotive tests (except parallel parking!) including fuel pumps and intake manifolds. Easy-to-read gauge with 30" vacuum and 60 lbs pressure. Each gauge comes with gauge, hose, small brass cone and large rubber cone.

67410 ...... Vacuum Pressure Gauge

### **Professional Dial Bore Gauge**



Easily determine the dimensions of your rod and cylinder bores with our Professional Dial Bore Gauge. This unit features a 2" - 6" range with extendable handle and comes in a durable carrying case.

67411 ...... Dial Bore Gauge 2" - 6"/.0005"

### **Engine Rotation Adapter**



For Chevy or Ford V8 engines. Easily attaches to the balancer. Useful when assembling an engine or degreeing the cam. Then the crankshaft can be rotated with a 1/2" breaker bar or a 1" socket and breaker bar.

66782 ..... Rotation Adapter

### 6 pc Telescoping Gauge Set



Quickly measure everything from diameter to grooves to hard-to-reach recesses with the PROFORM Telescoping Gauge Set. Simply insert the gauge (six sizes to choose from) into the area and turn the knob. The spring-fed arms will snap to outer-edges. Now, tighten the knob to lock the inside measurement. Comes with six gauges ranging from 5/16" to 6" and a durable carrying case

67412 ...... 6 PC Telescoping Gauge Set

### Super Straight Edge

PROFORM's new super straight edge tools allow you to easily check the straightness and flatness of your cylinder heads, engine blocks, or any flat surface. These durable heat-treated steel tools with a protective epoxy coating and plastic edge cover, plus a handy hanging hole for your shop wall.

67420 ......Super Straight Edge 24-inch. 67421 .....Super Straight Edge 36-inch.

### **Micrometer Sets**



PROFORM heavy-duty micrometer sets for all the popular applications and finally affordable for the weekend racer. PROFORM micrometers feature quick-lock levers, ratchet stops, carbide measuring tips, calibration accessories, adjuster wrenches, and each PROFORM micrometer comes in a handy and durable carrying case.

### **Universal Oil Filter Cutter**

67438 ..... Micrometer Set 04" - 6"/.0001"





Troubleshooting your oil management system requires a look at the filter. That's now easier than before with the PROFORM oil filter cutter. Think of a simple can opener and you've got the concept behind this trick tool. Lock-down holds your cartridge filter in place while you rotate the filter to make a clean cut.

66490 ...... Universal Oil Filter Cutter





### **Carb Float Adjustment Tool**





No more slight-of-hand tricks! Easily adjust your carburetor float level with this hand float adjustment tool. 5/8' socket and built-in screwdriver blade protects your engine and hands from fuel spray.

67443 ..... Carb Float Adjustment Tool

See the Hot Selling PROFORM Carbs on page 13!

### **Crankshaft Turning Nuts**





These heavy-duty PROFORM Crankshaft Turning Nuts are a MUST HAVE for the engine builders' tool box. Rotating the crankshaft during assembly is now an easy task with these steel crankshaft nuts for Chevy SB, BB, and Chrysler V8s.

67439 ....... Chevy BB Crankshaft Turning Nut 67440 ...... Chevy SB & V6 Crankshaft Turning Nut 67441 ...... Ford SB, Pontiac, and Buick 67442 ...... Chrysler V8 Crankshaft Turning Nut

### Rocker Stud Remover and Tap Alignment Kit



For Chevy V8 and V6 engines. Before installing the heavy-duty screw-in studs required for high-performance valve train components, this tool conveniently removes the factory pressed-in rocker studs.

66783 ..... Stud Remover

### **Heavy-Duty Multiple Angle Piston Vise**



Finally an affordable piston vise with all the best features including; quick set-up, repeatability, billet aluminum, corrosion-resistant anodizing, universal, and easy to use. Up to 4.6" diameter pistons.

66772 ..... Heavy-Duty Adjustable Piston Vise

### Chrysler Spring Compressor, Shaft Mounted



Heavy-duty shaft mounted spring compressor makes removing valve springs a snap while the cylinder heads are still on the engine. Bolt the tool shaft in lieu of the rocker shaft, place the feet over retainer, put the handle on and pull down. Affordable and easy to use!

67460...Shaft Mounted Chrysler Spring Compressor, S/B

67461...Shaft Mounted Chrysler Spring Compressor, B/B

### Valve Seal Installer



Another gouged PC seal? No longer will you have worry about gouging and twisting your seals with the PROFORM valve seal installer. Works with .500° and .531 PC seals and comes with handy knurled end for better grip.

67444 ...... Valve Seal Installer

### **Aluminum Power Valve Remover Tool**



Never damage your metering blocks again! PROFORM's new aluminum power valve remover tool makes power valve removal a snap. Simply place the tool over the power valve and give it an easy turn.

67454 ..... Aluminum Power Valve Remover Tool

### **Tapered Ring Compressors**



The PROFORM tapered ring compressor is an affordable and easy way to install your pistons! By creating a slight squeeze on the piston ring the compressor the compressor eases the piston into the cylinder bore. Manufactured for engine blocks with studs

 67445
 Tapered Ring Compressor 4.030 (shown above)

 67448
 Tapered Ring Compressor 4.000

 67449
 Tapered Ring Compressor 4.040

 67450
 Tapered Ring Compressor 4.060

 67451
 Tapered Ring Compressor 4.125

 67452
 Tapered Ring Compressor 4.155

 67572
 Tapered Ring Compressor 4.250

 67573
 Tapered Ring Compressor 4.310

### **Block and Head Handles**



This complete set of four heavy-duty block and head handles is made from durable aluminum and allows you to easily move that engine around the shop. Will fit in most cylinder heads and blocks with 3/8" holes.

67446 ......Block and Head Handles

### Cylinder Head CC Kit





### **PROFORM® Socket Assist**



Essential tool for bolts with tight clearance like spark plugs and header bolts! 12-point for maximum finger traction. Set of three including 1/4" x 1/4", 1/4" x 3/8", 3/8" x 3/8" (12 pt x socket size). Belongs in every tool box!

67575 ......Socket Assist, single set

67576 ....... Socket Assist, P.O.P clipstrip of six (6) 67577 ...... Socket Assist, P.O.P display box of six (6)

### Connecting Rod Balancer Chevy SB



Here's the quick and dirty way to match weigh your small block Chevy connecting rods! Simply put two connecting rods on the roller, even them out, and set the roller on the base. You'll quickly determine if your rods are balanced, and if not, which one is heavier.

67596 ...... Connecting Rod Balancer for Chevy Small Block

### Piston Dome Thickness Checker



Who would dare to modify piston domes or to fly-cut valve pockets without knowing how much material there is to work with? This simple tool includes a 0.001\* dial indicator and a contact point that permits measurement of the most complex dome shapes. An essential tool for every well-equipped machine shop.

66833 ...... Piston Dome Thickness Checker

# Miscellaneous / Timing Tab / Tuff Hook







Finally a flexible and reliable way to transport powersports toys and other bulky items in the bed of any pickup truck.

The Tuff Hook's flexibility comes from a telescoping bar that allows its main tie-down assembly to span the width of any pickup bed, protecting the box's front rails. 790 lbs maximum load limit. Thick 1/4-inch steel side plates secure the Tuff Hook to the bed. The Tuff Hook system comes with two eyelet tie-downs and one motorcycle wheel chock. Other popular accessories include a quick-release bike mount and a small-wheel chock.

U.S. Patent No. 6.270.301.

67900 PROFORM® Tuff Hook®
Secure Cargo System
67901 Adjustable Anchor Eyelet
67902 Motorcycle Wheel Chock
67903 Quick Release Bike Mount
67904 Small-Diameter
Wheel Chock



Fits Chevy small and big block engines. These are brand-new OE replacement harmonic balancers. Affordable pricing eliminates the need to clean your old stock balancer. Enhance your balancer by adding the patented balancer covers on page 4-5.



66508 ......B/B 396 66509 .....S/B 350 - Cntr Timing Mark 6-3/4" 66510 .....S/B - Internal 6-3/4"







66511 .......... S/B - Internal 8"
66512 ......... B/B 454 (pre-'89) - External
66513 ........ S/B 400 - External

### High-Performance Gear Drives



0



红旗

Billet aluminum shifters with stainless steel handles. These short-throw shifters are strong enough to take most any abuse. The base is constructed of sturdy billet aluminum, and the shifter handle is manufactured with a tough, high-grade steel. The base will retain factory console boot. All hardware included except shifter knob.

67030 ......83-99 Camaro & Firebird 5-speed 67031 .....93-99 Camaro & Firebird 6-speed 67032 .....83-96 Mustang w/ T-5

### Brass Freeze Plug Kits

Avoid corrosion in your engine and replace your rusty freeze plugs with PROFORM's durable brass freeze plug kits. All necessary plugs are included for one complete engine block.

66550	Chevy SB 283-350	
66551	Chevy SB 400	
66552	Chevy BB 396-454	
66553	Ford 289-302-351W	
66554	Ford 352-390-428	
66555	Ford 351C-351M-400	
66556	Ford 429-460	
66557	Chrysler 318-360	
66558	Chrysler 383-440	
66559	Oldsmobile V8 💮 🦱 🦱	١
66560	Pontiac V8	,
		n

### **PROFORM Key Chains**

Not your everyday key chains, these PROFORM key chains are precision-machined from billet aluminum stock for a super realistic look, and then they are hand-assembled offered as a moveable piston, an aluminum stock car wheel with a racing tire, and an air cleaner kit (which can hold two quarters for emergency use).



31012 ...... Piston Rod Key Chains (20 ct. bag)
31018 ..... Tire & Wheel Key Chains (20 ct. bag)
31019 ..... Air Cleaner Key Chains (20 ct. bag)
31011 ..... Fishbowl Merchandiser with 20 Key Chain
31015 ..... 12-pc Piston Rod Key Chains on Clipstrip
31016 ..... 12-pc Tire&Wheel Key Chains on Clipstrip
31017 ..... 12-pc Air Cleaner Key Chains on Clipstrip

### **PROFORM Banners**

Available as a large, 3'x6' trackside banner, with the 2-color PROFORM logo, the easy-access website address, and a listing of the race-proven parts for which PROFORM is famous, including the licensed GM chrome parts. Made of heavy-gauge polyethylene and supplied with brass corner grommets. Also available in a smaller size for in-garage and in-store wall displays, with only the bold 2-color PROFORM logo and popular website address, without grommets.



31022 .....2'x4' PROFORM Banner



### **PROFORM Decals**

Available in a popular die-cut version, approximately 1-1/2"x7". Perfect for parts or vehicle application. Also offered in traditional 3"x9" rectangular size (approx). Offered in packages of 2





### 14-inch Super-Deep Aluminum Air Cleaner Base



You asked for it! The popular deeply-recessed air cleaner base from the Super-Light Bowtie Emblem air cleaners is now available for any application. This deep base will allow for nearly every carb application including electric choke carbs allowing the air cleaner to sit low enough to shut the hood!

66808 ...... Recessed Air Cleaner Base



# Marketing Support / PROFORM Planograms

### Sales Training/Product Demo DVDs

15-minute sales training videos showcase the hottest-selling and newest additions in the PROFORM® and Proform® Factory
Performance™ lines! DVD comes with complete PROFORM
catalog in PDF format and complete high-res image gallery. Sales and Tech Seminars may be viewed online at www.proformparts.com/TECH.



2008DVD ...... Profitting with PROFORM DVD

### 2008 PROFORM Catalogs



32 pages jam-packed with over 900 innovative performance parts! You'll find everything from the wildly popular Race Series carburetors, to the proven HEI distributors to GM Licensed Performance Bowtie GM Restoration Parts. You'll also find over 5 pages of hot-selling, affordable engine building tools! Please use the part numbers below when ordering.

Favorite!

31031P ...... PROFORM catalog, single copy 31031 ......PROFORM catalog, 1 case, 250-ct (wholesale only) 31004 ...... PROFORM catalog countertop display box with 20 catalogs

### PROFORM® Planolog™ Display

- · Capture sales of the newest and most profitable products.
- . Offer your customers \$20,000 of pre-priced fast-selling
- FREE subscription updated with new pages sent regularly to all registered retail locations
- · Designed for wall or counter use
- START SELLING IMMEDIATELY!



31047 ......PROFORM® Planolog™ Display. peqboard/slatwall mount (wholesale only) . PROFORM® Planolog™ Display, X-bar mount (wholesale only)

# Complete Planograms Available!





Add the Planalog™ Pages

A. Order Part #88403 Electrical Products

Hi Torque Starter Chevy V6, S/B & B/B, 12V 1.4KW Motor 66941R Chevy HEI Electric Distributor with Coil, Red Cap Polished 66445.1N Chrome, 1-Wire alternator,

GM 100 Amp. 100% New! Stand-alone Shift Light -Range 3 - 12,000 RPM/Black 67005C 67016 16 Inch Electric Fan, Universal

Order Part #88400 Bowtie Chrome Parts

Chevrolet & Bowtie Valve Covers, Short w/baffle Chevy S/B V8 1958-86 141-102 141-108 Chevy Bowtie Die Cast Valve Covers Polished Chevy S/B V8 1958-86 Chevy 14' High Performance Air Cleaner Kit 3' Tall Air Filter Chevy Bowtie Air Cleaner Large Center Nut, Chrome Plated Chevy Valve Cover Hold-Down Clamps Chevy S/B V8 & V6/90 thru 1986 141-307 141-333

141-610 141-622 141-630 Chevy Bowtie Push In Filter Air Breather without Hood 3\* Diameter
Chevy Bowtie Push In Oil Filler Cap: use with Valve Covers
Chevrolet & Bowtie Wire Looms Chevy S/B V8 1959-86 Chevy B/B V8 1965-91

141-636 141-750 141-752 Chevrolet & Bowtie Black Crinkle Valvé Covers Short w/Baffle Chevy S/B V8 Chevrolet 14" Black Crinkle Air Cleaner Kit with Bowtie Center Nut

Chevy Bowtie Valve Cover Wing Nuts, Black Crinkle S/B, B/B & V6 Chevy Bowtie V/C Hold-Downs, Black Crinkle Chevy S/B V8 & V6/90 thru '86 141-757

Order Part #88401 Valve-Train Products

1-Piece Pushrods Chevy S/B, 5/16\* Length, 16 Pcs per Pack Aluminum Roller Rocker Arms, Chevy S/B, 1.5 Ratio, 3/8\* Stud High-Performance Gear Drive, Chevy S/B, Machined for Noise 66907C 66917C 66923C Rocker & Pushrod Kit, Chevy S/B, Long Slot Rocker 1.5 Ratio, 3/8" Stud

Order Part #88402 Engine Builder Tools

A. 66514 Harmonic Balance Installer/Puller works with Ford, GM & Chrysler Valve Lash Wrench Set, 9/16" with 3/16" and 7/32' Valve Lash Wrench Set. 5/8" with 3/16" and 7/32" B. 66780 C 66781

D. 66782 Engine Rotation Adapter for Chevy or Ford V8 Engines E. 66784 Stud Mount Valve Spring Compressor For 3/8" & 7/16" Rocker Studs

66785 Piston Ring Filer for proper ring end-gap

Universal Degree Wheel Kit For Use with Heads on Engines
Push Rod Length Checker S/B Engine 3/8" Stud G. 66787 H. 66789

Top Center Locator, Screws Into Spark Plug Hole Oil pump primer with bushing Chevy V8 & V6/90 Camshaft Installation Handle Chevy V6 & V8 Engines J. 66896 K. 66897 66899 Crankshaft Turning Socket, Chevy B/B

Crankshaft Turning Socket Chevy S/B, V6 & GM 4-Cylinder Engines Order Part #88404 All Four Planograms (P/N's 88400, 88401, 88402, and 88403)

for complete 8'x 4' planogram as shown above










### Harmonic Balancer Covers PATENTED

U.S. Patent 5,675,078. Check out GM Restoration equivalent on page 5.

6-3/4" Chevy™ S/B 8" Chevv™ S/B 66517BC......Blue 66518BC...... Blue 66518BKC ..... Black 66517BLTC .... Billet look 66518BLTC .... Billet Look 66517CC......Chrome 66518CC...... Chrome 66517RC.....Red 66518RC......Red


### **Push-In Air Breather Caps**

66008 ...... Fits 1.22" hole, 3" dia . W/PVC tube. fits 1.22" hole, 3" dia .3/4" OD Neck for PCV hole, 3" dia 66014 ..... Fits 1.22" hole, rectangular 66015 ...... W/PVC, designed w/Internal oil-restricting baffle. Fits



### Push-On Air Breather Caps

66009 ...... Fits filler tubes 66011 ...... With PCV tube, fits oil filler tubes



66010	Fits OEM B	owtie hole	9	
66012	. With PCV t	ube, same	fit as 66010	

### Oil Filler Caps



### Oil Filler Tube

66020 ..... Fits Chevy S/B



### **Hi-Tech Center Nuts**

Large size recommended for air cleaners 9" and larger. Supplied with optional PROFORM lens Emblem






# **Machined Aluminum Center Nuts**

Precision machined with a knurled circumference Supplied with PROFORM lens Emblem. For 1/4" x 20 & 5/16" x 18 stud. 66240.....Red



### Air Cleaner Stud Kit

Includes chrome stud, 5/16" adapter, chrome and gold wing nuts, chrome and gold washers. ~~00 66314 ..... Stud Kit



66315 ...... 5-1/8" to 4-7/32" Carb Neck



### Cad Plated Self-Locking Bolts, Grade #5

66302....Oil Pan - Fits Chevy S/B 66303....Timing Chain Cover



### Stainless Steel Washers

Stainless Steel Washers. 12 per package. 66334 ..... For 1/4" Bolts



### **Chrome Allen Bolts**

Individually chrome plated, not mass drum plated, to achieve the finest appearance. Allen head style bolts have smooth-side heads for maximum shine instead of the common knurled appearance. 66351 .....Int Man: Chevy S/B, AMC®, Mopar 66352 ......Intake Manifold: Chevy B/B

### AIR CLEANER KITS & ACCESSORIES

These air cleaners are computer designed for optimum fit and maximum operating efficiency. They are triple chrome plated using prepolished steel for a brilliant show-car finish, and they incorporate high CFM-rated flame-retardant paper filters for maximum air flow. For images see www.proformparts.com.

### 14-inch Super-Light Aluminum Air Cleaner

SAVE critical front-end weight with PROFORM's race-winning super-light air cleaner kits! This clear anodized finish kit includes paper filter and the popular deeply-recessed base.



### 14" Deluxe Low Profile Air Cleaner

Fits 5-1/8" and 4-7/32" Carb Necks. Has recessed base for low profile fit over carburetor. Includes 4-7/32 Adapter, 2 Plated Studs, Tri-Star Wing Nut, PCV Attachment for use on Pollution Controlled Vehicles, 2-1/4" Paper Filter and Installation Instructions.

### 66801 ......14" Deluxe Air Cleaner

14" Standard Full-Flo Style Air Cleaner

Fits 5-1/8" and 4-7/32" Carb Necks. The recessed area in the center of the top is chrome plated, the bottom is chrome plated, not just zinc plated like competitors' air cleaners, and the knock-out area for the adapter is flat. Includes Dual Jet Adapter, Plated Stud, Wing Nut, PCV Attachment for use on Pollution Controlled Motor Vehicles, a 2-1/4" Paper Filter and Installation Instructions.

### 66804 ......14" Std. Air Cleaner

10" Deluxe Low Profile Air Cleaner

Fits 5-1/8" and 4-7/32" Carb Necks. Has recessed base for low profile fit over carburetor. Includes 4-7/32\* Adapter, Plated Studs, Tri-Star Wing Nut, PCV Attachment for use on Pollution Controlled Vehicles, 2\* Paper Filter and Installation

### 66802 ...... 10" Deluxe Air Cleaner

9" Standard Full-Flo Air Cleaner

Fits 5-1/8" Carb Necks. Includes Plated Studs, Wing Nut, PCV Attachment for use on Pollution Controlled Motor Vehicles, 2" Paper Filter and Instructions.

66815 ...... 9" Std. Air Cleaner

### 6-3/8" Standard Full-Flo Air Cleaner

Fits 5-1/8" and 4-7/32" Carb Necks. Includes 4-7/32" Adapter, Plated Studs, Tri-Star Wing Nut, PCV Attachment for use on Pollution Controlled Vehicles, 1-3/4" Paper Filter and Installation Instructions.

66803 ...... 6-3/8" Std. Air Cleaner



### 4" Standard Full-Flo Air Cleaner

Fits 1 & 2 BBL Carburetors with 2", 2-5/16" & 2-5/8" necks. Also most VW Carbs. Includes 2" & 2-5/16" Adapters. Worm Clamp, Plated Stud, Tri-Star Wing Nut.

66816 ...... 4" Std. Air Cleane

### Black Oxide Header Bolts

Hex Head. 12 per package. 66341 ......3/8" x 16-3/4



### **Power Steering Cap**

66144 ...... Power Steering Cap

# Coil Cover Kit





### Fuel Pump Block-Off Plates w/ Gasket

66106 ..... Chevy S/B 66107 ...... Chevy B/B & Most V6: Ford 289-302; Chrysler 273-440



### Reinforcing Bars

66619 ..... Camaro '70-81 1111




66621 ..... Fits Chevy S/B with Turbo 350 or 400 Transmissions



Fits '70 - 81 Camaro. Sold in pairs 66608...Heavy Duty Radiator Replaces GM # 14015198



### Oil Dipstick & Tube Kits



### Transmission Dipstick



### Chevy Engine Dress-Up Kits

PROFORM Dress-Up Kits contain factory-style oil restricting baffles in the valve covers. All steel components are richly chrome plated. All Chevy kits contain

2 Valve Covers, Stock-Height with Baffle; 1 Push-In Air Breather, 1 Dipstick with Tube, 1 Rubber Grommet for PCV, 1 Rubber Grommet for Air Breather, plus the parts listed below:

Timing Chain Cover with Oil Seal, 1 Timing Tab 66851 ..... Chevy S/B

8 Deluxe Wing Bolts w/ Studs; 8 Valve Cover Hold Down Clamps 66853 ...... Chevy S/B (not shown)

Timing Chain Cover with Oil Seal, 1 Timing Tab 66855 ..... Chevy B/B (not shown)

14 Deluxe Wing Bolts w/ Studs; 2 Wire Looms. 66857 ...... Chevy B/B (not shown)

Each kit below contains: 2 Valve Covers, Stock-Height with Baffle; 1 Rubber Grommet for PCV, 1 Rubber Grommet for Air Breather, plus the parts listed:

1 Dipstick & Tube, 1 Rectangular Air Breather 10 Deluxe Wing Bolts w/ Studs, 10 Hold-Down Washers 66862......Chrysler Mopar 273-360 (not shown)

1 Push-In Air Breather, 2 Standard Wire Looms, 4-Wire 2 Wire Dividers, 2-Wire, 12 Deluxe Wing Bolts w/ Studs 12 Hold-Down Washers

### 66863 ...... Ford 289, 302, 351W (not shown)

1 Dipstick with Tube, 1 Rectangular Air Breather 8 Deluxe Wing Bolts w/ Studs, 8 Hold-Down Washers Pontiac 301-455

### No-Mess Oil Pan Drain Plug -Patented





### Throttle Cable **Transmission Kickdown Bracket**

To be used with throttle cable brackets for vehicles equipped with 350 Turbo transmission. 66669 ..... Kickdown Bracket

### **Master Cylinder Covers**

Order by application and reservoir size. Chrome clip included where applicable. PDB = Power Disk Brakes. Fits GM Dual Line. 66110....Single Clip, 5" x 2-3/8", PDB
66111....Double Clip, 5-3/4" x 3", PDB (not shown)
66112....Single Clip, 5-5/8" x 3", PDB or Man (not shown)

Fits Chrysler or Ford. Order by reservoir size. 66185 ...... Chrysler 3-3/4" x 6" 66186 ..... Ford 2-3/4" x 5-3/4"

### **Differential Covers**

Technical Note: Some early 1970's Canadian vehicles may require PROFORM P/N 66165 instead. Check your bolt pattern carefully before purchasing.

66126.....10-Hole: Chevy 1971-81 66165.....10-Hole: Chevy Intermdt 1965-72 (not shown) 66171.....12-Hole: GM 1/2 & 3/4 Ton Trucks (not shown)



### Carburetor Studs

Supplied with Lock Washers & Nuts. 4 per package

66338 ..... Length: 1-3/8' 66339 ..... Length: 1-1/2" 66340 ..... Length: 2"



### **Dual Feed Line Kit**

For Holley® 4-Bbl. Dual Inlet Carburetors 66635 ......8-21/32" Centers



### **Carburetor Return Spring Brackets**

66180 ..... Most Chevy & Chrysler 66180 ...... Most Ford ..... Grommets



### 66007.....1 Air Breather & 1 PCV grommet

Flange Hold Downs

For Chevy small block, Chevy big block (exhaust side), Ford small block (exhaust side) 351C and 351M (intake side). 3\* long. 4 per package. .....Hold-Down Clamps



66108 ...... S/B: 7" Balancer 66121 ..... S/B: 8" Balancer 66109 ......B/B: 8" Balancer



### Transmission Oil Pans

66154 ..... GM 350 Turbo



# Fits Chervolet Small Block

66919C ...... Oil Pump Shaft



For Chevy small block, this steel reinforced rubber dasket resists blowout and allows for reuse after valve cover removal. Sold in pairs 66001 ......Rubber/Steel Gasket

### **Hood Pin Kit**

Includes 2 Stainless Steel Scuff Plates, Safety Pins and all necessary Mounting Hardware 66649......Hood Pin Kit

### **Battery Hold Down Wing Nuts**

Patented. Replaces original J-hooks. Includes rubber and stainless steel washers. U.S. Patent 4,926,953. 66125 ..... Battery Hold Down

### **Street Oil Pans**

Technical Note: Also fits '80-84 with driver-side dipstick. Will not fit 302 Hi-Perf.

.. Chevy S/B, 1965-79

Technical Note: Fits engines with passenger side dispsticks. 66132 ...... Chevy S/B, 1980-84 (not shown)

Technical Note: Fits 396-454 Chevy Big Block Engines & Chassis, except '62-67 Chevy II, some Chevelles, Vega & Monza. 66611 ..... Chevy B/B

66187 ...... Ford S/B: 221, 260, 289 & 302 (not shown) 66188 ....... Chrysler S/B: 273, 318 & 340 (not shown)

Technical Note: Fits most '66 & later production chassis with 361 - 440 Big Block and 426 Street Hemi Engines. 5 Quart Capacity. 66189.....Chrysler B/B

# Low Profile, Hi-Capacity Oil Pans

7-Quart Chevrolet Small Block 66164 ...... Orange 66167 ...... Chrome (not shown) 66160 ...... Oil Pick-up for 66164/66167

### Timing Chain Products

Chevrolet Timing Chain Covers. Supplied with oil seal

66150 .......S/B 66151 ......S/B, 10 bolts 66152 ..... B/B 66153 ..... B/B, 10 bolts



Save hours of labor with no need to drop the oil pan to check the chain and gears. Supplied with mounting bolts, beaded mid-line gasket, reusable steel-reinforced U-gasket, installation instructions.

66666 ......S/B, 2-pc design 66670 ...... Replacement Gasket Set for 66666



"Wide-Shoulder" ends allow improved load-distribution to prevent vacuum leaks and our 1-1/4" x 20 studs accommodate the thickest racing gaskets with plenty of thread revolution to

spare, 4 per package, 66004 ......5" High 66005 ..... 3-1/2



### Deluxe Wing Nuts

Hex-head/wing design. Shaft and shoulder design same as PROFORM P/N's 66004/66005. 5" High. 4 per package.

66006 ......1/4" x 20 Stud 66036 ......5/16" x 18 Stud

### Hi-Torque Mini Nuts

Steel mini nuts, clean look, may be selected when more torque is required to prevent leaks. 1-1/2" high. 4 per pkg. 66038 ......1/4" x 20 Stud

### Aluminum Mini Nuts

1/4" x 20 with Stainless Steel washers. For an uncluttered, highly distinctive look. 4 per package. 66650.....Chrome 66652.....Red. 66653.....Blue



### **Intake Manifold & Waterpump Pipe Fittings**

For Chevrolet Small and Big Block Engines.

66369 ..... Intake 66365 ...... Water Pump



### Water Necks

Fasily installed in place of OEM parts. Supplied with bolts, gaskets or O-rings. 66207......All Mopar, Chevy



V8 & 90-Degree V6 (must use Mopar thermostat) 66211......Ford 289, 302, and 351W '65-75

Chevy V8 '55-65 66209..... Chevy II V8 '64, and Corvette '56-63 66210..... Chevy, Camaro, and Chevelle V8s '66-75





### **Valve Covers**

Computer-designed for precise fit and positive seal to prevent leaks. We employ thicker upgraded steel, polished to a brilliant luster. All valve covers are supplied with OEM style oil restricting baffles, unless stated otherwise. Sold in images and info check www.proformparts.com Technical Note: Heads modified with stud girdles may not clear baffle in tall valve covers. Check clearance before purchasing

. PROFORM 2-Pc valve covers, Chevy S/B, polished, plain, equivalent to 141-915 .2-Piece valve cover replacement gasket kit (2) . Circle track, center hold-down, polished, ve tubes on one cover.



66706 ........... S/B: 265-400, Tall w/ baffle



66710 ......B/B: 396-454, Short 66716 ...... B/B: 396-454, Tall (not shown) Ford

66720 .......... Cleveland: Fits 302 Boss, 351C, 351M, 400 66724 ...... Windsor: Fits 289, 302, 351W (not shown) Other

66728 ...... Chrysler S/B: Fits 273-360

66742 ...... Chrysler B/B: Fits 361-440 (not shown) 66732 ...... Pontiac: Fits 301-455 (not shown)

### **SLOTLOK™** Wire Separators

2 each of 2, 3, and 4-Wire Separators. Chrome plated or anodized to resist fading. Exclusive interlocking design with nylon wedge. For 7 & 8 mm spark plug wires. Patented.

66214.....Chrome, 66216.....Blue, 66217.....Red 2 Each of 4-Wires SLOTLOK™ Separators. Same as above. 66218.....Chrome, 66220.....Blue, 66221.....Red

### Wire Dividers

Matching Divider Kit for Classic Wire Looms. Contains Two 4-Wire & Four 2-Wire Dividers. 66104 ..... Dividers

### Wire Looms

Classic Chrome Wire Looms. Equipped with neoprene grom-00 00 mets. Sold in pairs. | Tall, 4-Wire | Control |

# One-Piece Valve Cover Hold Downs

Fits Chevrolet small block stamped valve covers. Easily dropped into position, these revolutionary one-piece holddowns are fast to install, eliminating fumbling with four separate flange reinforcement clamps. By applying additional downward pressure nearer to the valve cover ends, this popular invention minimizes the possibility of oil leakage. Sold in

66291CC......Chrome Blue 66291RC . Black Save Valuable Time! 66291BKC .... 66291RC.....Red

pairs. U.S. Patent No. 4,821,699.



Same as 66291 hold-downs, but with the added advantage of attached linear wire-looms for even more efficient installation.

66292CC......Chrome 66292BC......Blue 66292BKC ..... Black 66292RC.....Red



NOTE: PART NOS IN BOLD DENOTE NEW PART NUMBERS FOR 2008!								
141-0013	141-6566	6600827	6625713	6651621	6681627	66940W015	6703125	6740022
141-0023	141-6576	6600927	6625813	66517BC27	6682020	66941B15	6703212	6740222
141-1011 141-1021	141-6586 141-6596	6601027 6601127	6625913 66261WEBSITE	66517BKC27 66517BLTC27	6682119 6682219	66941BC15 66941BK15	6703225 6704016	6740323 6740423
141-1023	141-6606	6601227	66263WEBSITE	66517CC27	66827C18	66941BKC15	6705013	6740523
141-1023	141-6707	6601427	66264WEBSITE	66517RC27	6683021	66941BKM15	6705113	6740623
141-1031	141-6717	6601527	6626813	66518BC27	6683124	66941BKU15	6705213	6740723
141-1071 141-1082	141-6727	6601727 6601827	6626913 6627012	66518BKC27 66518BLTC27	6683221 6683324	66941BKUC15 66941BM15	6708015 6708115	6740823 6741023
141-1141	141-6737 141-6747	6602027	6627013	66518CC27	6683421	66941BU.WEBSITE	6708215	6741123
141-1151	141-6904	6603527	6627112	66518RC27	6683521	66941BUCWEBSITE	6708415	6741223
141-1162	141-6914	6603628	6627113	6655025	6683822	66941CC15	6708815	6741423
141-1172 141-1302	141-6924 141-6934	6603828 6610028	6627213 66289WEBSITE	6655125 6655225	6683923 6684419	66941R15 66941RC15	6708915 6709015	6742023 6742123
141-1312	141-7255	6610128	66290WEBSITE	6655325	6684822	66941RM15	6709115	6742523
141-1322	141-7265	6610228	66291BC28	6655425	6685127	66941RUWEBSITE	6709315	6743023
141-1332	141-7275	6610328	66291BKC28	6655525	6685327	66941RUCWEBSITE	67100C9	6743123
<b>141-1392</b> 141-1402	141-7285 141-7295	6610428 6610627	66291CC28 66291RC28	6655625 6655725	6685527 6685727	66941TU15 66941TUC15	67101C9 67107C9	6743223 6743323
141-1412	141-7305	6610727	66292BC28	6655825	66860C18	66942BC16	67108C9	6743423
141-1422	141-7502	6610828	66292BKC28	6655925	66861C18	66942BKC16	67109C9	6743523
141-2006	141-7512	6610928 6611028	66292CC28	6656025	6686227 6686327	66942RC16	67115C11 6714611	6743623 6743723
141-2016 141-2023	141-7513 141-7523	6611128	66292RC28 6630227	6660827 6661028	6686527	66943C16 66944C16	6714810	6743823
141-2026	141-7524	6611228	6630327	6661128	6686818	66944RC WEBSITE	67150C11	6743924
141-2107	141-7533	6611412	6630427	6661128 66612WEBSITE	6686918	66945BC16	6715510	6744024
141-2117 141-2153	141-7536 141-7543	6611512 6611627	6630527 6631427	6661628 6661827	66870C18 66871C18	66945BKC16 66945RC16	6715610 67160C8	6744124 6744224
141-2156	141-7545	6611727	6631527	6661927	66876WEBSITE	66946C17	671628	6744310
141-2166	141-7563	6611827	6633427	6662127	6687818	66947BC17	67163C11	6744324
141-2176	141-7564	6611927	6633527	6662512	6687918	66947BKC17	67164C11	6744424
141-2186 141-2257	141-757 141-7575	6612027 6612128	6633828 6633928	6662927 6663227	6688018 6688118	66947CC17 66947RC17	67165C11 67166C11	6744524 6744624
141-2267	141-7583	6612528	6634028	6663528	66889C17	66948C17	67183B10	6744719
141-2277	141-7934	6612628	6634127	6664612	66890C17	66948C17 66949RC16	67183PU10	6744824
141-2325	141-8001	6613027	6634227 6635127	6664928	66891C17	6695018	6718516	6744924 6745024
<b>141-2335</b> 141-2507	141-8011 141-8021	6613228 6614027	6635227	6665028 6665228	66892C17 66894C17	6695118 66952C17	6718616 671998	6745124
141-2517	141-8031	6614127	6636528	6665328	6689620	6695315	672008	6745224
141-3024	141-8051	6614227	6636928	6665410	6689720	6695515	672018	6745319
141-3074 141-3094	141-8061 141-8071	6614427 6615028	66390WEBSITE 66394WEBSITE	6665510 6665610	6689819 6689920	66957C17 66958C17	672028 672039	6745410 6745424
141-3154	141-8081	6615128	66395WEBSITE	6665910	6690020	66959C17	672048	6745721
141-3224	141-8102	6615228	66398WEBSITE	6666010	6690120	6696027	672058	6746024
141-3234	141-8112	6615328	66399WEBSITE	6666112	6690220	66960C 27	672069	6746124
141-3274 141-3284	141-8121 141-8131	6615428 6615828	66402C17 66403C17	6666628 6666928	6690320 6690518	66961C17 6696221	672079 672089	6746221 <b>6748018</b>
141-3324	141-8142	6616028	66404C17	6667028	66906B18	6696321	672098	67481 18
141-3334	141-8152	66161SEE WEBSITE	66405C17	6670228	66906C18	6696416	672119	67482 18
141-3603 141-3612	141-8991 141-9003	6616228 6616428	66406C17 66407C17	6670428 6670528	6690718 66907C18	6696516 66969B16	672129 672139	67490 20 67491 20
141-3613	141-9023	6616528	66408C17	6670628	6690818	66969BK16	672149	67492 20
141-3623	141-9024	6616728	66409C17	6671028	66908C18	66969R16	6722011	67493 20
141-3633	141-9033	6617128	66410C17	6671628	6690918	66970C21	6722111	6757119
141-3636 141-3643	141-9035 141-9043	6617612 6617712	66413C17 66414C17	6672028 6672428	66909C18 6691018	66971C21 66972C21	6722211 6722311	6757224 6757324
141-3644	141-9046	6617912	66415C17	6672828	66910C18	66973C21	6722411	6757424
141-3653	141-9051	6618028	66417C17	6673228	6691112	66974C21	6722611	6757524
141-3655	141-9053	6618327	66418C17 66419C17	66734 28	6691118	66975C21	6722711 6722811	6757624 <b>6757724</b>
141-366 141-3665	141-9063 141-9064	6618427 6618528	66420C17	<b>66735 28</b> 66742	66911C12 66911C18	66976C21 66977C21	6722911	6758121
141-4026	141-9071	6618628	66421C17	6676219	6691212	6697821	6723016	6759624
141-4036	141-9081	6618728	66422C17	6676520	6691218	6697921	6723211	6759721
141-5007 141-5017	141-9101 141-9111	6618828 6618928	66423C17 66425C12	6676619 6676719	66912C12 66912C18	66980B16 66980BK16	6723311 6723411	6772522 <b>6772721</b>
141-5503	141-9121	6620127	66425C17	6676819	6691318	66980R16	6723511	6772821
141-5503	141-9131	6620227	66426C12	6676920	66913C18	6698118	6723611	67729 21
141-5507	141-9141	6620327	66426C17	6677120	6691418 66914C18	66983B16	6723710 6723811	6790025 6790125
141-5517 141-5537	141-9151 141-9161	6620728 6620928	66427C17 6643812	6677224 6677322	6691518	66983BK16 66983R16	6723911	6790225
141-6003	141-9202	6621028	6643912	6677422	6691518 66915C18	6698517	6724011	6790325
141-6004	141-9212	6621128	6644012	6677522	66917C25	6698617	6724111	6790425
141-6103 141-6105	141-9222 141-9232	6621228 6621428	6644112 6644212	6677819 6677919	66918C25 66919C 28	6698717 6699016	6724211 6724311	67920 10 67921 10
141-6155	141-9242	6621728	6644212	6678019	66919C28 66920C18	6699116	6724411	67923 10
141-6163	141-9252	6621828	6644312	6678119	6692218	6699216	6724511	6792710
141-6163 141-6163	141-9262 2008DVD26	6621914 66220WEBSITE	66445.12N12 66445.14N12	6678223 6678324	66922C18	6699316 6699416	6724611	67928 10 67929 10
141-6165	3100426	6622128	66445.1N12	6678421	66923C18 66925C18	6699516	6724711 6724811	6793210
141-6165 141-6175	3101125	6622314	66445.6N12	6678519	66926C18	6699615	6724911	67933 10
141-6185 141-6195	3101225	6622414	66445.8N12	6678619	6692818	6699715	6725011 6725111	67940 18 67941 18
141-6215	3101525 3101625	66225B14 66225BK14	66445N12 6646619	6678720 6678820	66928C18 66929 18	6699815 6699915	6725211	6805012
141-6225	3101725	66225CR14	6646719	6678920	6692918 66929C18	67002C13	6726414	6805112
141-6255	3101825	66225P14	6646819	6679020	6693018	670030 13	6726514 67270C25	6806820
141-6305 141-6315	3101925 3102025	66225R14 6622914	6646919 6647319	6679120 6679221	66930C18 6693118	67004013 67005BC 13	67271C25	6806920 68070 12
141-6363	3102125	6623214	6648022	6679320	66931C18	67005C13	67272C25	6807012 6807120
141-6363	3102225	66235B14	6648122	6679420	66933C18	67004C 13 67005BC 13 67005C 13 67005RC 13 67005SC 13	67273C25	6807220
141-6365	3102325 3102525	66235BLT14	6648222	6679521	6693518 6693618	6/005SC13	67274C25	6808012 68090C12
141-6385 141-6395	3102525	66235R14 6624027	6648322 6648422	6679621 6679721	66937C16	6701014 6701214	67275C25 67276C25	6811012
141-6395 141-6416	31031P26	6624717	6648522	6679821	66938R15	6701414	67277C25	6811012 68220B14
141-6426	3104726	6624817	6649023	6679921	66938RC15	6701512	67278C25	68220BK14
141-6446 141-6466	3104826 6600128	6624917 6625111	6650825 6650925	6680127 6680227	66939BK15 66939BKC15	6701514 6701614	67279C25 67280C 25	68220C 14 68220P 14
141-6476	6600228	6625211	6651025	6680327	6694015	6701714	67280C25 67281C25	68220R 14
141-6507	6600328	6625311	6651125	6680427	66940B15	6701915	6730018	68230B14
141-6517 141-6527	6600428	6625613	6651225	6680620 6680825	66940BK15 66940C15	6702015	6738010 6738110	68230BK14 68230C14
141-6537	6600528 6600628	66256P13 66256S13	6651325 6651419	6680927	66940R15	67022C15 6702615	6738310	68230P14
141-6547	6600728	66256SS13	6651519	6681527	66940RC15	6703025	673849	68230R14
	-	_	_	_	-	-	•	



From: Specialty Auto Parts, USA, Inc. P.O. Box 306
Roseville, MI 48066

To:

