



## ***2011 PRODUCTS***

---

**AutoMobility Distribution Inc.**

400 Wright, St-Laurent, QC H4N 1M6


Tel.: (514) 745-8030 Toll Free: (888) 557-8278 Fax: (745-6068

[www.automob.ca](http://www.automob.ca)

# POWER ACOUSTIK®

## INGENIX

Power Acoustik INGENIX powered source units use a proprietary engine featuring a 700 MHz CPU processor & WIN CE 5.0 operating system. Commonly found in compact netbooks, such lighting fast function processing has not been possible in an aftermarket automotive multimedia system, until now. INGENIX programming brings unique feature applications to your fingertips.



**PICTURE -IN-PICTURE**



**BUILT-IN GPS NAVIGATION**



**BLUETOOTH 3.0  
CONNECTIVITY, A2DP**



**FULL IPOD CONTROL  
INTEGRATION**



**DIGITAL SIGNAL PROCESSING**



**SPEEDOMETER & COMPASS**



**16GB SDHC & USB 2.0 READER**



**MULTIMEDIA FILE MANAGER**

**ADDITIONAL FEATURES:**

- \*Dual Zone for Rear Seat or Overhead Entertainment
- \*Adjustable Video Output Screen Ratio & Image Positioning
- \*Utility Application with Memo Pad, Calculator, Calendar
- \*Car Maintenance, Texas Hold'em Poker, & World Clock

**ADDITIONAL FEATURES:**

- \*4V Front, Rear & Subwoofer Pre-amp Output
- \*Front Panel 3.5mm AUX A/V Input
- \*A/V Input from Auxiliary Source
- \*Rear View Camera RCA Input w/Trigger

**AutoMobility Distribution Inc.**

400 Wright, St-Laurent, QC H4N 1M6







Tel.: (514) 745-8030 Toll Free (888) 557-8278 Fax: (514) 745-6068

www.automob.ca

ED042511



## INGENIX

MODEL	DESCRIPTION
<p><b>PNX-761</b></p>  	<p><b>Double Din INGENIX AVN Source Unit with Detachable Digital 7" TFT-LCD Touch Screen.</b> Motorized Faceplate with Preset Angle Adjustment, Front Panel USB 2.0 &amp; SDHC Readers, Front Panel 3.5mm AUX A/V Input, Illuminated Rocker Buttons, Gloss Black finish.</p>
<p><b>PNX-741</b></p>  	<p><b>Single Din INGENIX AVN Source Unit with Flip-up Digital 7" TFT-LCD Touch Screen.</b> Motorized Forward / Backward Telescoping &amp; Preset Angle Adjustment, Detachable Theft Deterrent Front Panel, Digital Clock or Radio Frequency Readout, Front Panel USB 2.0 &amp; SDHC Readers, Front Panel 3.5mm AUX A/V Input, Illuminated Rocker Buttons, Gloss Black finish.</p>
<p><b>P-81ACRD</b></p>  <p>Fits 2008-2011 Honda Accord EX &amp; LX Models</p> 	<p><b>2008-2011 Honda Accord OEM Upgrade Multimedia Navigation System with 8" TFT-LCD Touch Screen.</b> Dash Trim kit, Embedded Turn-by-Turn GPS Navigation, Bluetooth 3.0, Bluetooth Streaming MP3 (A2DP), Full iPod Integration with Touch Screen control, 16GB USB 2.0 &amp; SDHC Reader module, Touch screen control of PADVD-450/PADVD-360 DVD Player (not included), Retains all OEM trip information, disc playback, &amp; RDS, Retains Climate Control Functions (EX only)</p>

**AutoMobility Distribution Inc.**

400 Wright, St-Laurent, QC H4N 1M6

Tel.: (514) 745-8030 Toll Free (888) 557-8278 Fax: (514) 745-6068

www.automob.ca




ED042511



## NAVIGATION & IN-DASH



The 8300 series in-dash multimedia source units are the first of their kind, offering an 8.3" rotating flip-up screen! It comes with two cages, one that allows hooded dash installs, and the second for traditional 1-DIN installation. The new digital screen gives the very best picture with super hi-resolution of 800 x 480. It's like watching HDTV at home..

MODEL	DESCRIPTION
<p><b>PTID-8310NRB</b></p> 	<p><b>Single DIN A/V Source unit with Digital 8.3" Flip-up TFT-LCD Touch Screen with Bluetooth 2.0.</b> Motorized Telescoping &amp; Angle adjustment, Theft deterrent front cover included, Extended sleeve &amp; trim ring included, Playback from 16GB SD, 32GB USB drive, Rear view camera input with Trigger, Upload custom backgrounds &amp; screen savers, Choose from 3 graphic user interface, Digital audio amplifier included, 50w x 4 MOSFET speaker outputs, USA/European frequency stepping, NTSC/PAL video playback, 800 x 480 widescreen resolution, 400 NIT LED brightness.</p>
<p><b>PTID-7250NR</b></p> 	<p><b>Double DIN A/V Source unit with Digital 7" TFT-LCD Touch Screen.</b> Motorized faceplate with angle adjustment, Theft deterrent front cover included, Playback from 16GB SD, 32GB USB drive, Rear view camera input with trigger, Upload custom backgrounds &amp; screen savers, choose from 3 graphic user interface, 50w x 4 MOSFET speaker outputs, USA/European frequency stepping, NTSC/PAL video playback, 800 x 480 widescreen resolution, 400 NIT LED brightness</p>
<p><b>PTID-4333NRB</b></p> 	<p><b>Single DIN A/V Source unit with Digital 4.3" TFT-LCD Touch Screen.</b> Motorized Angle adjustment, Detachable theft deterrent faceplate, Playback from 16GB SD, 32GB USB drive, Rear view camera input with trigger, Upload custom backgrounds and screen savers, 50w x 4 MOSFET Speaker outputs, USA/European frequency stepping, NTSC/PAL video playback, 432 x 240 widescreen resolution, 400 NIT LED brightness</p>

**AutoMobility Distribution Inc.**

400 Wright, St-Laurent, QC H4N 1M6

Tel.: (514) 745-8030 Toll Free (888) 557-8278 Fax: (514) 745-6068

www.automob.ca

ED042511



## CEILING / DVD COMBOS PACKAGE



Extra Trim Ring for sculptured ceilings includes Video playback from DVDR-RW, CDR/RW of VCD, SVCD, DivX, & MP4  
 Car-Spec DVD transport for extreme transport exposure  
 On-board dome lights  
 IR Transmitter for Wireless IR headphones  
 Playback from 16GB SD, 16GB USB Drive

**3-YEAR WARRANTY**



MODEL	DESCRIPTION
PMD-121CMX3	Ceiling Mount 12.1" TFT-LCD Monitor & DVD Player Combo, <b>Interchangeable Color skins</b> for Universal Vehicle Application (beige, black, grey)
PMD-112CMX3	Ceiling Mount 11.2" Wide TFT-LCD Monitor & DVD Player Combo, <b>Interchangeable Color skins</b> for Universal Vehicle Application (beige, black, grey)

## HEADREST COMBO PACKAGE

**3-YEAR WARRANTY**



Front Load DVD Player



Color Matched Leather Theft Deterrent Cover Included




Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD, CD-R/RW, MP3, DIVX, AVI, WAV)  
 Active Matrix TFT/LCD  
 2 Audio/Video Inputs (one 3.5 mini front panel)  
 Dual Channel Wireless IR Transmitter  
 Built-in 8-channel FM Transmitter  
 8GB SD Card reader & USB Input  
 OSD on Screen Display  
 Remote control  
 Swivel Screen Adjustment  
 4 screen modes (Full, Wide, Cinema, Zoom)

**PACKAGE INCLUDES:  
 2 HEADRESTS  
 2 PAIRS OF DUAL CHANNEL HEADPHONES**

MODEL	DESCRIPTION
HDVD73 (4 Colors) Gray, Dark Gray, Beige, Black	Pre-loaded Universal Replacement headrest DVD Monitor Combo, 7" Wide (16:9) with DVD Transport



## IN-CEILING MONITORS

MODEL	DESCRIPTION
<b>PT-151CM</b> 	<b>Ceiling Mount 15.2" LCD Monitor, Low reflection TFT-LCD monitor.</b> 2 RCA A/V Inputs for Auxiliary Source, Single channel 8-LED IR Transmitter, NTSC/PAL Auto selection, 4:3 full screen aspect ratio, 1,024 x 768 Screen resolution, 400 NIT Screen brightness, Dimensions: 15.75" w x 14.75" d x 2" h
<b>PT-110CM</b>  	<b>Ceiling Mount 11.2" LCD Monitor,</b> Interchangeable color skins (beige, black, grey), Color matched trim rings for sculptured ceilings included, A/V Input for auxiliary sources, 90° / 90° Swivel screen, NTSC/PAL auto selection, 800 x 480 Screen resolution, 400 NIT screen brightness, Dimensions: 14.5" w x 12.5" d x 2.5" h.

## UNIVERSAL HEADREST MONITORS



### UNIVERSAL REPLACEMENT HEADREST PRE-LOADED 9" LCD MONITOR



Color Matched Theft Deterrent Cover Included



MODEL	DESCRIPTION
<b>H-9GR-Grey</b> <b>H-9GRDK-Dark Grey</b> <b>H-9BG-Beige</b> <b>H-9BK-Black</b>	High Resolution & Low Reflection TFT-LCD Monitor, 2 A/V Input for Auxiliary Sources, Dual Channel IR Transmitter, Hardwired headphone Jack, NTSC / PAL Auto Selection, 640 X 234 Widescreen Resolution, Dimensions: 11" w x 8.5" h x 4" d

**AutoMobility Distribution Inc.**

400 Wright, St-Laurent, QC H4N 1M6


Tel.: (514) 745-8030 Toll Free (888) 557-8278 Fax: (514) 745-6068

www.automob.ca

ED042511






## SUN VISOR MONITOR

MODEL	DESCRIPTION
<p data-bbox="172 430 332 462"><b>PT-727MSV</b></p> 	<p data-bbox="560 485 1446 640"><b>7" LCD Sun Visor Monitor.</b> 7" Amorphous active matrix TFT/LCD monitor, Ultra bright LED backlighting, Ignition Power ON/Off Optional, Single Video Input, Selectable Aspect Modes, Preset/Manual image control, NTSC/PAL Selection, Remote control included, 480 x 234 (16:9) Image resolution, 400NIT Panel brightness, Dimension: 5" x 9" x 1".</p>



## DRIVE SOURCES DVD

MODEL	DESCRIPTION
<p><b>PADVD-220</b></p> 	<p><b>1 DIN DVD Player with AM/FM &amp; SD/USB Readers.</b> Drop-down faceplate for concealed Disc loading, playback from DVDR/RW &amp; CDR/RW including VCD, MP3, MP4 &amp; DivX, Flash memory for last position recall, Playback from 16GB SD, 16GB USB drive, MP3 ID3 Tag readout On Screen, Front panel 3.5mm Auxiliary audio input, Feather touch sensor controls, 18FM /12AM station memory, 40w x 4 MOSFET power, A/V pre-amp outputs, 2V, NTSC/PAL auto selection.</p>
<p><b>PADVD-360</b></p> 	<p><b>1 DIN In-Dash DVD Player with SD/USB Readers.</b> Playback from 4GB SD, 4GB USB drive, Slot loading DVD drive, In-dash, floor &amp; console mounting brackets included, DIN size trim ring for in-dash mounting included, Flash memory for last position recall, Remote control &amp; IR repeater included, OSD On screen display, Digital anti-shock, NTSC/PAL selectable, A/V Pre-amp outputs, 2V, Dimensions: 6.4" x 6.2" x 2"</p>
<p><b>PADVD-450</b></p> 	<p><b>Half-DIN DVD Player with SD &amp; USB readers.</b> Playback from 4GB SD, 4GB USB drive, Slot loading DVD drive, In-dash, floor &amp; console mounting brackets included, Flash memory for last position recall, Remote control &amp; IR repeater included, OSD On screen display, Digital anti-shock, NTSC/PAL selectable, A/V Pre-amp outputs, 2V, Dimensions: 6.4" x 6.2" x 2"</p>





## INGENIX ACCESSORIES

MODEL	DESCRIPTION
<b>TV-ATSC-MH</b> 	<b>TV Tuner for INGENIX Source Units. Digital MH</b>
<b>REM-5</b> 	<b>Remote Control for INGENIX Source Units</b>
<b>IP-5C</b> 	<b>Full Control iPod Cable for INGENIX Source Units. Full control &amp; charging of iPod Classic, iPhone, Nano, &amp; iTouch, Scrool by Artists, Albums, Genres, or Playlists, Video Playback from Classic &amp; iTouch.</b>

**AutoMobility Distribution Inc.**







400 Wright, St-Laurent, QC H4N 1M6

Tel.: (514) 745-8030 Toll Free (888) 557-8278 Fax: (514) 745-6068

[www.automob.ca](http://www.automob.ca)

ED042511

## ACCESSORIES

MODEL	DESCRIPTION
<p><b>NAVIBOX-1</b></p> 	<p><b>Plug-N-Play turn-by-turn GPS Navigation Module.</b> Works with all NR, NRB, NRT, or NRBT source units, Commanded by source unit touch screen controls. Navteq USA &amp; Canada mapping with 12 million POI database.</p>
<p><b>IC-2</b></p> 	<p><b>Full Function iPod integration cable, full control &amp; charging of iPod Classic, Nano, &amp; iTouch,</b> Scroll by Artists, Albums, Genres, or Playlists, Video playback from Classic &amp; iTouch, Compatible with IC-2 ready source units only.</p>
<p><b>DTV-MH</b></p> 	<p><b>Direct Control TV Tuner.</b> Touch screen control from NR, NRB, NRT, or NRBT Source units, Remote Control &amp; IR Repeater included, Neodymium Magnetic antenna included, Full DTV-MH 57-803 MHz receiving frequencies. 4:3 or 16:9 Aspect ratio</p>
<p><b>DTV-1</b></p> 	<p><b>Direct Control ATSC Digital TV Tuner.</b> Full DTV 57-803MHz receiving frequencies, Electronic programming guide for On-screen channel surfing, Favorite channels programming, CCD closed captions optional, 4:3 or 16:9 Aspect ratio</p>
<p><b>DTV-MHU</b></p> 	<p><b>Universal Direct Control TV Tuner. Touch screen control from NR, NRB, NRT, or NRBT Source units,</b> A/V RCA Outputs for any device, Remote Control &amp; IR Repeater included, Neodymium Magnetic antenna included, Full DTV-MH 57-803 MHz receiving frequencies. 4:3 or 16:9 Aspect ratio</p>
<p><b>DTV-2U</b></p> 	<p><b>Universal ATSC Digital TV Tuner.</b> Full DTV 57-803MHz receiving frequencies, Electronic programming guide for On-screen channel surfing, Favorite channels programming, CCD closed captions optional, 4:3 or 16:9 Aspect ratio</p>






**AutoMobility Distribution Inc.**

400 Wright, St-Laurent, QC H4N 1M6

Tel.: (514) 745-8030 Toll Free (888) 557-8278 Fax: (514) 745-6068

www.automob.ca

## ACCESSORIES

MODEL	DESCRIPTION
<p><b>HP-902RFT</b></p> 	<p><b>2 Swivel Ear Pad 2-Channel RF 900 MHz Wireless Headphones with Transmitter</b></p>
<p><b>LP-2CSC</b></p>  	<p><b>License Plate Frame with night vision camera, back-up sensors, On-screen distance gauge and proximity alerts-CHROME</b></p>
<p><b>LP-2CSB</b></p>  	<p><b>License Plate Frame with night vision camera, back-up sensors, On-screen distance gauge and proximity alerts-BLACK</b></p>

**AutoMobility Distribution Inc.**

400 Wright, St-Laurent, QC H4N 1M6

Tel.: (514) 745-8030 Toll Free (888) 557-8278 Fax: (514) 745-6068

[www.automob.ca](http://www.automob.ca)