

ButtKicker[®]




We're More Than Just a Pretty Name





2011 PRODUCTS

AutoMobility Distribution Inc

ALL IN ONE KITS

Model	Description
<p>BK-LFEKIT</p> 	<p>ButtKicker LFE Kit, Experience realistic special effects and concert quality music, Audio transducer is a "silent subwoofer" that allows powerful bass without excessive volume, Connects easily to a home theater or video game system, Power handling-400 watts min/1500 watts max, Includes: (1) 4 ohm Transducer, 1 ButtKicker® 2100W amplifier, wiring cables and mounting kit</p>
<p>BK-KIT-4 NEW!</p> 	<p>Wireless ButtKicker Kit is a silent subwoofer that delivers powerful, inaudible bass through your couch or chair so that you can feel the crashes, racing engines, and special effects in your movies and games. It hooks up to any home theater or gaming system and can be used with virtually any couch or chair. Dimensions: 6.125" W x 4.875" L x 4.375" H, Frequency Response: 5 - 200 Hz , Weight: 4.5 lbs. / 2 kgs. Nominal Impedance: 4 ohms, Power Handling: 75 watts min. / 400 watts max</p>
<p>BK-HTSEP</p> 	<p>Home Theater seating elec pack, Everything necessary to wirelessly connect and power up to 4 ButtKicker LFE transducers to your home theater system: One ButtKicker Power Amplifier, One Quick Connect - Quick Select Package, One ButtKicker Link Package RF Wireless Send/Receive Set</p>

BUTTKICKERS

Model	Description
<p>BK-LFE</p> 	<p>Buttkicker LFE, The ButtKicker LFE (low frequency effects) audio transducer is a "Silent Subwoofer" that allows you to feel powerful bass without excessive volume. Dimensions:5.375" H x 5.375" W Frequency Response:5 - 200 Hz, Weight:11 lbs / 5 kgs, Nominal Impedance:4 ohms, Power Handling: 400 watts min. /1500 watts max.</p>
<p>BK-CT</p> 	<p>Buttkicker Concert, A single-seat transducer with excellent musical response; the ButtKicker mini Concert adds amazing impact and tone perception - from deep bass to lower mid-range. Dimensions:3" H x 4.75" W x 4.75" L, Frequency Response:10 - 350 Hz, Weight: 2 lbs / .91 kgs, Nominal Impedance:2 ohms, Power Handling: 50 watts min. /250 watts max.</p>




AutoMobility Distribution Inc.

400 Wright, St-Laurent, QC H4N 1M6


Tel.: (514) 745-8030 Toll Free: (888) 557-8278 Fax: (514) 745-6068

www.automob.ca

BUTTKICKERS

Model	Description
BK-SSW 	Silent Subwoofer for Car Audio , Dimensions: 5.375" H x 5.375" W, Frequency Response: 5 - 200 Hz, Weight: 11 lbs / 5 kgs, Impedance: 2 ohms.
BK-MINI-LFE 	ButtKicker Mini LFE , A single-seat transducer with excellent musical response, from deep bass to lower mid-range, the ButtKicker mini LFE adds amazing impact and tone perception. It is ideal for smaller home theater seating, movie theater style seating, gaming seats and simulators. The 4 ohm mini LFE requires minimal power, and multiple units can easily be wired together.
BK-MINI-CT 	ButtKicker Mini Concert , Perfect for use with speakers or headphones. Ideal for bass guitar and keyboard monitoring, drum thrones, studio monitoring and car audio. The 2 ohm mini Concert requires a minimum of only 50 watts with a maximum of 250 watts.

AMPLIFIERS

Model	Description
BKA-1000N 	Buttkicker Power Amplifier , • 1000 Watts @ 4 ohms • 1900 Watts @ 2 ohms • Can power 1, 2, 3, or 4 ButtKicker LFE transducers • Class D switching technology • Variable high cutoff, 40 - 160 Hz • Low cutoff, 25 Hz switchable • RCA and 1/4" inputs with 160m Volt and 1.25 Volt sensitivities • Either 120v or 240v versions. NOT SWITCHABLE






AutoMobility Distribution Inc.

400 Wright, St-Laurent, QC H4N 1M6





Tel.: (514) 745-8030 Toll Free: (888) 557-8278 Fax: (514) 745-6068

www.automob.ca

ACCESSORIES

Model	Description
<p>BK-LINK</p> 	<p>Buttkicker Wireless Package, Wirelessly send and receive audio signal from an A/V processor to the ButtKicker Power Amplifier. • One Send (transmitter) Unit with a/c adaptor • One Receive Unit with a/c adaptor • Sends audio signal from the subwoofer or line out of the A/V processor to the input of the ButtKicker Power Amplifier • 900 MHz bandwidth • Frequency range of 5 - 350 Hz</p>
<p>BK-QCP</p> 	<p>Buttkicker Quick Connect Pack, Plug 'n Play connection for up to 4 BK-LFE's to a ButtKicker Power Amplifier, • Powered "Quick Connect - Quick Select Box" • Four 12' lengths of 14 gauge speaker wire with banana type connectors for connecting ButtKicker transducers to the "Quick Connect - Quick Select Box" • One 20' lengths of 14 gauge speaker wire with banana type connectors for connecting the "Quick Connect - Quick Select Box" to the ButtKicker Power Amplifier, • RCA "Y" connector and "Speaker Level Interface Adaptor" to split the "subwoofer out" from either a professional or consumer A/V processor to allow the use of a subwoofer and ButtKicker transducers.</p>
<p>BK-CMAK</p> 	<p>Buttkicker Chair/Couch Mounting accessories, Enables fast and easy setup of BK-LFE to all types of furniture, • Mounting plate with rubber isolators • Five additional isolators • Mounting hardware and wrench</p>
<p>BKP</p> 	<p>Buttkicker Platform, For use with ButtKicker CONCERT for Bass Player, DJ and Musicians, • 32" x 18" top & bottom, 20" sides • Matte black molded plastic top finish • 17 lbs / 7.73 kg</p>
<p>BK-DTM2</p> 	<p>Drum Throne mounting brackets, For attaching ButtKicker CONCERT to most 4 hole Drum Thrones, • Heavy duty 1/4" steel construction • Matte powder coated black finish • 4 lbs. / 1.82 kg</p>

RUBBER ISOLATORS

Model	Description
 <p>RI-K28</p>	<p>Small Isolator (Pack of 4), Same isolators included with the BK-CMAK box. RI-K28 Isolators Now Come with Plastic Carpet Sliders, • For use with furniture; ideal for sectional couches, • Molded rubber isolator • Easily attaches with screw through center washer • Only available in package of four isolators • The larger kinetics isolators are recommended for platforms, risers and stages.</p>
 <p>RDB-120</p>	<p>Kinetic Isolator, Larger rubber isolators weight rated at 120 lbs. For use with platforms, risers, stages, etc.</p>
 <p>RDB-220</p>	<p>Kinetic Isolator, Larger rubber isolators weight rated at 220 lbs. For use with platforms, risers, stages, etc.</p>
 <p>RDB-375</p>	<p>Kinetic Isolator, Larger rubber isolators weight rated at 375 lbs. For use with platforms, risers, stages, etc.</p>